



LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS









-66

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS  
COPY 2



STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-66

# HYDROLOGIC DATA: 1966

Volume II: NORTHEASTERN CALIFORNIA

Appendix C: GROUND WATER MEASUREMENTS

UNIVERSITY OF CALIFORNIA  
DAVIS  
MAR 10 1968  
GOVT. DOCS. - LIBRARY

DECEMBER 1967

RONALD REAGAN  
*Governor*  
State of California

WILLIAM R. GIANELLI  
*Director*  
Department of Water Resources

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS





State of California  
THE RESOURCES AGENCY  
Department of Water Resources

BULLETIN No. 130-66

HYDROLOGIC DATA: 1966

Volume II: NORTHEASTERN CALIFORNIA

Appendix C: GROUND WATER MEASUREMENTS

DECEMBER 1967


RONALD REAGAN  
*Governor*  
State of California


WILLIAM R. GIANELLI  
*Director*  
Department of Water Resources

BULLETIN No. 130  
 HYDROLOGIC DATA  
 AREAL COVERAGE OF VOLUMES

Each Volume Contains

- Appendix A: Climatological Data
- Appendix B: Surface Water Measurements
- Appendix C: Ground Water Measurements
- Appendix D: Surface Water Quality
- Appendix E: Ground Water Quality

This Volume 



This Area Reported in  
 Volume III & V

## FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies to satisfy specific needs of the State. Bulletin No. 130-66 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.

*William R. Gianelli*

William R. Gianelli, Director  
Department of Water Resources  
State of California  
November 9, 1967

M E T R I C      C O N V E R S I O N      T A B L E

ENGLISH UNIT	EQUIVALENT METRIC UNIT	
1 Inch (in)	2.54	Centimeters
1 Foot (ft)	0.3048	Meters
1 Mile (mi)	1.609	Kilometers
1 Acre	0.405	Hectares
1 Square mile (sq.mi.)	2.590	Square kilometers
1 U.S. gallon (gal)	3.785	Liters
1 Acre foot (ac.ft.)	1,233.5	Cubic meters
1 U.S. gallon per minute (gpm)	0.0631	Liters per second
1 Cubic foot per second (cfs)	1.7	Cubic meters per minute

TABLE OF CONTENTS

	Page
AREAL COVERAGE OF VOLUMES . . . . .	ii
FOREWORD . . . . .	iii
METRIC CONVERSION TABLE . . . . .	iv
ORGANIZATION . . . . .	vii
ACKNOWLEDGMENTS . . . . .	ix
ABSTRACT . . . . .	x
APPENDIXES	
Appendix A: CLIMATOLOGICAL DATA . . . . . (Bound separately)	
Appendix B: SURFACE WATER MEASUREMENTS . . . . . (Bound separately)	
Appendix C: GROUND WATER MEASUREMENTS . . . . .	1
Introduction . . . . .	1

FIGURES

Figure  
Number

C-1	Ground Water Basins in Northeastern California . . . . .	3
C-2	Average Depth to Water in Wells . . . . .	6
C-3	Fluctuation of Water Level in Wells . . . . .	9

TABLES

Table  
Number

C-1	Average Change of Ground Water Levels and Summary of Well Measurements Reported . . . . .	4
C-2	Ground Water Levels at Wells . . . . .	14

TABLE OF CONTENTS (Continued)

PLATES

(In pocket at back of bulletin)

Plate

- C-1 Lines of Equal Elevation of Water in Wells in Lower Sacramento Valley and San Joaquin County, Fall 1965
- C-2 Lines of Equal Depth to Water in Wells in Lower Sacramento Valley and San Joaquin County, Fall 1965
- C-3 Lines of Equal Elevation of Water in Wells in Lower Sacramento Valley and San Joaquin County, Spring 1966
- C-4 Lines of Equal Elevation of Water in Wells in Colusa, Butte, Glenn and Tehama Counties, Spring 1966
- C-5 Lines of Equal Depth to Water in Wells in Colusa, Butte, Glenn and Tehama Counties, Spring 1966
- 
- Appendix D: SURFACE WATER QUALITY . . . . . (Bound separately)
- Appendix E: GROUND WATER QUALITY . . . . . (Bound separately)

State of California  
The Resources Agency  
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor  
WILLIAM R. GIANELLI, Director, Department of Water Resources

This report was prepared under the direction of  
JOHN R. TEERINK, Deputy Director

By the

SACRAMENTO DISTRICT

Carl A. Werner . . . . . District Engineer  
Lawrence A. Mullnix . . . . . Chief, Operations Section  
Jacob Angel . . . . . Chief, Project Engineering and Data Unit

Assisted by

Grant C. Ardell . . . . . Water Resources Engineering Associate  
George Nakao . . . . . Water Resources Technician II  
Pacifico L. Eliab . . . . . Water Resources Technician I  
Jimmie M. Fazil . . . . . Laborer

And by the

NORTHERN DISTRICT

Gordon W. Dukleth . . . . . District Engineer  
Wayne S. Gentry . . . . . Chief, Operations Section  
Robert F. Middleton, Jr. . . . . Chief, Hydrologic Data Unit

Assisted by

Seth K. Barrett . . . . . Water Resources Technician II  
Stanley H. Adams . . . . . Water Resources Technician II

And by the

SAN FRANCISCO BAY DISTRICT

Charles A. McCullough . . . . . District Engineer  
Vernon Bengal . . . . . Chief, Water Supply and Quality Section  
Glenn R. Peterson . . . . . Chief, Water Supply Unit

Assisted by

James R. Haupt . . . . . Assistant Civil Engineer  
John S. Bartok . . . . . Water Resources Technician II  
Willie D. Crosby . . . . . Water Resources Technician I  
Woodfin Riley . . . . . Engineering Aid II

Reviewed and Coordinated by  
Statewide Planning Office  
Data Coordination Branch





## ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. Special mention is made of the following agencies whose cooperation is gratefully acknowledged.

Arcade Water District  
Butte County  
California Water Service Company  
City of Stockton  
Colusa County  
East Bay Municipal Utility District  
Glenn County  
Lake County  
Placer County  
Sacramento County  
Sacramento Municipal Utility District  
San Joaquin County  
Solano County  
Solano Irrigation District  
South San Joaquin Irrigation District  
South Sutter Water District  
Sutter County  
Tehama County  
United States Bureau of Reclamation  
United States Geological Survey  
Yolo County  
Yuba County

ABSTRACT

Report contains data on ground water conditions in Northeastern California during the 1965-66 water year. Figures show location of ground water basins and fluctuation of water level in wells. Plates show contour lines of elevation of water level in wells. Tables show average change of ground water levels and ground water level measurements.


INTRODUCTION

This appendix contains ground water level measurements from 2458 wells for the period July 1, 1965 through September 30, 1966. It contains hydrographs of selected wells, tables which summarize the measurements and maps showing the elevation of and depth to water level in wells. Wells are selected to reflect the ground water conditions of the area. These wells are continuously reviewed and, when conditions dictate, replacement wells are located and measured.


There are 37 ground water basins or areas in the Northern Central Valley Region and the Northern Lahontan Region for which data are reported.

Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the Region and Basin Designation and the State Well Numbering System as described below.

The regions used in this report are geographic areas defined in Section 13040 of the Water Code. That portion of Northern California covered by this report comprises the northern portions of Central Valley Region No. 5 and Lahontan Region No. 6. A decimal system of the form 0-00.00 has been selected according to geographic regions, ground water basins, and subbasins or subareas as follows:



The State Well Numbering System is based on township, range, and section subdivisions of the Public Land Survey. The number of a well, assigned in accordance with this system, is referred to as the State Well Number, as illustrated below:



This number identifies and locates the well. In the example, the well is in Township 39 North, Range 13 East, Tract J of Section 8, located in the Mount Diablo Base and Meridian. A section is divided into 40-acre tracts as follows:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R


Sequence numbers in a tract are generally assigned in chronological order. The example designates the fourth well to be assigned a number in Tract J.

GROUND WATER BASINS OR AREAS  
IN NORTHEASTERN CALIFORNIA  
NORTHERN CENTRAL VALLEY REGION

5-1.00 GOOSE LAKE VALLEY  
5-2.00 ALTURAS BASIN  
5-4.00 BIG VALLEY  
5-36.00 ROUND VALLEY  
5-5.00 FALL RIVER VALLEY  
5-6.00 REDDING BASIN  
5-11.00 MOHAWK VALLEY  
5-12.00 SIERRA VALLEY  
5-13.00 UPPER LAKE VALLEY  
5-14.00 SCOTT VALLEY  
5-15.00 KELSEYVILLE VALLEY  
5-31.00 LONG VALLEY  
5-16.00 HIGH VALLEY  
5-17.00 BURNS VALLEY  
5-30.00 LOWER LAKE AREA  
5-18.00 COYOTE VALLEY  
5-19.00 COLLAYOMI VALLEY  
5-21.00 SACRAMENTO VALLEY  
    5-21.01 TEHAMA COUNTY  
    5-21.02 GLENN COUNTY  
    5-21.03 BUTTE COUNTY  
    5-21.04 COLUSA COUNTY  
    5-21.05 SUTTER COUNTY  
    5-21.06 YUBA COUNTY  
    5-21.07 PLACER COUNTY  
    5-21.08 SACRAMENTO COUNTY  
    5-21.09 YOLO COUNTY  
    5-21.10 CAPAY VALLEY  
    5-21.11 SOLANO COUNTY  
5-22.00 SAN JOAQUIN VALLEY  
    5-22.01 MOKELUMNE RIVER AREA  
    5-22.02 CALAVERAS RIVER AREA  
    5-22.03 FARMINGTON-COLLEGEVILLE AREA  
    5-22.05 SOUTH SAN JOAQUIN IRRIGATION DISTRICT  
    5-22.52 DELTA AREA

NORTHERN LAHONTAN REGION

6-1.00 SURPRISE VALLEY  
6-2.00 MADELINE PLAINS  
6-3.00 WILLOW CREEK VALLEY  
6-4.00 HONEY LAKE VALLEY  
6-5.00 TAHOE VALLEY  
    6-5.01 SOUTH TAHOE VALLEY



GROUND WATER BASINS IN NORTHEASTERN CALIFORNIA

TABLE C-1


AVERAGE CHANGE OF GROUND WATER LEVELS  
AND SUMMARY OF WELL MEASUREMENTS REPORTED

Ground water Basin or Area		Average Change Spring 1965 to Spring 1966 in feet	Measuring Agency	Number of wells Reported		
Name	Number			Monthly 1965-66	Fall 1965	Spring 1966
CENTRAL VALLEY REGION						
Goose Lake Valley	5-01.00	+ 1.1	Department of Water Resources	2		
Alturas Basin	5-02.00	- 1.2	Department of Water Resources	7		
Big Valley	5-04.00	- 1.3	Department of Water Resources	3		
Round Valley	5-36.00	0.0	Department of Water Resources	3		
Fall River Valley	5-05.00	- 0.6	Department of Water Resources	3		
Redding Basin	5-06.00	0.0	Department of Water Resources	13		
Mohawk Valley	5-11.00	- 0.6	Department of Water Resources			2
Sierra Valley	5-12.00	- 1.0	Department of Water Resources	6		38
Upper Lake Valley	5-13.00	+ 0.7	Lake County Department of Water Resources	3	19 4	19 4
Scott Valley	5-14.00	+ 0.7	Lake County Department of Water Resources	3	8 2	8 2
Kelseyville Valley	5-15.00	+ 0.4	Lake County Department of Water Resources	3	40 10	38 10
Long Valley	5-31.00	0.0	Department of Water Resources		2	2
High Valley	5-16.00	- 2.3	Lake County Department of Water Resources	1	5	5
Burns Valley	5-17.00	+ 0.1	Lake County Department of Water Resources	1	2	2
Lower Lake Area	5-30.00	+ 0.7	Lake County Department of Water Resources	1	2	2
Coyote Valley	5-18.00	+ 0.8	Lake County Department of Water Resources	1	8	8
Collayomi Valley	5-19.00	+ 1.0	Lake County Department of Water Resources	1	13	13
Sacramento Valley	5-21.00					
Tehama County	5-21.01	+ 0.7	Tehama County U. S. Bureau of Reclamation Department of Water Resources	13	75 7 1	74 7
Glenn County	5-21.02	0.0	Glenn County U. S. Bureau of Reclamation Department of Water Resources	8	122 33 1	122 33
Butte County	5-21.03	0.0	Butte County Department of Water Resources	13	138 89	134 88
Colusa County	5-21.04	- 1.3	Colusa County U. S. Bureau of Reclamation Department of Water Resources	8	38 2	36 38
Sutter County	5-21.05	+ 1.0	Sutter County South Sutter Water District Department of Water Resources	17	110 26	110 26
						4

TABLE C-1 (Continued)


AVERAGE CHANGE OF GROUND WATER LEVELS  
AND SUMMARY OF WELL MEASUREMENTS REPORTED

Ground Water Basin or Area		Average Change Spring 1965 to Spring 1966 in feet	Measuring Agency	Number of Wells Reported		
Name	Number			Monthly 1965-66	Fall 1965	Spring 1966
Sacramento Valley (Continued)						
Yuba County	5-21.06	- 0.2	Yuba County Department of Water Resources	9	72 6	71 11
Placer County	5-21.07	+ 0.1	Placer County South Sutter Water District Department of Water Resources	7	88 2	87 2
Sacramento County	5-21.08	- 1.1	Sacramento County Sacramento Muni. Utility Dist. Arcade Water District U. S. Bureau of Reclamation Department of Water Resources	17	125 18 37 98 38	121 18 39 99 47
Yolo County	5-21.09	0.0	Yolo County U. S. Bureau of Reclamation Department of Water Resources	12	184 87 8	184 89 20
Capay Valley	5-21.10	- 0.1	Yolo County		21	21
Solano County	5-21.11	+ 1.6	Solano County U. S. Bureau of Reclamation Department of Water Resources	11	31 100 24	103 24
San Joaquin Valley	5-22.00					
Mokelumne River Area	5-22.01	- 0.2	San Joaquin County City of Stockton California Water Service Co. East Bay Municipal Utility Dist. U. S. Bureau of Reclamation Department of Water Resources	9	93 4 4 63 4 20	96 4 4 63 4 21
Calaveras River Area	5-22.02	- 0.3	San Joaquin County City of Stockton California Water Service Co. East Bay Municipal Utility Dist. Department of Water Resources	8	87 7 22 4 10	89 7 21 4 11
Farmington-Collegeville Area	5-22.03	- 0.7	San Joaquin County Department of Water Resources	7	58 8	58 8
South San Joaquin Irrigation District	5-22.05	- 0.4	San Joaquin County Department of Water Resources	7	2 22	2 22
Delta Area	5-22.52	- 0.6	San Joaquin County Department of Water Resources	5	3 9	3 9
LAHONTAN REGION						
Surprise Valley	6-01.00	- 1.1	Department of Water Resources	6		
Madeline Plains	6-02.00	- 3.0	Department of Water Resources	3		
Honey Lake Valley	6-04.00	- 2.3	Department of Water Resources	5	1	
Tahoe Valley	6-05.00					
South Tahoe Valley	6-05.01	- 0.6	Department of Water Resources		30	30
TOTAL				217	2147	2219




AVERAGE DEPTH TO WATER IN WELLS  
 SPRING 1958 TO SPRING 1966






AVERAGE DEPTH TO WATER IN WELLS  
 SPRING 1958 TO SPRING 1966




AVERAGE DEPTH TO WATER IN WELLS  
 SPRING 1958 TO SPRING 1966

E L E V A T I O N I N F E E T U S C R S G S D A T U M


**REDDING BASIN (5-6 00)**  
 SHASTA COUNTY  
 WELL 29N/5W-11A2, M D B B M  
 GROUND SURFACE ELEVATION 512




**COLLAYOMI VALLEY (5-19 00)**  
 LAKE COUNTY  
 WELL 1N/7W-35E1, M D B B M  
 GROUND SURFACE ELEVATION 1077



**SACRAMENTO VALLEY (5-21 00)**  
 TEHAMA COUNTY (5-21 01)  
 WELL 26N/3W-4K1, M D B B M  
 GROUND SURFACE ELEVATION 235



**SACRAMENTO VALLEY (5-21 00)**  
 GLENN COUNTY (5-21 02)  
 WELL 21N/2W-28M1, M D B B M  
 GROUND SURFACE ELEVATION 151




-----CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE


**FLUCTUATION OF WATER LEVEL IN WELLS**

E L E V A T I O N I N F E E T - U S C B G S D A T U M


SACRAMENTO VALLEY (5-21.00)  
 BUTTE COUNTY (5-21.03)  
 WELL 23N/1W-14R1, M.D.B. & M.  
 GROUND SURFACE ELEVATION 193



SACRAMENTO VALLEY (5-21.00)  
 COLUSA COUNTY (5-21.04)  
 WELL 14N/2W-16N2, M.D.B. & M.  
 GROUND SURFACE ELEVATION 118




SACRAMENTO VALLEY (5-21.00)  
 SUTTER COUNTY (5-21.05)  
 WELLS 14N/3E-3P1, 15N/3E-34L1, M.D.B. & M.  
 GROUND SURFACE ELEVATION 50.52




-----CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

FLUCTUATION OF WATER LEVEL IN WELLS

SACRAMENTO VALLEY (5-2100)  
 YUBA COUNTY (5-21.06)  
 WELLS 14N/5E-33Q1, 14N/5E-30Q1, M.D.B. & M.  
 GROUND SURFACE ELEVATION 86'.77



SACRAMENTO VALLEY (5-2100)  
 PLACER COUNTY (5-21.07)  
 WELLS 13N/5E-35M1, 12N/5E-35E2, M.D.B. & M.  
 GROUND SURFACE ELEVATION 92'.90




-----CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE


FLUCTUATION OF WATER LEVEL IN WELLS

ELEVATION IN FEET - U.S.C. & G.S. DATUM


SACRAMENTO VALLEY (5-21.00)  
 SACRAMENTO COUNTY (5-21.08)  
 WELLS 8N/6E-20J1, 8N/6E-21N2, M.D.B. & M.  
 GROUND SURFACE ELEVATION 64.65'



SACRAMENTO VALLEY (5-21.00)  
 YOLO COUNTY (5-21.09)  
 WELL 10N/2E-21M2, M.D.B. & M.  
 GROUND SURFACE ELEVATION 52'



SACRAMENTO VALLEY (5-21.00)  
 SOLANO COUNTY (5-21.11)  
 WELL 6N/2E-29N1, M.D.B. & M.  
 GROUND SURFACE ELEVATION 19'




----- CONNEX'S MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

FLUCTUATION OF WATER LEVEL IN WELLS




ELEVATION IN FEET DATUM


SAN JOAQUIN VALLEY (5-22.00)  
 MOKELUMNE RIVER AREA (5-22.01)  
 WELL 2N/7E - 014, M D B B M  
 GROUND SURFACE ELEVATION 73



SAN JOAQUIN VALLEY (5-22.00)  
 CALAVERAS RIVER AREA (5-22.02)  
 WELLS 2N/7E-1R2, 2N/7E-12A1, M D B B M  
 GROUND SURFACE ELEVATION 79.72



SAN JOAQUIN VALLEY (5-22.00)  
 FARMINGTON-COLLEGEVILLE AREA (5-22.03)  
 WELL N/8E - 7D1, M D B B M  
 GROUND SURFACE ELEVATION 65



----- CONNECTS MEASUREMENTS  
 MADE AT INTERVALS OF A  
 YEAR OR MORE

FLUCTUATION OF WATER LEVEL IN WELLS

TABLE C-2 GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number - Refer to the explanation under Introduction.

Ground Surface Elevation - The numbers in this column are the elevation in feet above mean sea level (USGS) of the ground surface at the well.

Date - The date shown is when the depth measurement given in the next column was made.

Ground Surface to Water Surface - This is the measured depth in feet from the ground surface to the water surface in the well; certain of the depth measurements in the column may be preceded by a number in parentheses to indicate a questionable measurement. The code applicable to these "questionable measurements" is as follows:

- |                                      |                                        |
|--------------------------------------|----------------------------------------|
| (1) Pumping                          | (6) Other                              |
| (2) Nearby pump operating            | (7) Recharge operation at or near well |
| (3) Casing leaking or wet            | (8) Oil in casing                      |
| (4) Pumped recently                  | (9) Caved or deepened                  |
| (5) Air or pressure gage measurement |                                        |

When a measurement was attempted, but could not be obtained, then only a number in parentheses is shown in the column. The code applicable to these "no measurements" is as follows:

- |                               |                               |
|-------------------------------|-------------------------------|
| (1) Pumping                   | (6) Well has been destroyed   |
| (2) Pump house locked         | (7) Special                   |
| (3) Tape hung up              | (8) Casing leaking or wet     |
| (4) Cannot get tape in casing | (9) Temporarily inaccessible  |
| (5) Unable to locate well     | (0) Measurements discontinued |

The words FLOW and DRY are shown in this column to indicate a flowing or dry well, respectively. A minus preceding the number in this column indicates that the static water level in the well is this distance in feet above the ground surface.

Water Surface Elevation - This is the elevation in feet above mean sea level (USGS Datum) of the water surface in the well. It was derived by subtraction of the depth measurement from the ground surface elevation.

Agency Supplying Data - Each number in this column is the code number for the agency supplying data for that measurement. The agencies supplying data for this report and the code numbers assigned to them are as follows:

Code	Agency
4202	Sacramento Municipal Utility District
4203	City of Stockton
4400	Arcade Water District
4701	California Water Service Company
5000	U. S. Geological Survey
5001	U. S. Bureau of Reclamation
5050	Department of Water Resources
5100	Tehama County
5101	Colusa County
5102	Sutter County
5103	Yuba County
5104	Yolo County
5105	Glenn County
5106	Butte County
5107	Placer County
5108	Sacramento County
5109	Solano County
5110	San Joaquin County
5111	Lake County
5401	South Sutter Water District
7518	South San Joaquin Irrigation District
8201	East Bay Municipal Utility District



# TABLE C-2 (Cont.) GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA						
CENTRAL VALLEY REGION 5-00.00																	
GOOSE LAKE VALLEY 5-01.00																	
45N/14E-17PO1M	4796.9	7-20-65	48.2	4748.7	5050	ALTURAS BASIN 5-02.00											
		8-17-65	48.6	4748.3	5050												
		9-21-65	52.0	4744.9	5050												
		10-19-65	47.2	4749.9	5050												
		11-16-65	46.9	4750.0	5050												
		12-13-65	46.9	4750.0	5050												
		1-18-66	46.2	4750.7	5050												
		2-23-66	46.7	4750.2	5050												
		3-24-66	46.6	4750.3	5050												
		4-20-66	46.4	4750.5	5050												
		5-17-66	51.6	4745.3	5050												
		6-21-66	54.7	4742.2	5050												
		7-20-66	53.2	4743.7	5050												
		8-15-66	52.2	4737.7	5050												
		9-20-66	56.6	4740.3	5050												
			14.7	4832.6	5050												
			10.3	4831.0	5050												
			18.5	4830.9	5050												
			18.2	4829.1	5050												
			18.1	4828.2	5050												
			18.0	4828.7	5050												
			19.1	4829.2	5050												
			20.2	4827.1	5050												
			19.2	4827.1	5050												
			16.2	4831.1	5050												
			15.6	4835.9	5050												
			12.1	4833.2	5050												
			16.7	4827.2	5050												
			32.7	4826.8	5050												
			20.2	4827.1	5050												
ALTURAS BASIN 5-02.00																	
39N/18E-08K04M CONT.																	
	4453.4	1-18-66	21.3	4432.1	5050	ALTURAS BASIN 5-02.00											
		3-01-66	20.8	4432.1	5050												
		5-19-66	25.3	4431.1	5050												
		7-12-66	(1)	4427.2	5050												
		8-19-66	(1)	4428.1	5050												
		9-18-66	23.0	4432.4	5050												
		10-16-66	23.0	4424.4	5050												
		11-13-66	(1)	4431.1	5050												
		12-10-66	21.2	4432.2	5050												
41N/10E-06D01M																	
	4303.4	7-20-65	6.5	4296.9	5050							ALTURAS BASIN 5-02.00					
		8-17-65	6.7	4296.7	5050												
		9-20-65	7.4	4296.0	5050												
		10-19-65	7.2	4296.2	5050												
		11-16-65	7.2	4295.9	5050												
		12-17-65	7.5	4295.9	5050												
		1-18-66	7.4	4296.0	5050												
		3-01-66	7.1	4296.3	5050												
		3-23-66	6.7	4296.7	5050												
		4-19-66	6.9	4296.5	5050												
		5-17-66	6.9	4296.5	5050												
		6-21-66	7.4	4296.0	5050												
		7-20-66	7.4	4296.8	5050												
		8-15-66	7.6	4295.8	5050												
		9-20-66	7.9	4295.5	5050												
41N/11E-05E01M																	
	4315.1	7-20-65	4.6	4310.5	5050	ALTURAS BASIN 5-02.00											
		8-17-65	5.0	4310.1	5050												
		9-20-65	6.8	4308.3	5050												
		10-19-65	5.0	4310.1	5050												
		11-16-65	5.0	4310.1	5050												
		12-17-65	5.0	4310.1	5050												
		1-18-66	4.8	4310.3	5050												
		3-01-66	4.6	4310.5	5050												
		3-23-66	(0)		5050												
41N/12E-11D01M																	
	4382.6	7-21-65	(1)	4350.0	5050							ALTURAS BASIN 5-02.00					
		8-17-65	32.6	4359.0	5050												
		9-20-65	22.6	4360.0	5050												
		10-19-65	22.5	4360.1	5050												
		11-17-65	22.1	4360.3	5050												
		12-17-65	22.3	4360.3	5050												
		1-18-66	22.1	4360.5	5050												
		3-01-66	22.1	4360.9	5050												
		3-24-66	22.3	4360.3	5050												

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ALTURAS BASIN 5-02.00											
41N/12E-11D01M CONT.											
	4382.6	4-19-66	22.2	4360.4	5050		42N/13E-34W01M CONT.	12-14-65	9.4	4421.7	5050
		5-17-66	24.4	4358.2	5050			1-18-66	9.1	4422.0	5050
		2-20-66	31.3	4344.3	5050			2-23-66	8.9	4425.2	5050
		7-20-66 (1)	32.8	4329.8	5050			3-24-66	9.3	4421.8	5050
		8-16-66	24.8	4357.8	5050			4-20-66	8.9	4422.2	5050
		9-21-66	23.7	4358.9	5050			5-17-66	9.7	4421.4	5050
	4340.6	7-20-66	10.2	4330.4	5050			6-22-66	10.3	4420.8	5050
		8-15-66 (1)	10.5	4330.1	5050			7-20-66	10.9	4420.2	5050
		9-20-66	10.5	4330.1	5050			8-16-66	11.4	4419.7	5050
	4389.5	7-20-65	38.1	4351.4	5050			9-21-66	11.8	4419.3	5050
		8-17-65	38.0	4351.5	5050						
		9-20-65	38.3	4351.2	5050						
		10-19-65	38.1	4351.4	5050						
		11-16-65	38.2	4351.3	5050						
		12-13-65	38.8	4350.7	5050						
		1-18-66	38.9	4350.6	5050						
		2-23-66	39.1	4350.4	5050						
		3-23-66	39.2	4350.3	5050						
		4-20-66	39.5	4350.0	5050						
		5-17-66	39.8	4349.7	5050						
		6-21-66	(0)		5050						
	4398.0	7-20-65	7.2	4390.8	5050						
		8-17-65	7.2	4390.8	5050						
		9-21-65	8.5	4389.5	5050						
		10-19-65	7.6	4390.4	5050						
		11-16-65	7.5	4390.5	5050						
		12-13-65	7.6	4390.4	5050						
		1-18-66	7.6	4390.4	5050						
		2-23-66	6.1	4391.9	5050						
		3-23-66	7.8	4390.2	5050						
		4-19-66	8.5	4389.5	5050						
		5-17-66	7.8	4390.2	5050						
		6-21-66	7.3	4390.7	5050						
		7-20-66	7.6	4390.4	5050						
		8-15-66	7.9	4390.1	5050						
		9-20-66	7.7	4390.3	5050						
	4423.1	7-21-65	7.8	4423.2	5050						
		8-17-65	8.9	4422.2	5050						
		9-20-65	9.7	4421.0	5050						
		10-19-65	10.1	4421.4	5050						
		11-17-65	9.7	4421.4	5050						
ALTURAS BASIN 5-02.00											
42N/13E-34W01M CONT.											
	4431.1	12-14-65	9.4	4421.7	5050		4431.1	12-14-65	9.4	4421.7	5050
		1-18-66	9.1	4422.0	5050			1-18-66	9.1	4422.0	5050
		2-23-66	8.9	4421.8	5050			2-23-66	8.9	4421.8	5050
		3-24-66	9.3	4421.8	5050			3-24-66	9.3	4421.8	5050
		4-20-66	8.9	4422.2	5050			4-20-66	8.9	4422.2	5050
		5-17-66	9.7	4421.4	5050			5-17-66	9.7	4421.4	5050
		6-22-66	10.3	4420.8	5050			6-22-66	10.3	4420.8	5050
		7-20-66	10.9	4420.2	5050			7-20-66	10.9	4420.2	5050
		8-16-66	11.4	4419.7	5050			8-16-66	11.4	4419.7	5050
		9-21-66	11.8	4419.3	5050			9-21-66	11.8	4419.3	5050
BIG VALLEY 5-04.00											
38N/07E-33K01M											
	4115.2	7-20-65	9.0	4106.2	5050		4115.2	7-20-65	9.0	4106.2	5050
		8-17-65	9.0	4106.2	5050			8-17-65	9.0	4106.2	5050
		9-22-65	9.1	4106.1	5050			9-22-65	9.1	4106.1	5050
		10-19-65	8.9	4106.3	5050			10-19-65	8.9	4106.3	5050
		11-16-65	8.8	4106.4	5050			11-16-65	8.8	4106.4	5050
		12-17-65	8.5	4106.7	5050			12-17-65	8.5	4106.7	5050
		1-18-66	8.4	4106.8	5050			1-18-66	8.4	4106.8	5050
		3-01-66	8.5	4106.7	5050			3-01-66	8.5	4106.7	5050
		3-23-66	8.6	4106.6	5050			3-23-66	8.6	4106.6	5050
		4-19-66	8.7	4106.5	5050			4-19-66	8.7	4106.5	5050
		5-17-66	8.8	4106.4	5050			5-17-66	8.8	4106.4	5050
		6-21-66	9.0	4106.2	5050			6-21-66	9.0	4106.2	5050
		7-20-66	9.2	4106.0	5050			7-20-66	9.2	4106.0	5050
		8-15-66	9.4	4105.8	5050			8-15-66	9.4	4105.8	5050
		9-20-66						9-20-66			
38N/08E-17K01M											
	4149.9	7-20-65	6.7	4143.2	5050		4149.9	7-20-65	6.7	4143.2	5050
		8-17-65	7.1	4142.8	5050			8-17-65	7.1	4142.8	5050
		9-22-65	10.4	4139.5	5050			9-22-65	10.4	4139.5	5050
		10-19-65	9.4	4140.5	5050			10-19-65	9.4	4140.5	5050
		11-16-65	7.6	4142.3	5050			11-16-65	7.6	4142.3	5050
		12-17-65	7.7	4142.2	5050			12-17-65	7.7	4142.2	5050
		1-18-66	7.7	4142.2	5050			1-18-66	7.7	4142.2	5050
		3-01-66	7.0	4142.9	5050			3-01-66	7.0	4142.9	5050
		3-23-66	8.1	4141.8	5050			3-23-66	8.1	4141.8	5050
		4-19-66	7.3	4142.6	5050			4-19-66	7.3	4142.6	5050
		5-17-66	6.8	4143.1	5050			5-17-66	6.8	4143.1	5050
		6-21-66	6.9	4143.0	5050			6-21-66	6.9	4143.0	5050
		7-20-66	11.6	4138.3	5050			7-20-66	11.6	4138.3	5050
		8-15-66	8.9	4140.0	5050			8-15-66	8.9	4140.0	5050
		9-20-66	8.9	4141.4	5050			9-20-66	8.9	4141.4	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GRINDS SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BIG VALLEY 5-04.00					
39N/09E-28P01M	4403.2	7-20-65	7.0	4195.2	5050
		8-17-65	(1)	4195.0	5050
		9-22-65	8.2	4195.5	5050
		10-19-65	9.7	4195.2	5050
		11-16-65	9.1	4194.7	5050
		12-17-65	8.5	4194.7	5050
		1-18-66	8.2	4197.6	5050
		3-01-66	5.6	4197.6	5050
		3-23-66	2.7	4197.5	5050
		4-19-66	2.7	4197.5	5050
		5-17-66	2.7	4196.5	5050
		6-21-66	6.3	4195.5	5050
		7-20-66	7.3	4195.0	5050
		8-15-66	7.5	4195.7	5050
		9-20-66	7.0	4195.2	5050
ROUND VALLEY 5-36.00					
39N/09E-10K01M	4242.4	4-19-65			5050
		5-17-66	6.4	4236.0	5050
		6-21-66	9.0	4233.4	5050
		7-20-66	7.5	4234.9	5050
		8-15-66	(1)	4232.7	5050
		9-20-66	9.6	4232.8	5050
39N/09E-10P01M	4229.9	7-20-65	7.8	4222.1	5050
		8-17-65	8.8	4221.1	5050
		9-22-65	7.9	4222.0	5050
		10-19-65	9.5	4220.4	5050
		11-16-65	9.3	4220.6	5050
		12-17-65	9.4	4220.5	5050
		1-18-66	8.8	4221.1	5050
		3-01-66	7.7	4222.2	5050
		3-23-66	6.9	4223.0	5050
		4-19-66	6.9	4223.0	5050
		5-17-66	7.3	4222.6	5050
		6-21-66	7.9	4222.0	5050
		7-20-66	8.5	4221.4	5050
		8-15-66	8.5	4221.4	5050
		9-20-66	9.6	4220.3	5050
FALL RIVER VALLEY 5-05.00					
37N/05E-01J01M	3322.7	7-20-65	(1)		5050
		8-17-65	14.2	3308.5	5050
		9-22-65	16.5	3306.2	5050
		10-19-65	10.4	3312.3	5050
		11-16-65	10.2	3312.5	5050
		12-17-65	9.7	3313.0	5050
		1-18-66	9.4	3313.3	5050
		3-01-66	9.1	3313.6	5050
		3-23-66	(1)		5050
		4-19-66	9.8	3312.9	5050
		5-17-66	(1)	3294.8	5050
		6-21-66	(1)		5050
		7-20-66	(1)		5050
		8-15-66	(1)	3298.1	5050
		9-20-66	16.9	3305.8	5050
ROUND VALLEY 5-36.00					
39N/09E-28P02M	4286.1	7-20-65	4.8	4281.3	5050
		8-17-65	5.6	4280.5	5050
		9-22-65	5.1	4281.0	5050
		10-19-65	2.9	4280.2	5050
		11-16-65	6.3	4279.8	5050
		12-17-65	6.3	4279.8	5050
		1-18-66	5.6	4280.5	5050
		3-01-66	5.3	4280.8	5050
		3-23-66	4.4	4281.7	5050
		4-19-66	4.4	4281.7	5050
		5-17-66	4.8	4281.3	5050
		6-21-66	4.7	4281.4	5050
		7-20-66	5.5	4280.6	5050
		8-15-66	7.2	4279.9	5050
		9-20-66	6.7	4279.4	5050
39N/09E-10K01M	4242.4	7-20-65	(1)		5050
		8-17-65	17.8	4224.6	5050
		9-22-65	10.5	4231.9	5050
		10-19-65	9.5	4232.9	5050
		11-16-65	9.3	4233.1	5050
		12-17-65	8.3	4234.1	5050
		1-18-66	8.1	4234.3	5050
		3-01-66	7.6	4234.6	5050
		3-23-66	6.8	4235.6	5050
		4-19-66	5.8	4236.6	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FALL RIVER VALLEY 5-05.00					
37N/05R-30K02M	3328.6	7-20-65	49.2	3279.4	5050
		8-17-65	49.2	3279.4	5050
		9-22-65	48.5	3280.1	5050
		10-10-65	49.3	3279.3	5050
		11-16-65	49.1	3279.5	5050
		12-17-65	49.4	3279.2	5050
		1-18-66	49.2	3279.4	5050
		3-01-66	49.2	3279.4	5050
		3-23-66	49.4	3279.2	5050
		4-19-66	49.6	3279.0	5050
		5-17-66	49.6	3279.0	5050
		5-21-66	49.5	3279.0	5050
		7-20-66	49.7	3278.9	5050
		8-15-66	49.6	3279.0	5050
		9-20-66	49.5	3279.0	5050
38N/04E-33F01M	3318.0	7-20-65	6.1	3311.9	5050
		8-17-65	7.0	3311.0	5050
		9-22-65	7.6	3310.4	5050
		10-19-65	9.3	3308.7	5050
		11-16-65	7.2	3310.8	5050
		12-17-65	6.7	3311.3	5050
		1-18-66	5.9	3312.1	5050
		3-01-66	2.3	3312.7	5050
		3-23-66	2.1	3312.9	5050
		4-19-66	2.0	3313.0	5050
		5-17-66	2.0	3313.0	5050
		5-21-66	2.2	3312.2	5050
		7-20-66	2.5	3311.2	5050
		8-15-66	7.4	3310.9	5050
		9-20-66	7.3	3310.7	5050
REDDING BASIN 5-06.00					
29N/03W-06P01M	409.7	7-19-65	32.7	377.0	5050
		8-16-65	32.3	377.6	5050
		9-23-65	35.1	375.8	5050
		10-21-65	35.1	377.6	5050
		11-15-65	32.3	377.4	5050
REDDING BASIN 5-06.00					
29N/03W-06P01M	409.7	7-19-65	32.7	377.0	5050
		8-16-65	32.3	377.6	5050
		9-23-65	35.1	375.8	5050
		10-21-65	35.1	377.6	5050
		11-15-65	32.3	377.4	5050
REDDING BASIN 5-06.00					
29N/03W-06P01M	409.7	7-19-65	33.1	376.6	5050
		8-16-65	31.9	377.8	5050
		9-23-65	30.1	379.6	5050
		10-21-65	31.9	377.8	5050
		11-15-65	32.2	377.5	5050
		1-21-66	34.1	375.6	5050
		3-7-66	33.3	376.4	5050
		4-22-66	33.2	376.5	5050
REDDING BASIN 5-06.00					
29N/03W-11A02M	512.0	7-19-65	(1)		5050
		8-16-65	(1)		5050
		9-23-65	(1)		5050
		10-21-65	(1)		5050
		11-15-65	61.0	451.0	5050
		12-16-65	57.9	453.0	5050
		1-21-66	56.6	455.2	5050
		2-23-66	56.9	457.8	5050
		3-7-66	54.9	457.8	5050
		4-15-66	(1)		5050
		5-10-66	(1)		5050
		7-20-66	(1)		5050
		8-15-66	(1)		5050
		9-22-66	(1)		5050
REDDING BASIN 5-06.00					
30N/03-30H01F	443.4	10-13-65	68.7	387.2	5050
		11-10-65	65.0	396.0	5050
		11-17-65	62.8	387.1	5050
		12-17-65	62.8	387.0	5050
		1-17-66	63.9	387.1	5050
		2-24-66	63.9	387.0	5050
		3-22-66	63.9	387.0	5050
		4-18-66	63.0	395.9	5050
		5-10-66	63.4	395.8	5050
		7-20-66	64.1	395.7	5050
		8-16-66	67.2	389.4	5050
		9-22-66	67.5	395.0	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
REDDING BASIN 5-06.00											
30N/04W-03001M	473.3	7-19-65	71.2	402.1	5050	30N/04W-22H01M	444.5	10-13-65	51.8	392.7	5050
		8-16-65	73.1	400.2	5050			11-01-65	51.3	393.2	5050
		9-23-65	72.0	401.3	5050			11-15-65	50.7	393.8	5050
		10-21-65	72.1	401.2	5050			12-16-65	50.6	393.9	5050
		11-15-65	71.3	402.0	5050			1-17-66	50.1	394.4	5050
		12-16-65	71.3	402.0	5050			2-24-66	50.5	394.0	5050
		1-20-66	71.7	401.6	5050			3-22-66	51.3	393.2	5050
		2-23-66	71.6	401.7	5050			4-14-66	50.3	394.2	5050
		3-21-66	70.3	403.0	5050			5-10-66	52.3	392.2	5050
		4-21-66	71.3	402.0	5050			7-20-66	51.0	391.5	5050
		5-18-66	75.2	386.1	5050			8-21-66	52.5	382.0	5050
		6-20-66	77.6	359.6	5050			8-16-66	51.1	389.4	5050
		7-22-66	73.5	359.6	5050			9-22-66	51.6	389.9	5050
		8-16-66	74.0	359.3	5050						
		9-22-66	74.2	359.1	5050	30N/04W-23G01M	450.0	10-13-65	63.8	386.2	5050
					5050			11-01-65	61.7	388.7	5050
		7-19-65	(1)		5050			11-15-65	61.7	388.7	5050
		8-16-65	(1)		5050			12-16-65	61.3	389.7	5050
		9-23-65	(1)		5050			1-17-66	61.2	389.7	5050
		10-21-65	(1)		5050			2-24-66	61.7	388.7	5050
		11-15-65	52.8	397.2	5050			3-22-66	61.4	388.7	5050
		12-16-65	54.3	382.7	5050			4-14-66	61.7	388.7	5050
		1-17-66	53.6	382.7	5050			5-10-66	66.1	385.3	5050
		2-23-66	53.6	382.7	5050			7-20-66	66.1	385.3	5050
		3-21-66	53.6	382.7	5050			8-21-66	63.4	383.6	5050
		4-18-66	53.6	382.7	5050			8-16-66	63.4	383.6	5050
		5-18-66	53.6	382.7	5050			9-22-66	63.2	385.9	5050
		6-20-66	51.1	392.9	5050						
		7-20-66	58.1	391.9	5050	30N/04W-24R01M	449.7	10-13-65	35.3	414.4	5050
		8-16-66	59.1	390.8	5050			11-01-65	32.3	414.2	5050
		9-23-66	59.2	388.8	5050			11-15-65	32.3	414.1	5050
			61.2	388.8	5050			12-16-65	32.7	414.0	5050
		10-13-65	15.0	411.0	5050			1-17-66	36.1	413.6	5050
		11-01-65	12.2	409.8	5050			2-24-66	36.6	413.1	5050
		11-15-65	15.0	411.0	5050			3-22-66	37.0	412.7	5050
		12-16-65	15.0	410.5	5050			4-14-66	36.9	412.8	5050
		1-17-66	(4)		5050			5-10-66	37.0	412.7	5050
		2-24-66	(4)		5050			6-20-66	37.2	412.5	5050
		3-23-66	15.7	410.3	5050			7-21-66	36.5	413.2	5050
		4-18-66	15.0	411.0	5050			8-16-66	36.6	413.1	5050
		5-10-66	12.0	410.4	5050			9-22-66	36.5	413.2	5050
		6-20-66	12.0	409.9	5050						
		7-21-66	16.3	409.7	5050						
		8-16-66	16.3	409.7	5050						
		9-22-66	16.8	409.2	5050						
30N/04W-15R03M	426.0	10-13-65	15.0	411.0	5050						
		11-01-65	12.2	409.8	5050						
		11-15-65	15.0	411.0	5050						
		12-16-65	15.0	410.5	5050						
		1-17-66	(4)		5050						
		2-24-66	(4)		5050						
		3-23-66	15.7	410.3	5050						
		4-18-66	15.0	411.0	5050						
		5-10-66	12.0	410.4	5050						
		6-20-66	12.0	409.9	5050						
		7-21-66	16.3	409.7	5050						
		8-16-66	16.3	409.7	5050						
		9-22-66	16.8	409.2	5050						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO GROUND SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO GROUND SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
REDDING BASIN 5-06.00											
30N/04W-25N01M	500.0	10-13-65	115.5	384.5	5050	31N/04W-22P01M	501.0	7-19-65	92.5	408.5	5050
		11-01-65	115.6	384.4	5050			8-16-65	93.5	407.5	5050
		11-15-65	115.6	384.4	5050			9-23-65	93.3	407.7	5050
		12-16-65	115.6	384.4	5050			10-21-65	92.5	408.5	5050
		1-17-66	115.5	384.5	5050			11-15-65	90.7	410.3	5050
		2-24-66	115.7	384.3	5050			12-16-65	(0)		5050
		3-22-66	115.6	384.4	5050	31N/04W-27P01M	492.0	1-20-66	83.9	408.1	5050
		4-18-66	115.9	383.1	5050			2-23-66	82.9	409.1	5050
		5-19-66	116.0	383.0	5050			3-21-66	82.9	409.1	5050
		6-20-66	117.1	382.9	5050			4-21-66	83.5	408.5	5050
		7-21-66	121.4	378.6	5050			5-18-66	80.0	412.0	5050
		8-16-66	118.7	381.3	5050			6-20-66	81.4	410.6	5050
		9-22-66	121.4	378.6	5050			7-22-66	90.9	401.1	5050
								8-16-66	86.2	405.2	5050
								9-22-66	84.4	407.5	5050
31N/03W-06H01M	520.5	7-19-65	73.6	446.9	5050	MOHAWK VALLEY 5-11.00					
		8-16-65	72.0	448.5	5050						
		9-22-65	73.2	447.3	5050						
		10-21-65	71.6	448.9	5050						
		11-15-65	69.7	450.8	5050						
		12-16-65	67.6	452.9	5050						
		1-20-66	65.4	455.1	5050						
		2-23-66	64.0	456.5	5050						
		3-21-66	63.4	457.1	5050	22N/12E-09P01M	4352.2	4-26-66	6.5	4345.7	5050
		4-21-66	64.4	456.1	5050						
		5-18-66	69.6	450.9	5050	22N/12E-09Q01M	4365.5	4-26-66	3.7	4361.8	5050
		6-20-66	72.5	448.0	5050						
		7-22-66	74.0	446.5	5050	SIERRA VALLEY 5-12.00					
		8-16-66	75.7	444.8	5050						
		9-22-66	74.7	445.8	5050						
31N/03W-29N01M	416.4	7-19-65	24.0	382.4	5050	20N/14E-13Q02M	4985.6	8-02-65	2.6	4983.0	5050
		8-16-65	25.3	391.1	5050			8-31-65	2.9	4982.7	5050
		9-23-65	24.2	382.2	5050			9-30-65	3.7	4982.0	5050
		10-21-65	22.3	394.1	5050			10-20-65	1.0	4982.0	5050
		11-15-65	21.3	395.1	5050			11-20-65	1.0	4983.5	5050
		12-16-65	21.7	394.7	5050			12-21-65	2.1	4983.0	5050
		1-20-66	17.7	386.7	5050			1-21-66	1.7	4982.0	5050
		2-23-66	19.2	397.2	5050			1-27-66	1.2	4982.4	5050
		3-21-66	19.7	396.7	5050			5-27-66	1.6	4983.0	5050
		4-18-66	21.3	395.1	5050			6-30-66	1.9	4983.7	5050
		5-18-66	24.2	382.2	5050			7-29-66	3.2	4982.4	5050
		6-20-66	23.9	382.2	5050			8-29-66	3.5	4982.0	5050
		7-22-66	22.7	390.7	5050						
		8-16-66	25.0	389.0	5050						
		9-22-66	25.4	391.0	5050						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURVEY ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURVEY ELEVATION IN FEET	AGENCY SUPPLYING DATA
SIERRA VALLEY 5-12.00					
21N/14E-25N01M	4932.0	8-02-65	10.5	4921.5	5050
		8-31-65	11.6	4920.4	5050
		9-30-65	12.4	4919.6	5050
		10-29-65	13.1	4918.9	5050
		11-29-65	13.4	4918.5	5050
		12-29-65	13.7	4918.3	5050
		1-31-66	13.0	4919.0	5050
		3-28-66	10.8	4921.2	5050
		5-27-66	11.6	4920.4	5050
		5-30-66	11.4	4920.6	5050
		7-29-66	13.0	4919.0	5050
		8-29-66	13.8	4918.2	5050
21N/14E-32G01M	4957.5	8-02-65	9.9	4947.6	5050
		8-31-65	10.1	4947.4	5050
		9-30-65	10.1	4947.4	5050
		10-29-65	10.7	4946.8	5050
		11-29-65	10.6	4946.9	5050
		12-29-65	9.9	4947.6	5050
		1-31-66	10.2	4947.3	5050
		3-29-66	11.0	4946.5	5050
		4-29-66	10.2	4947.3	5050
		5-27-66	10.1	4947.4	5050
		6-30-66	10.4	4947.1	5050
		8-29-66	11.3	4946.2	5050
21N/14E-33C01M	4919.0	4-26-66	1.1	4917.9	5050
21N/15E-04P01M	4890.7	4-27-66	-1.9	4892.6	5050
21N/15E-07R01M	4892.7	4-27-66	-7.1	4899.8	5050
21N/15E-12C01M	4918.8	8-02-65	6.8	4912.0	5050
		8-31-65	7.5	4911.3	5050
		9-30-65	7.8	4911.0	5050
		10-29-65	8.0	4910.8	5050
		11-29-65	7.8	4911.0	5050
		12-29-65	7.7	4911.1	5050
		1-31-66	6.6	4912.2	5050
		3-29-66	6.4	4912.4	5050
		5-27-66	6.6	4912.2	5050
		6-30-66	7.3	4911.5	5050
SIERRA VALLEY 5-12.00					
21N/15E-12C01M CONT.	4918.8	7-29-66	1.9	4910.9	5050
		8-29-66	2.4	4910.4	5050
21N/15E-12N01M	4921.5	4-27-66	-4.0	4925.5	5050
21N/15E-12P01M	4927.5	4-27-66	-7.7	4935.2	5050
21N/15E-17A01M	4916.2	4-27-66	-5.5	4921.7	5050
21N-15E-18R02M	4891.4	4-27-66	-5.7	4897.1	5050
21N-16E-18H01M	4995.1	4-27-66	17.8	4977.3	5050
21N/16E-18O2M	4994.5	4-27-66	17.2	4977.3	5050
21N/16E-29E01M	5134.3	4-27-66	17.7	5127.6	5050
22N/14E-02H01M	4881.2	4-26-66	4.9	4876.3	5050
22N/14E-13K01M	4882.0	4-26-66	2.4	4879.6	5050
22N/14E-26L01M	4894.5	4-26-66	-3.5	4898.0	5050
22N/15E-08L01M	4877.0	4-27-66	-4.3	4881.3	5050
22N/15E-14K01M	4891.0	4-27-66	1.8	4889.2	5050
22N/15E-16P01M	4880.4	4-27-66	0.3	4880.1	5050
22N/15E-22Q01M	4880.9	4-27-66	-1.0	4881.0	5050
22N/15E-28L01M	4881.5	4-27-66	FLOW		5050
22N/15E-35H01M	4889.7	4-27-66	(2) 4.3	4885.4	5050
22N/15E-36G01M	4900.1	4-27-66	(2) 6.5	4893.6	5050
22N/15E-36P01M	4904.0	4-27-66	(2) 18.3	4885.7	5050
22N/16E-04A01M	4932.0	4-26-66	-3.5	4935.5	5050
22N/16E-04B01M	4931.0	4-26-66	-5.0	4936.0	5050
22N/16E-17E02M	4901.3	4-27-66	FLOW		5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SIERRA VALLEY 5-12.00					
22N/16E-18R01M	4896.9	4-27-66	-3.9	4900.8	5050
23N/14E-25G01M	4891.7	4-26-66	7.6	4884.1	5050
23N/14E-25K01M	4891.1	8-02-65	7.3	4883.8	5050
		8-31-65	6.9	4883.2	5050
		9-30-65	6.7	4882.8	5050
		10-29-65	6.7	4882.4	5050
		11-28-65	6.5	4882.6	5050
		12-23-65	(9)		5050
		1-31-66	4.2	4886.9	5050
		3-30-66	4.2	4886.0	5050
		4-26-66	5.1	4884.6	5050
		5-27-66	3.5	4891.2	5050
		7-30-66	7.8	4883.2	5050
		8-23-66	6.5	4882.8	5050
23N/14E-28G02M	4888.4	4-26-66	6.2	4882.2	5050
23N/15E-29H01M	4896.4	4-26-66	-8.9	4905.3	5050
23N/15E-29R01M	4889.3	4-26-66	-7.4	4896.7	5050
23N/15E-33C03M	4893.6	4-26-66	-7.7	4901.3	5050
23N/15E-34D01M	4888.3	4-26-66	FLOW		5050
23N/15E-36J01M	4905.7	4-26-66	3.7	4902.0	5050
23N/16E-19W02M	4924.0	4-26-66	-10.4	4934.4	5050
23N/16E-24R01M	5001.2	4-26-66	-11.3	5012.5	5050
23N/16E-27R01M	4953.2	4-26-66	4.4	4958.8	5050
23N/16E-28T01M	4938.5	4-26-66	-9.9	4948.4	5050
23N/16E-33C01M	4935.6	4-26-66	-6.5	4942.1	5050
23N/16E-34H01M	4964.9	8-02-65	4.7	4950.2	5050
		8-31-65	4.4	4950.5	5050
		9-30-65	4.4	4950.5	5050
		10-29-65	4.3	4950.6	5050
SIERRA VALLEY 5-12.00					
23N/16E-34H01M CONT.	4964.9	11-29-65	4.2	4960.7	5050
		12-29-65	(9)		5050
		1-31-66	3.9	4961.0	5050
		3-28-66	3.8	4961.4	5050
		5-27-66	4.8	4961.1	5050
		7-26-66	5.2	4959.7	5050
		8-29-66	6.1	4958.8	5050
23N/16E-36P01M	5009.3	4-26-66	13.3	4996.0	5050
UPPER LAKE VALLEY 5-13.00					
15N/09W-05L01M	1385.6	10-07-65	11.5	1374.1	5111
		3-07-66	5.0	1380.6	5111
15N/09W-05P01M	1389.1	10-07-65	8.9	1380.2	5111
		3-07-66	2.6	1386.5	5111
15N/09W-06R02M	1365.6	10-07-65	19.3	1345.3	5111
		3-07-66	10.7	1354.9	5111
15N/09W-06K01M	1364.1	10-07-65	16.6	1347.5	5111
		3-07-66	7.9	1356.2	5111
15N/09W-06R01M	1361.5	10-07-65	20.0	1341.5	5111
		3-07-66	8.3	1353.2	5111



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
UPPER LAKE VALLEY 5-13.00											
UPPER LAKE VALLEY 5-13.00											
15W/09W-07G01M	1346.4	7-28-65	25.8	1320.6	5050	15W/10W-02N01M	1339.0	7-28-65	6.7	1332.3	5050
		8-27-65	19.8	1326.9	5050			8-27-65	8.2	1330.8	5050
		9-27-65	19.7	1329.7	5050			9-29-65	9.3	1329.7	5050
		10-27-65	19.7	1331.7	5111			10-27-65	9.7	1329.3	5111
		11-17-65	13.7	1332.7	5050			10-27-65	10.2	1328.8	5050
		12-15-65	(3)	1332.8	5050			11-17-65	10.0	1329.0	5050
		1-10-66	(3)	1337.0	5050			12-15-65	7.4	1331.6	5050
		2-17-66	(3)	1342.1	5050			1-19-66	0.5	1338.5	5050
		3-07-66	(3)	1342.5	5050			2-17-66	0.2	1338.8	5050
		3-17-66	(3)	1342.0	5111			3-07-66	0.3	1338.7	5111
		4-14-66	(3)	1342.1	5050			3-17-66	0.1	1338.9	5050
		5-19-66	(3)	1337.2	5050			4-14-66	0.3	1336.7	5050
		6-15-66	(3)	1337.5	5050			5-19-66	2.5	1336.5	5050
		7-20-66	(3)	1328.7	5050			6-15-66	4.4	1334.6	5050
		8-18-66	(3)	1325.8	5050			7-20-66	8.9	1332.1	5050
		9-20-66	(3)	1321.8	5050			8-18-66	8.8	1330.2	5050
15N/09W-08N01M	1337.0	10-13-65	14.1	1322.9	5050	15N/10W-03D01M	1362.0	10-07-65	9.9	1322.1	5111
		3-17-66	2.7	1334.3	5050			3-07-66	3.7	1336.3	5111
15W/09W-09F01M	1430.4	10-07-65	26.3	1404.1	5111	15W/10W-03N01M	1335.0	10-07-65	10.8	1324.7	5111
		3-07-66	3.2	1427.2	5111			3-07-66	1.8	1333.2	5111
15W/09W-18H03M	1331.0	10-07-65	7.7	1323.3	5111	15W/10W-04B01M	1373.5	10-07-65	12.8	1360.7	5111
		3-07-66	2.4	1328.6	5111			3-07-66	4.6	1368.9	5111
15W/09W-20I01M	1324.0	10-13-65	6.7	1317.3	5050	15W/10W-13H01M	1331.0	10-13-65	4.5	1326.5	5050
		3-17-66	4.2	1319.8	5050			3-17-66	FLOW		
15W/09W-28F02M	1327.8	10-07-65	4.8	1323.0	5111	15W/10W-13H02M	1330.0	10-13-65	2.6	1327.4	5050
		3-07-66	FLOW		5111			3-17-66	FLOW		5050
15W/10W-01R01M	1356.1	10-07-65	15.5	1340.6	5111						
		3-07-66	5.0	1351.1	5111						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
UPPER LAKE VALLEY 5-13.00						
16N/09M-31003M	1408.2	7-28-65	23.6	1384.6	5050	
		8-27-65	23.2	1385.0	5050	
		9-29-65	25.3	1382.9	5050	
		10-07-65	25.8	1382.4	5111	
		10-27-65	26.3	1381.9	5050	
		11-17-65	24.2	1384.0	5050	
		12-15-65	28.7	1385.5	5050	
		1-19-66	20.5	1387.7	5050	
		2-17-66	(4)	1388.1	5050	
		3-17-66	21.3	1385.9	5111	
		4-14-66	20.4	1387.8	5050	
		5-19-66	21.4	1386.8	5050	
		6-15-66	22.6	1385.6	5050	
		7-20-66	(1)	1383.6	5050	
		8-18-66	(1)	1383.5	5050	
		9-20-66	26.7	1381.5	5050	
			27.2	1381.0	5050	
16N/09M-31001M	1387.5	10-07-65	14.2	1373.3	5111	
		3-07-66	9.2	1378.3	5111	
16N/10M-33801M	1425.3	10-07-65	17.4	1407.9	5111	
		3-07-66	10.1	1415.2	5111	
16N/10M-34N01M	1394.1	10-07-65	20.1	1374.0	5111	
		3-07-66	5.1	1389.0	5111	
16N/10M-36J01M	1418.2	10-07-65	22.4	1395.8	5111	
		3-07-66	1.9	1416.3	5111	
SCOTT VALLEY 5-14.00						
14N/10M-03E01M	1400.0	10-13-65	12.2	1387.8	5050	
		3-18-66	6.6	1393.4	5050	
14N/10M-03W01M	1404.6	10-07-65	10.4	1394.2	5111	
		3-07-66	2.1	1402.5	5111	
14N/10M-10F01M	1423.8	10-07-65	3.7	1420.1	5111	
		3-07-66	PT/011	5111		
SCOTT VALLEY 5-14.00						
14N/10M-10G01M	1430.7	7-28-65	14.0	1416.7	5050	
		8-27-65	12.1	1418.5	5050	
		9-29-65	17.0	1413.7	5050	
		10-07-65	15.1	1415.6	5111	
		10-27-65	13.4	1417.3	5050	
		11-17-65	(5)	5050	5050	
		12-15-65	12.0	1418.7	5050	
		1-19-66	6.0	1424.7	5050	
		2-17-66	4.8	1425.9	5050	
		3-07-66	3.3	1426.9	5111	
		3-18-66	6.3	1424.4	5050	
		4-14-66	6.2	1424.5	5050	
		5-19-66	10.7	1420.0	5050	
		6-15-66	11.6	1419.1	5050	
		7-20-66	18.9	1413.8	5050	
		8-19-66	18.4	1412.3	5050	
		9-20-66	18.4	1412.3	5050	
14N/10M-11G01M	1420.3	10-07-65	8.1	1412.2	5111	
		3-07-66	1.6	1418.7	5111	
14N/10M-14E03M	1445.0	10-07-65	19.5	1425.5	5111	
		3-07-66	4.6	1440.4	5111	
14N/10M-14F01M	1440.0	7-27-65	20.7	1419.3	5050	
		8-27-65	18.7	1421.3	5050	
		9-29-65	16.4	1423.6	5050	
		10-07-65	17.7	1421.3	5111	
		10-27-65	15.2	1424.8	5050	
		11-17-65	14.7	1420.3	5050	
		12-15-65	4.7	1425.3	5050	
		1-19-66	2.6	1437.4	5050	
		2-17-66	2.4	1437.6	5050	
		3-07-66	2.7	1437.3	5111	
		3-18-66	2.6	1437.4	5050	
		4-14-66	2.7	1437.3	5050	
		5-19-66	(1)	5050	5050	
		6-15-66	19.0	1421.0	5050	
		7-20-66	(4)	31.6	1408.4	5050
		8-19-66	(1)	5050	5050	
		9-20-66	(1)	62.5	1377.5	5050
14N/10M-14G03M	1442.6	7-28-65	11.3	1431.3	5050	
		8-27-65	13.0	1429.6	5050	
		9-29-65	15.9	1426.7	5050	

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SCOTT VALLEY 5-14.00					
14N/10W-11G03M CONT.	1442.6	10-07-65	15.1	1427.5	5111
		10-27-65	14.9	1427.7	5050
		11-17-65	14.0	1428.6	5050
		12-15-65	(4)		5050
		1-19-66	5.9	1436.7	5050
		2-17-66	5.2	1437.4	5050
		3-07-66	6.4	1436.2	5111
		3-18-66	6.3	1436.3	5050
		4-14-66	7.1	1435.5	5050
		5-19-66	8.7	1433.9	5050
		6-15-66	9.9	1432.7	5050
		7-20-66	12.3	1430.3	5050
		8-19-66	13.8	1428.8	5050
		9-20-66	14.7	1427.9	5050
14N/10W-15H01M	1445.0	10-13-65	19.7	1425.3	5050
		3-18-66	5.4	1439.6	5050
14N/10W-22A01M	1463.8	10-07-65	40.9	1422.9	5111
		3-07-66	20.8	1443.0	5111
KELSEYVILLE VALLEY 5-15.00					
13M/09W-02C02M	1345.0	10-11-65	21.7	1323.3	5111
		3-09-66	13.4	1331.6	5111
13M/09W-02H01M	1334.6	7-28-65	(8)		5050
		8-27-65	(8)		5050
		9-29-65	(8)		5050
		10-11-65	10.2	1324.4	5111
		10-27-65	10.9	1323.7	5050
		11-17-65	(0)		5050
		3-09-66	2.2	1332.4	5111
13M/09W-02K03M	1343.0	10-11-65	16.4	1326.6	5111
		3-09-66	5.5	1337.5	5111
13M/09W-03F05M	1349.0	10-13-65	25.7	1323.3	5050
		3-18-66	9.6	1339.4	5050
13M/09W-03R01M	1357.2	10-11-65	32.4	1324.8	5111
		3-10-66	13.2	1344.0	5111
KELSEYVILLE VALLEY 5-15.00					
13M/09W-03R02M	1357.4	10-11-65	32.3	1325.1	5111
		3-10-66	13.0	1344.4	5111
13M/09W-04G01M	1345.3	10-11-65	24.8	1320.5	5111
		3-10-66	3.8	1341.5	5111
13M/09W-05W01M	1350.6	10-11-65	(6)		5111
13M/09W-06H02M	1349.0	10-11-65	28.9	1320.2	5111
		3-10-66	11.7	1337.3	5111
13M/09W-06H03M	1349.3	10-11-65	28.3	1321.0	5111
		3-10-66	9.6	1339.7	5111
13M/09W-06H01M	1374.3	10-11-65	11.6	1362.7	5111
		3-10-66	2.0	1372.3	5111
13M/09W-07E01M	1392.3	10-11-65	12.3	1380.0	5111
		3-10-66	0.5	1391.8	5111
13M/09W-07E02M	1390.0	7-28-65	6.7	1383.3	5050
		8-27-65	8.6	1381.4	5050
		9-29-65	(1)		5050
		10-27-65	9.0	1381.0	5050
		11-17-65	7.6	1382.4	5050
		12-15-65	4.5	1385.5	5050
		1-19-66	0.7	1389.3	5050
		2-18-66	(4)		5050
		3-18-66	1.4	1388.6	5050
		4-14-66	2.4	1387.6	5050
		5-19-66	4.2	1385.8	5050
		6-15-66	(1)		5050
		7-20-66	4.7	1371.2	5050
		8-19-66	5.2	1380.3	5050
		9-20-66	7.2	1390.3	5050
13M/09W-08K02M	1372.6	10-11-65	25.2	1347.4	5111
		3-10-66	14.0	1358.6	5111
13M/09W-08N01M	1375.0	10-11-65	24.3	1350.7	5111
		3-10-66	4.1	1364.9	5111
13M/09W-09D01M	1359.4	10-11-65	23.3	1326.1	5111
		3-10-66	4.4	1355.0	5111

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SUR. TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
KELSEYVILLE VALLEY 5-15.00					
13N/09W-09002M	1368.0	10-13-65 3-18-66	20.2 6.7	1347.8 1361.3	5050 5050
13N/09W-10E01M	1355.0	10-11-65 3-09-66	27.8 5.2	1327.2 1349.8	5111 5111
13N/09W-10J01M	1367.0	10-13-65 3-18-66	27.4 14.1	1339.6 1352.9	5050 5050
13N/09W-11F01M	1360.0	10-11-65 3-09-66	8.5 1.2	1351.5 1358.8	5111 5111
13N/09W-11H01M	1358.0	10-11-65 3-09-66	28.3 11.4	1329.7 1346.6	5111 5111
13N/09W-12W02M	1357.1	10-11-65 3-09-66	27.2 15.2	1329.9 1341.9	5111 5111
13N/09W-14C01M	1381.0	10-13-65 3-18-66	21.2 9.0	1359.8 1372.0	5050 5050
13N/09W-14Q01M	1397.8	10-13-65 3-18-66	22.3 19.3	1375.5 1378.5	5050 5050
13N/09W-14P02M	1398.8	10-13-65 3-18-66	37.3 12.4	1361.5 1386.4	5050 5050
13N/09W-15B02M	1376.0	10-11-65 3-09-66	28.3 12.6	1347.7 1363.4	5111 5111
13N/09W-15K01M	1430.6	10-11-65	(6)		5111
13N/09W-16E02M	1379.0	10-11-65 3-09-66	31.3 4.0	1347.7 1375.0	5111 5111
13N/09W-16L01M	1380.0	10-11-65 3-09-66	12.3 0.1	1367.7 1379.9	5111 5111
13N/09W-17B01M	1380.5	10-11-65 3-09-66	24.0 8.5	1356.5 1372.0	5111 5111
13N/09W-17C02M	1380.5	10-11-65 3-09-66	22.5 2.6	1358.0 1377.9	5111 5111
KELSEYVILLE VALLEY 5-15.00					
13N/09W-18R01M	1389.0	10-13-65 3-18-66	14.3 0.3	1374.7 1388.1	5050 5050
13N/09W-19H01M	1400.0	10-11-65 3-09-66	16.8 4.8	1383.2 1395.2	5111 5111
13N/09W-20F01M	1405.3	10-11-65 3-09-66	13.2 4.3	1392.1 1397.0	5111 5111
13N/09W-20P01M	1413.0	7-28-65 8-27-65 9-24-65 10-11-65 10-27-65 11-17-65 12-15-65 1-19-66 2-18-66 3-09-66 4-14-66 5-19-66 6-15-66 7-20-66 8-19-66 9-20-66	11.6 13.0 12.4 13.2 13.2 13.2 7.3 5.4 4.9 5.4 5.2 5.8 7.6 10.1 11.9 14.4 12.8	1401.4 1400.6 1400.6 1399.8 1399.8 1404.4 1405.7 1407.6 1408.1 1407.6 1407.8 1407.2 1405.4 1402.9 1401.1 1398.6 1400.2	5050 5050 5050 5111 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
13N/09W-21F01M	1408.7	10-13-65 3-18-66 9-20-66	105.7 (4) (4)	1393.0 1384.6 1390.1	5050 5050 5050
13N/09W-21P02M	1500.0	3-18-66 9-20-66	112.7 133.2	1387.3 1366.8	5050 5050
13N/09W-22O02M	1430.0	10-13-65 3-18-66	31.2 28.3	1398.8 1401.7	5050 5050
13N/09W-22J01M	1419.8	10-11-65 3-09-66	51.4 44.5	1361.4 1375.3	5111 5111
13N/09W-23F01M	1426.9	10-11-65 3-09-66	51.6 44.0	1375.3 1382.9	5111 5111
13N/09W-20I01M	1446.0	10-11-65 3-10-66	17.9 10.4	1428.1 1435.6	5111 5111

TABLE C-2 (Cont.)  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
KELSEYVILLE VALLEY 5-15.00					
13N/09W-30A01M	1419.8	10-11-65 3-10-66	16.8 5.0	1403.0 1414.8	5111 5111
14N/09W-31E01M	1329.7	10-11-65 3-09-66	8.7 -0.2	1321.0 1329.9	5111 5111
14N/09W-31N01M	1334.7	10-11-65 3-09-66	16.4 2.5	1318.2 1332.2	5111 5111
14N/09W-32W01M	1335.2	10-11-65 3-09-66	12.4 4.6	1322.8 1330.6	5111 5111
14N/09W-33K01M	1335.3	7-28-65 8-27-65 9-29-65 10-11-65 10-27-65 11-17-65 12-19-65	10.0 11.8 13.1 12.8 13.0 12.5 10.6	1325.3 1323.5 1322.2 1322.5 1322.3 1322.8 1324.7	5050 5050 5050 5050 5050 5050 5050
		1-19-66 2-17-66 3-09-66 3-18-66 5-19-66 6-15-66 7-20-66 8-19-66 9-20-66	7.1 5.6 5.9 6.1 6.8 7.8 12.9 14.6 15.1	1328.2 1329.7 1329.4 1329.2 1328.5 1327.5 1324.6 1322.4 1320.7 1320.2	5050 5050 5111 5050 5050 5050 5050 5050 5050
14N/09W-33W02M	1337.7	10-11-65 3-09-66	19.4 3.6	1318.3 1334.1	5111 5111
14N/09W-34E03M	1336.6	10-11-65 3-09-66	13.4 4.3	1323.2 1332.3	5111 5111
14N/09W/35E01M	1339.4	10-11-65 3-09-66	13.1 4.8	1326.3 1334.6	5111 5111
14N/09W-35N01M	1342.6	10-11-65 3-09-66	18.9 12.1	1323.7 1330.5	5111 5111
14N/10W-25Q01M	1342.2	10-07-65 3-07-66	6.0 2.1	1336.2 1340.1	5111 5111
LONG VALLEY 5-31.00					
14N/07W-06F01M	1320.0	10-13-55 3-17-56	20.0 9.0	1300.0 1311.0	5050 5050
14N/07W-06F05M	1320.0	10-13-55 3-17-56	(4) 23.5 (4) 14.1	1297.4 1303.9	5050 5050
HIGH VALLEY 5-15.00					
14N/07W-19W01M	1730.0	10-12-55 3-08-55	DRY 4.0	1723.0	5111 5111
14N/07W-19W02M	1730.0	7-12-55 8-15-55 9-20-55 10-27-55 11-19-55 12-16-55 1-10-56 2-17-56 3-17-56 4-14-56 5-19-56 6-15-56 7-20-56 8-18-56 9-20-56	(1) 53.4 37.6 50.9 63.0 61.4 59.1 56.5 54.3 53.3 51.3 50.0 58.6 62.4 68.6 69.3	1576.5 1572.4 1558.1 1667.0 1568.6 1670.7 1673.5 1675.7 1675.7 1678.1 1678.3 1671.4 1665.2 1661.4 1661.5	5000 5000 5000 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
14N/08W-23K01M	1750.0	10-12-55 3-08-56	10.7 0.5	1763.3 1770.1	5111 5111
14N/08W-24R02M	1775.0	10-12-55 3-08-56	103.8 91.3	1671.2 1683.1	5111 5111
14N/08W-24H01M	1710.0	10-12-55 3-08-56	50.5 57.2	1670.4 1682.9	5111 5111
14N/08W-24T01M	1750.0	10-12-55 3-08-56	47.3 71.3	1683.3 1695.6	5111 5111

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BURNS VALLEY 5-17.00											
13M/07W-15Q01M	1385.0	7-12-65	6.1	1378.9	5000	12N/07W-13N01M	1360.0	8-18-66	17.9	1342.1	5050
		8-16-65	8.5	1376.5	5000	CONT.		9-20-66	19.0	1341.0	5050
		9-20-65	7.7	1377.3	5000	COYOVE VALLEY 5-18.00					
		10-27-65	8.1	1376.9	5050						
		11-19-65	7.1	1377.9	5050	11N/06W-19F01M	946.7	10-12-65	DRY		5111
		12-16-65	6.5	1378.5	5050			3-08-66	11.1	953.6	5111
		1-19-66	3.8	1381.2	5050						
		2-17-66	2.0	1383.0	5050	11N/06W-19G01M	967.8	7-12-65	15.0	952.8	5000
		3-17-66	1.6	1383.4	5050			8-16-65	14.9	952.9	5000
		4-14-66	1.8	1383.2	5050			9-20-65	15.4	952.4	5000
		5-19-66	2.7	1382.3	5050			10-27-65	14.7	953.1	5050
		6-15-66	4.3	1380.7	5050			11-19-65	13.8	954.0	5050
		7-20-66	7.5	1377.5	5050			12-15-65	12.6	955.2	5050
		8-18-66	8.0	1376.0	5050			1-19-66	10.6	957.2	5050
		9-20-66	8.5	1376.5	5050			2-17-66	11.6	956.3	5050
13N/07W-21H01M	1360.0	10-12-65	21.6	1338.4	5111			3-17-66	11.5	956.2	5050
		3-08-66	13.5	1346.5	5111			4-14-66	12.3	955.5	5050
13N/07W-28R01M	1330.0	10-12-65	6.7	1323.3	5111			5-19-66	13.3	954.5	5050
		3-08-66	3.0	1327.0	5111			6-15-66	13.8	954.0	5050
LOWER LAKE AREA 5-30.00											
12N/07W-01M01M	1330.0	10-12-65	18.0	1312.0	5111	11N/06W-19P02M	963.1	10-12-65	22.2	940.9	5111
		3-08-66	8.4	1321.6	5111			3-08-66	12.3	950.8	5111
12N/07W-03J01M	1375.0	10-12-65	16.0	1359.0	5111	11N/06W-20E01M	973.3	10-12-65	18.0	955.3	5111
		3-08-66	11.2	1383.8	5111			3-08-66	12.1	961.2	5111
12N/07W-13N01M	1360.0	7-12-65	16.0	1344.0	5000	11N/06W-27M01M	944.6	10-12-65	14.3	930.3	5111
		8-16-65	17.3	1342.7	5000			3-08-66	10.6	934.0	5111
		9-20-65	17.7	1342.3	5000	11N/06W-29M01M	955.1	10-12-65	(1) 28.7	908.4	5111
		10-27-65	20.1	1339.9	5050			3-08-66	27.1	908.0	5111
		11-19-65	16.8	1343.2	5050						
		12-15-65	15.7	1344.3	5050						
		1-19-66	13.6	1346.1	5050	11N/06W-30A02M	955.7	10-12-65	17.5	938.2	5111
		2-17-66	12.4	1347.6	5050			3-08-66	11.3	944.4	5111
		3-17-66	(4)	1346.9	5050						
		4-14-66	14.0	1346.0	5050	11N/07W-13M01M	993.4	10-12-65	17.5	975.9	5111
		5-19-66	14.6	1345.4	5050			3-08-66	13.2	960.2	5111
		6-15-66	15.5	1344.5	5050						
		7-20-66	17.1	1342.9	5050						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COYOTE VALLEY 5-18.00					
11N/07W-25P01M	986.7	10-12-65 3-08-66	5.3 0.4	981.4 986.3	5111 5111
COLLAXOMI VALLEY 5-19.00					
10N/06W-06L01M	1106.4	10-12-65 3-08-66	10.1 2.1	1096.3 1104.3	5111 5111
10N/06W-06R01M	1110.2	10-12-65 3-08-66	6.9 1.1	1103.3 1109.1	5111 5111
10N/06W-08K01M	1152.6	10-12-65 3-08-66	20.0 9.0	1132.6 1143.6	5111 5111
10N/07W-01A01M	1087.3	10-12-65 3-08-66	13.8 3.3	1073.5 1084.0	5111 5111
10N/07W-03A02M	1107.7	7-12-65 8-16-65 9-20-65 10-27-65 11-19-65 12-15-65 1-19-66 2-17-66 3-17-66 4-14-66 5-19-66 6-15-66 7-20-66 8-18-66 9-20-66	18.0 22.8 25.4 23.6 (1) (1) 12.9 13.2 13.1 13.0 14.1 16.6 20.9 28.2 28.0	1089.7 1084.9 1082.3 1084.1 1094.6 1094.8 1094.5 1094.6 1094.7 1093.6 1091.1 1086.8 1079.5 1079.7	5000 5000 5000 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
10N/07W-03B02M	1109.0	10-12-65 3-08-66	24.3 10.8	1084.7 1098.2	5111 5111
10N/07W-03L04M	1125.8	10-12-65 3-08-66	(4) 8.2	1117.6	5111 5111
10N/07W-03M01M	1146.2	10-12-65 3-08-66	23.6 13.2	1122.6 1133.0	5111 5111
COLLAXOMI VALLEY 5-19.00					
10N/07W-04H01M	1131.3	10-12-65 3-08-66	26.1 7.1	1105.2 1124.2	5111 5111
10N/07W-14P02M	1234.2	10-12-65 3-08-66	8.1 7.3	1226.1 1226.7	5111 5111
11N/07W-33J02M	1103.9	10-12-65 3-08-66	9.1 4.4	1094.8 1099.5	5111 5111
11N/07W-33M01M	1150.5	10-12-65 3-08-66	19.4 7.1	1131.2 1144.5	5111 5111
11N/07W-34K01M	1088.2	10-12-65 3-08-66	16.6 7.4	1071.6 1090.8	5111 5111
11N/07W-35E01M	1077.0	10-12-65 3-08-66	14.2 7.3	1062.8 1069.7	5111 5111
SACRAMENTO VALLEY 5-21.00					
TEHAMA COUNTY 5-21.01					
23N/02W-07R01M	255.0	10-04-65 3-07-66	101.2 94.7	153.8 150.3	5100 5100
23N/02W-16B01M	182.5	10-04-65 3-07-66	39.6 28.5	142.9 153.9	5100 5100
23N/02W-22N02M	181.0	10-04-65 3-07-66	31.6 31.6	149.4 149.4	5100 5100
23N/02W-34A01M	170.0	10-04-65 3-07-66	31.2 28.8	138.8 141.2	5100 5100
23N/03W-05G01M	277.0	7-19-65 8-16-65 9-22-65 10-21-65 11-15-65 12-16-65 1-17-66 2-23-66 3-21-66 4-21-66 5-19-66	52.2 56.2 55.1 61.3 56.2 (9) 51.2 47.9 45.7 45.2 47.5	224.8 220.8 221.9 215.7 220.8 (9) 223.0 229.2 231.3 231.3 228.5	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TEHAMA COUNTY 5-21.01					
23N/03W-05001M CONT.	277.0	6-20-66 7-19-66 8-18-66 9-22-66	51.5 53.2 51.9 56.4	225.5 223.7 222.1 220.6	5050 5050 5050 5050
23N/03W-12001M	266.0	10-04-65 3-07-66	100.5 93.9	165.5 172.1	5100 5100
23N/03W-12002M	216.0	10-04-65 3-07-66	37.0 20.3	179.0 195.7	5100 5100
23N/03W-13002M	211.0	7-19-65 8-16-65 9-22-65 10-21-65 11-15-65 12-16-65 1-17-66 2-23-66 3-21-66 4-21-66 5-19-66 6-20-66 7-19-66 8-15-66 9-22-66	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	182.3 188.2 189.5 190.2 190.2 190.2 190.2 190.2 190.2 190.2 190.2 190.2 190.2 190.2 190.2	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
23N/03W-22001M	232.0	10-04-65 3-07-66	57.6 46.0	171.4 186.0	5100 5100
23N/03W-24A02M	205.0	10-04-65 3-07-66	46.9 28.5	158.1 176.5	5100 5100
24N/01W-06A01M	281.0	10-04-65 3-07-66	16.0 17.5	265.0 263.5	5100 5100
24N/01W-08R01M	275.0	10-04-65 3-07-66	60.8 53.7	214.2 221.3	5100 5100
24N/01W-18R01M	254.0	10-04-65 3-07-66	62.0 59.1	192.0 194.9	5050 5050
24N/02W-02N01M	205.0	7-20-65 8-16-65 9-22-65	6.2 5.7 6.0	198.8 199.3 199.0	5050 5050 5050
TEHAMA COUNTY 5-21.01					
24N/02W-02H01M CONT.	205.0	10-21-65 11-15-65 12-16-65 1-17-66 2-23-66 3-21-66 4-21-66 5-19-66 6-20-66 7-18-66 8-15-66 9-22-66	6.9 7.6 8.2 7.6 7.8 7.1 6.4 6.4 6.4 6.7 8.1 9.7	106.1 107.4 106.9 107.4 107.2 107.9 108.5 108.4 108.6 108.3 106.6 105.3	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
24N/02W-17A01M	192.0	10-05-65 3-07-66	16.9 (9)	175.1 (9)	5100 5100
24N/02W-23P01M	197.0	10-04-65 3-07-66	19.9 20.2	177.1 176.8	5100 5100
24N/02W-28P01M	188.4	10-04-65 3-07-66	30.7 28.0	157.7 160.4	5100 5100
24N/02W-29P01M	216.5	11-08-65 3-07-66	44.1 35.5	172.4 181.0	5100 5100
24N/02W-36B01M	180.0	10-04-65 3-07-66	16.2 16.2	163.8 163.8	5100 5100
24N/03W-03J01M	276.0	7-19-65 8-16-65 9-22-65 10-21-65 11-15-65 12-16-65 1-17-66 2-23-66 3-21-66 4-21-66 5-19-66 6-20-66 7-19-66 8-15-66 9-22-66	29.2 29.4 31.0 31.1 31.0 30.9 24.1 27.2 26.2 26.3 30.3 32.2 30.5 31.4 32.7	246.8 246.6 249.0 244.0 245.1 245.1 248.1 249.8 249.7 249.7 243.8 244.5 244.6 243.3	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
24N/03W-03R02M	285.8	10-05-65 3-07-66	57.3 36.9	228.5 248.9	5100 5100



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TEHAMA COUNTY 5-21.01						TEHAMA COUNTY 5-21.01					
24N/O3W-14K01M	297.0	10-05-65 3-07-66	88.8 61.2	208.2 235.8	5100 5100	24N/O4W-24H01M	342.0	10-05-65 3-07-66	127.5 70.5	214.5 271.5	5100 5100
24N/O3W-16A01M	288.5	10-05-65 3-07-66	57.9 47.2	230.6 241.3	5100 5100	24N/O5W-12N01M	499.0	10-05-65 3-07-66	30.8 31.3	468.2 467.7	5100 5100
24N/O3W-26K01M	280.0	10-05-65 3-07-66	70.8 47.7	209.2 232.3	5100 5100	25N/O1M-31M01M	280.0	10-05-65 3-07-66	57.5 54.1	222.5 225.9	5100 5100
24N/O3W-35F04M	250.0	10-05-65 3-07-66	46.2 22.4	203.8 227.6	5100 5100	25N/O2M-06N01M	221.0	10-07-65 3-07-66	20.8 15.0	200.2 206.0	5100 5100
24N/O4W-02N01M	279.2	10-05-65 3-07-66	14.2 12.1	365.0 367.1	5100 5100	25N/O2M-16H01M	218.0	10-07-65 3-07-66	18.8 19.6	199.5 198.4	5100 5100
24N/O4W-07R01M	460.0	10-06-65 3-10-66	63.5 62.0	396.5 398.0	5001 5001	25N/O2M-18F01M	213.0	10-07-65 3-07-66	11.7 6.8	201.3 206.2	5100 5100
24N/O4W-08J02M	435.0	10-06-65 3-10-66	68.9 87.0	366.1 372.1	5001 5001	25N/O2M-18F01M	215.0	10-07-65 3-07-66	17.2 12.6	197.8 202.4	5100 5100
24N/O4W-09A02M	405.0	10-06-65 3-10-66	104.8 87.0	300.2 318.0	5001 5001	25N/O2M-30G01M	226.0	10-06-65 3-07-66	39.8 37.7	186.2 188.3	5100 5100
24N/O4W-09Y01M	420.0	10-06-65 3-10-66	106.3 89.4	313.7 330.6	5001 5001	25N/O2W-34K01M	204.0	10-05-65 3-07-66	14.3 13.0	189.7 191.0	5100 5100
24N/O4W-09Y02M	422.0	10-06-65 3-10-66	101.0 86.9	321.0 335.1	5001 5001	25N/O3W-03M01M	275.0	10-07-65 3-07-66	33.8 33.2	241.2 241.8	5100 5100
24N/O4W-10B01M	395.0	10-06-65 3-10-66	93.9 (7)	301.1 (7)	5001 5001	25N/O3W-06B01M	319.5	10-07-65 3-07-66	45.1 48.6	274.4 274.9	5100 5100
24N/O4W-10B02M	392.0	10-06-65 12-09-65 3-10-66	(7) (7) 83.5	(7) (7) 308.5	5001 5050 5001	25N/O3W-09K01M	285.6	11-08-65 3-07-66	62.6 38.4	223.0 247.2	5100 5100
24N/O4W-14N02M	372.5	10-05-65 3-07-66	81.5 69.2	291.0 303.3	5100 5100	25N/O3W-10L01M	274.0	3-22-66 4-21-66 5-17-66 6-22-66 7-19-66 8-15-66 9-22-66	36.1 57.6 49.5 84.3 88.1 88.8 76.4	237.9 216.4 184.5 189.7 187.6 185.6 197.6	5050 5050 5050 5050 5050 5050 5050
24N/O4W-15R01M	370.0	10-05-65 3-07-66	8.8 3.7	361.2 366.3	5100 5100						
24N/O4W-21G01M	396.0	10-05-65 3-07-66	68.9 68.4	327.1 327.6	5100 5100						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TEHAMA COUNTY 5-21-01					
25N/03W-10LO2M	274.0	4-21-66 5-17-66 6-22-66 7-19-66 8-15-66 9-22-66	9.2 9.1 9.8 10.4 10.6 11.4	264.8 264.9 264.2 263.6 263.4 262.6	5050 5050 5050 5050 5050 5050
25N/03W-10LO3M	274.0	4-21-66 5-17-66 6-22-66 7-19-66 8-15-66 9-22-66	56.5 76.2 82.6 84.8 88.0 75.7	217.5 198.7 191.4 189.2 186.0 198.3	5050 5050 5050 5050 5050 5050
25N/03W-10LO4M	274.0	4-21-66 5-17-66 6-22-66 7-19-66 8-15-66 9-22-66	18.1 19.4 21.0 21.7 22.6 23.4	255.9 254.6 253.0 252.3 251.4 250.6	5050 5050 5050 5050 5050 5050
25N/03W-10LO5M	274.0	4-21-66 5-17-66 6-22-66 7-19-66 8-15-66 9-22-66	17.0 20.4 21.2 21.6 21.9 21.5	257.0 253.6 252.8 252.4 252.1 252.5	5050 5050 5050 5050 5050 5050
25N/03W-10MO1M	278.0	10-07-65 3-07-66	71.2 41.4	206.8 236.6	5100 5100
25N/03W-11FO1M	256.0	11-08-65 3-07-66	38.2 27.4	217.8 228.6	5100 5100
25N/03W-13CO1M	236.5	7-19-65 8-16-65 9-22-65 10-21-65 11-15-65 12-16-65 1-17-66 2-23-66 3-21-66 4-21-66 5-19-66	37.1 35.3 39.2 38.0 36.1 36.0 32.5 30.9 30.9 33.9 35.1	199.4 201.2 197.3 198.5 200.4 201.8 204.0 205.2 205.6 201.4 201.4	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
TEHAMA COUNTY 5-21-01					
25N/03W-13CO1M CONT.	236.5	6-20-66 7-19-66 8-15-66 9-22-66	(1) 33.7 38.7 38.5	36.9 202.8 197.8 198.0	5050 5050 5050 5050
25N/03W-13FO1M	246.0	10-05-65 3-07-66	47.5 38.3	198.5 207.7	5100 5100
25N/03W-13JO1M	230.7	10-07-65 3-08-66	34.1 30.1	196.6 200.6	5100 5100
25N/03W-14AO1M	252.2	10-07-65 3-08-66	38.7 22.2	213.5 230.0	5100 5100
25N/03W-15AO1M	266.5	11-08-65 3-08-66	43.5 30.8	223.0 235.7	5100 5100
25N/03W-15EO1M	272.0	11-08-65 11-23-65 1-11-66	(4) (4) (0)		5100 5050 5050
25N/03W-15PO1M	271.7	10-07-65 3-08-66	61.8 33.4	209.9 238.3	5100 5100
25N/03W-19NO1M	325.0	10-07-65 3-09-66	89.0 56.6	236.0 268.4	5100 5100
25N/03W-20EO1M	305.0	11-08-65 3-09-66	52.0 38.9	253.0 266.1	5100 5100
25N/03W-22CO1M	268.3	11-08-65 3-09-66	46.1 27.1	222.2 241.2	5100 5100
25N/03W-22LO1M	275.0	11-08-65 3-09-66	51.2 37.1	223.8 237.9	5100 5100
25N/03W-31FO1M	318.0	10-05-65 3-08-66	15.5 5.1	302.5 312.9	5100 5100
26N/02W-04BO1M	270.0	10-06-65 3-09-66	41.5 38.0	228.5 232.0	5100 5100

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TEHAMA COUNTY 5-21.01					
26N/02W-05D01M	252.0	7-19-65	23.3	228.7	5050
		8-16-65	23.5	228.5	5050
		9-22-65	22.0	229.0	5050
		10-21-65	25.2	226.8	5050
		11-19-65	22.7	229.3	5050
		12-16-65	22.1	229.9	5050
		1-17-66	21.1	230.9	5050
		2-23-66	24.1	227.8	5050
		3-21-66	21.2	230.6	5050
		4-21-66	21.4	230.6	5050
		5-19-66	21.9	230.1	5050
		6-20-66	21.2	227.8	5050
		7-19-66	28.1	224.9	5050
		8-19-66	28.6	223.4	5050
		9-22-66	27.0	223.9	5050
			28.5	223.5	5050
26N/02W-09D01M	246.0	10-06-65	22.5	223.5	5100
		3-09-66	20.2	225.8	5100
26N/02W-14G01M	311.7	10-08-65	81.3	230.4	5100
		3-09-66	77.8	233.9	5100
TEHAMA COUNTY 5-21.01					
26N/02W-21Q01M	235.0	10-06-65	22.5	212.5	5100
		3-09-66	16.8	218.2	5100
26N/02W-29N01M	220.0	10-11-65	15.0	205.0	5100
		3-08-66	13.5	206.5	5100
26N/02W-29R01M	228.0	10-05-65	8.8	219.2	5100
		3-09-66	5.0	223.0	5100
26N/02W-29R02M	228.0	10-06-65	4.3	223.7	5100
		3-09-66	2.2	225.8	5100
26N/03W-04K01M	295.0	10-08-65	77.5	217.5	5100
		3-10-66	66.0	229.0	5100
26N/03W-06Q01M	314.8	10-07-65	67.7	247.1	5100
		3-10-66	17.0	297.8	5100
26N/03W-08N01M	307.6	10-05-65	54.6	253.0	5100
		3-10-66	51.1	256.5	5100
TEHAMA COUNTY 5-21.01					
26N/03W-11P01M	262.0	10-08-65	41.3	220.7	5100
		3-10-66	32.8	229.2	5100
26N/03W-14A01M	252.1	10-08-65	33.8	218.3	5100
		3-10-66	28.1	226.0	5100
26N/03W-19A01M	310.5	10-07-65	25.1	285.4	5100
		3-10-66	8.0	303.5	5100
26N/03W-21P01M	284.5	7-19-65			5050
		8-16-65			5050
		9-22-65			5050
		10-21-65			5050
		11-15-65			5050
		12-16-65			5050
		1-17-66			5050
		2-23-66			5050
		3-21-66			5050
		4-21-66			5050
		5-19-66			5050
		6-20-66			5050
		7-19-66			5050
		8-15-66			5050
		9-22-66			5050
26N/03W-24P01M	230.0	10-08-65	10.0	220.0	5100
		3-10-66	8.9	221.1	5100
26N/03W-31N01M	331.2	10-07-65	DRY		5100
		3-10-66	51.7	279.5	5100
26N/03W-34I02M	270.7	11-08-65	48.8	221.9	5100
		3-10-66	36.0	234.7	5100
26N/03W-34P01M	272.9	11-08-65	48.7	224.2	5100
		3-10-66	37.6	235.3	5100
27N/02W-29E01M	294.7	7-19-65	(1)		5050
		8-16-65	58.5	236.2	5050
		9-22-65	56.2	238.1	5050
		10-21-65	54.9	239.4	5050
		11-15-65	54.5	239.8	5050
		12-16-65	53.7	240.6	5050
		1-17-66	53.0	241.3	5050
		2-23-66	52.8	241.5	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO TEST POINT SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TEHAMA COUNTY 5-21.01					
27N/02W-29E01M CONT.	294.7	3-21-66	53.0	241.3	5050
		4-21-66	52.4	241.9	5050
		5-19-66	(1)	5050	5050
		6-20-66	(1)	5050	5050
		7-18-66	(1)	5050	5050
		8-15-66	(1)	5050	5050
		9-22-66	(1)	5050	5050
27N/02W-31C01M	261.0	10-06-65	28.0	233.0	5100
		3-09-66	26.2	234.8	5100
27N/02W-31P01M	255.0	10-07-65	20.4	234.6	5100
		3-09-66	19.4	235.6	5100
27N/03W-10N01M	280.0	11-08-65	34.8	245.2	5100
		3-09-66	31.7	248.3	5100
27N/03W-19A01M	330.0	10-06-65	46.2	283.8	5100
		3-07-66	30.5	299.5	5100
27N/03W-19J01M	310.0	10-06-65	97.8	212.2	5100
		3-08-66	71.6	238.4	5100
27N/03W-23D01M	269.0	10-06-65	31.1	237.9	5100
		3-08-66	26.2	242.8	5100
27N/03W-32A04M	298.0	10-08-65	(6)	5100	5100
		1-11-66	(6)	5050	5050
27N/03W-36J01M	251.0	10-06-65	17.9	233.1	5100
		3-09-66	17.3	233.7	5100
27N/04W-35E01M	436.0	10-08-65	122.2	313.8	5100
		3-10-66	109.2	326.8	5100
GLENN COUNTY 5-21.02					
18N/01E-17D01M	70.4	10-18-65	7.5	62.9	5105
		3-12-66	6.0	64.4	5105
18N/01W-01Q02M	73.0	10-15-65	7.7	65.3	5105
		3-18-66	4.7	68.3	5105
GLENN COUNTY 5-21.02					
18N/01W-03J01M	77.0	10-14-65	13.4	64.1	5105
		3-17-66	10.3	67.2	5105
18N/01W-07D01M	81.0	10-14-65	7.7	73.3	5105
		3-17-66	8.0	73.0	5105
18N/01W-13A01M	74.4	10-14-65	10.8	63.6	5105
		3-17-66	6.6	67.8	5105
18N/01W-14D01M	75.8	10-14-65	10.6	65.2	5105
		3-17-66	7.9	67.9	5105
18N/01W-16B01M	74.0	10-14-65	8.0	66.0	5105
		3-17-66	7.8	66.2	5105
18N/01W-17A01M	80.3	10-14-65	17.6	62.7	5105
		3-17-66	15.7	64.6	5105
18N/01W-17G01M	79.0	10-14-65	17.0	62.0	5105
		3-17-66	15.0	64.0	5105
18N/01W-17J01M	77.3	10-14-65	13.6	63.7	5105
		3-17-66	11.8	65.5	5105
18N/01W-22L01M	70.0	10-15-65	9.9	60.1	5105
		3-17-66	7.0	63.0	5105
18N/02W-01N01M	75.0	10-14-65	6.3	68.7	5105
		3-17-66	4.6	70.4	5105
18N/02W-07C01M	85.0	10-13-65	15.2	69.8	5105
		3-14-66	10.3	74.7	5105
18N/03W-09A01M	102.7	10-13-65	4.7	98.0	5105
		3-14-66	3.7	99.0	5105
18N/03W-09A02M	102.7	10-13-65	4.3	98.4	5105
		3-14-66	5.2	97.5	5105
18N/03W-10L01M	95.0	7-19-65	3.8	91.2	5050
		8-19-65	3.3	91.7	5050
		9-20-65	3.2	91.8	5050
		10-20-65	3.2	91.8	5050
		11-22-65	3.2	91.8	5050
		12-20-65	4.4	90.6	5050

(Cont.)  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
GLENN COUNTY 5-21.02											
GLENN COUNTY 5-21.02											
18N/03W-10L01M CONT.	95.0	1-20-66	3.5	91.5	5050	19N/01W-06N01M	80.8	10-15-65	12.0	68.8	5105
		2-23-66	1.2	90.8	5050			3-18-66	9.3	71.5	5105
		3-22-66	5.0	89.9	5050	19N/02W-01P01M	92.0	10-13-65	5.3	86.7	5105
		4-21-66	4.1	90.9	5050			3-16-66	4.1	87.9	5105
		5-17-66	4.8	90.2	5050	19N/02W-05N01M	111.0	10-12-65	6.6	104.4	5105
		6-21-66	4.4	90.6	5050			3-15-66	8.3	102.7	5105
		7-19-66	4.4	90.6	5050	19N/02W-09A01M	96.1	10-12-65	5.1	91.0	5105
		8-17-66	5.3	89.7	5050			3-15-66	5.8	90.3	5105
		9-20-66	4.8	90.2	5050	19N/02W-10H01M	92.0	10-14-65	6.7	85.3	5105
18N/03W-20C01M	109.0	10-13-65	3.1	105.9	5105			3-16-66	7.1	84.9	5105
		3-14-66	3.1	105.9	5105	19N/02W-13J01M	86.0	7-19-65	10.2	75.8	5050
18N/03W-22D01M	94.0	10-13-65	3.2	90.8	5105			8-19-65	11.4	74.6	5050
		3-14-66	3.6	90.4	5105			9-20-65	11.7	74.3	5050
18N/04W-11B03M	151.0	10-13-65	31.5	119.5	5105			10-20-65	11.0	75.0	5050
		3-14-66	30.9	120.1	5105			11-22-65	10.4	75.6	5050
18N/04W-12A01M	130.0	10-13-65	10.5	119.5	5105			12-20-65	10.5	75.5	5050
		3-14-66	11.6	118.4	5105			1-20-66	10.1	75.9	5050
18N/04W-23F01M	151.0	10-13-65	16.2	134.8	5105			2-23-66	9.1	76.9	5050
		3-14-66	15.8	135.2	5105			3-22-66	10.1	75.9	5050
19N/01E-08R01M	91.0	10-15-65	5.6	85.4	5105			4-21-66	11.2	74.8	5050
		3-18-66	5.4	85.6	5105			5-17-66	9.8	76.2	5050
19N/01W-07B01M	96.0	10-12-65	21.9	74.1	5105			6-21-66	10.1	75.9	5050
		3-16-66	20.6	75.4	5105			7-19-66	10.1	75.9	5050
19N/01W-09C01M	97.0	10-15-65	18.7	78.3	5105	19N/02W-15J01M	85.0	10-14-65	6.0	79.0	5105
		3-18-66	16.8	80.2	5105			3-16-66	6.8	78.2	5105
19N/01W-10D01M	94.0	10-15-65	14.5	79.5	5105	19N/02W-19D01M	103.0	10-13-65	4.6	98.4	5105
		3-18-66	12.7	81.3	5105			3-16-66	5.9	97.1	5105
19N/01W-14K01M	87.0	10-15-65	12.1	74.9	5105	19N/02W-23Q01M	86.0	10-14-65	7.7	78.3	5105
		3-18-66	11.3	75.7	5105			3-16-66	7.6	78.4	5105
19N/01W-15D01M	91.0	10-15-65	12.0	79.0	5105	19N/02W-29Q01M	90.0	10-13-65	3.5	86.5	5105
		3-18-66	10.9	80.1	5105			3-15-66	3.9	86.7	5105
19N/01W-20A01M	94.8	10-15-65	23.6	71.2	5105	19N/02W-30D01M	100.0	10-13-65	11.7	83.3	5105
		3-18-66	22.5	72.3	5105			3-15-66	10.2	89.8	5105

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
GLENN COUNTY 5-21.02					
19N/02W-34F01M	83.0	10-14-65 3-17-66	14.5 12.9	68.5 70.1	5105 5105
19N/02W-36F01M	81.4	10-14-65 3-16-66	7.0 6.7	74.4 74.7	5105 5105
19N/03W-01H01M	117.0	10-13-65 3-15-66	6.0 10.1	111.0 106.9	5105 5105
19N/03W-02N01M	170.0	10-14-65 3-15-66	9.4 10.2	110.6 109.8	5105 5105
19N/03W-03Q01M	128.0	10-14-65 3-15-66	8.1 10.1	119.9 117.9	5105 5105
19N/03W-08B01M	134.1	10-12-65 3-15-66	34.1 31.1	100.0 103.0	5105 5105
19N/03W-11N02M	123.0	10-13-65 3-15-66	13.8 13.1	109.2 109.9	5105 5105
19N/03W-14N01M	107.7	10-13-65 3-15-66	5.5 7.2	102.2 100.5	5105 5105
19N/03W-18D01M	153.0	7-19-65 8-19-65 9-20-65 10-20-65 11-20-65 12-20-65	DRY DRY DRY DRY DRY (0)	DRY DRY DRY DRY DRY DRY	5090 5090 5090 5090 5090 5090
19N/03W-29N01M	129.0	10-13-65 3-14-66	12.9 13.0	116.1 116.0	5105 5105
19N/04W-01A01M	165.0	10-12-65 3-14-66	58.8 43.1	106.2 121.9	5105 5105
19N/04W-03J01M	188.7	10-13-65 3-14-66	31.7 32.5	157.0 156.2	5105 5105
19N/04W-11I01M	184.0	10-12-65 3-14-66	54.2 55.1	129.8 128.9	5105 5105
GLENN COUNTY 5-21.02					
19N/04W-12E01M	174.0	7-19-65 9-20-65 10-20-65 11-20-65 12-20-65 1-20-66 2-23-66 3-22-66 4-21-66 5-17-66 6-21-66 7-19-66 8-17-66 9-20-66	64.7 62.6 59.0 58.2 51.5 58.4 57.4 36.5 67.7 91.1 70.8 97.3 70.5 68.0	109.3 111.4 115.0 115.8 122.5 115.6 116.6 117.5 106.3 91.1 103.2 107.8 103.5 106.0	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
19N/04W-25E01M	152.3	10-18-65 3-14-66	48.4 47.9	103.9 104.4	5105 5105
19N/04W-35C01M	165.0	10-12-65 3-11-66	61.8 60.5	103.2 104.5	5105 5105
20N/01W-07B01M	115.0	10-11-65 3-11-66	10.4 10.5	104.6 104.5	5105 5105
20N/01W-20N02M	102.0	10-11-65 3-11-66	14.4 15.8	87.6 86.2	5105 5105
20N/01W-31E01M	96.0	10-11-65 3-11-66	9.5 9.1	86.5 86.9	5105 5105
20N/02W-02J01M	125.0	10-08-65 3-11-66	8.5 10.8	116.5 114.2	5105 5105
20N/02W-05N01M	144.0	10-11-65 3-10-66	17.6 17.8	126.4 126.2	5105 5105
20N/02W-09N01M	131.8	10-08-65 3-11-66	5.4 8.6	126.4 123.2	5105 5105
20N/02W-13G01M	113.0	10-11-65 3-11-66	4.0 5.2	109.0 107.8	5105 5105
20N/02W-27J01M	102.0	10-11-65 3-11-66	4.0 5.1	98.0 96.9	5105 5105



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
GLENN COUNTY 5-21-02					
20N/O2W-29G01M	117.0	7-19-65	4.0	113.0	5050
		8-19-65	4.7	112.3	5050
		9-20-65	4.9	112.1	5050
		10-20-65	6.7	110.3	5050
		11-22-65	7.1	109.9	5050
		12-20-65	7.6	109.4	5050
		1-20-66	7.5	109.5	5050
		2-23-66	8.0	109.0	5050
		3-22-66	8.3	108.7	5050
		4-21-66	4.2	112.8	5050
		5-17-66	4.8	112.2	5050
		6-21-66	4.9	112.1	5050
		7-19-66	4.5	112.5	5050
		8-17-66	4.2	112.8	5050
		9-20-66	5.3	111.7	5050
		10-11-65	(2)		5105
		3-10-66	(2)		5105
20N/O3W-03D01M	165.0	10-07-65	60.2	105.8	5001
		3-10-66	47.2	118.8	5001
20N/O3W-07K03M	166.0	10-07-65	40.2	114.8	5105
		3-10-66	27.9	127.1	5105
20N/O3W-10B01M	155.0	10-07-65	31.3	124.7	5105
		3-10-66	27.3	128.1	5105
20N/O3W-10D02M	156.0	10-07-65	40.7	118.3	5105
		3-10-66	34.9	124.1	5105
20N/O3W-12C01M	159.0	10-07-65	52.8	106.7	5001
		3-10-66	31.7	122.4	5001
20N/O3W-19B01M	159.5	10-07-65	41.9	101.8	5001
		3-10-66	32.7	111.0	5001
20N/O3W-21A02M	143.7	10-07-65	30.0	113.0	5105
		3-11-66	(6)		5105
20N/O3W-24B02M	143.0	10-07-65	23.0	111.0	5105
		3-11-66	21.5	112.5	5105
20N/O3W-25Q01M	134.0	10-07-65	42.9	100.1	5001
		3-10-66	(6)		5001
GLENN COUNTY 5-21-02					
20N/O3W-31A01M	147.5	10-07-65	(1)	31.0	5001
		3-10-66	42.5	105.0	5001
20N/O3W-33J01M	136.0	10-07-65	(7)		5001
		3-10-66	(3)	32.0	5001
21N/O1W-04N01M	135.0	10-05-65	20.7	114.3	5105
		3-08-66	16.6	118.4	5105
21N/O1W-05A01M	143.5	10-05-65	30.1	113.4	5105
		3-08-66	25.5	118.0	5105
21N/O1W-09N01M	129.0	10-08-65	17.5	111.5	5105
		3-11-66	15.0	114.0	5105
21N/O1W-17F01M	132.5	10-08-65	19.1	113.4	5105
		3-11-66	18.5	114.0	5105
21N/O1W-18F01M	139.1	10-06-65	7.8	131.3	5105
		3-09-66	10.0	129.1	5105
21N/O1W-31E01M	129.8	10-08-65	10.6	119.2	5105
		3-11-66	12.3	117.5	5105
21N/O1W-33N01M	115.0	10-08-65	18.9	96.1	5105
		3-11-66	16.8	98.2	5105
21N/O2W-02B02M	161.0	10-06-65	24.1	136.9	5105
		3-08-66	21.8	139.2	5105
21N/O2W-03Q01M	162.6	10-06-65	31.3	131.3	5105
		3-08-66	17.8	144.8	5105
21N/O2W-09W02M	179.0	10-07-65	47.9	131.1	5105
		3-09-66	34.6	144.4	5105
21N/O2W-15B01M	161.0	10-06-65	26.5	124.5	5105
		3-09-66	23.5	137.5	5105
21N/O2W-20B01M	166.0	10-07-65	47.2	118.8	5105
		3-10-66	31.3	134.7	5105
21N/O2W-20E01M	170.0	10-06-65	45.0	125.0	5105
		3-10-66	38.2	131.8	5105

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
GLENN COUNTY 5-21.02									
21N/02W-22J01M	152.0	10-08-65 3-10-66	30.0 26.4	5105 5105	21N/03W-09R01M	220.8	10-07-65 3-09-66	(8) (8)	5001 5001
21N/02W-23G01M	152.0	10-08-65 3-10-66	26.9 21.0	5105 5105	21N/03W-10J01M	207.5	7-19-65 8-19-65 9-20-65 10-20-65 11-22-65 12-20-65	39.5 36.0 34.6 33.4 34.9 36.6	5050 5050 5050 5050 5050 5050
21N/02W-23H01M	142.6	10-08-65 3-10-66	25.7 14.1	5105 5105			1-20-66 2-23-66 3-22-66 4-21-66 5-17-66 6-21-66 7-19-66 8-17-66 9-20-66	25.4 183.5 23.8 26.9 183.7 32.2 32.8 33.2 32.0	5050 5050 5050 5050 5050 5050 5050 5050 5050
21N/02W-28W01M	151.0	10-07-65 3-10-66	30.4 23.0	5105 5105					
21N/02W-31D01M	165.0	10-11-65 3-10-66	47.0 37.4	5105 5105					
21N/02W-31D02M	165.0	10-11-65 3-10-66	43.3 36.3	5105 5105					
21N/02W-31W01M	161.0	10-12-65 3-10-66	44.0 33.3	5105 5105	21N/03W-11G01M	200.0	10-14-65 3-09-66	(1) 26.8	5105 5105
21N/02W-33N02M	141.0	10-07-65 3-10-66	DRY DRY	5105 5105	21N/03W-11W01M	206.5	10-11-65 3-09-66	69.7 43.9	5105 5105
21N/02W-35P01M	128.0	10-08-65 3-11-66	10.2 9.9	5105 5105	21N/03W-12C01M	202.0	10-12-65 3-09-66	(4) 27.4	5105 5105
21N/03W-02B01M	219.0	7-19-65 8-19-65 9-20-65 10-20-65 11-22-65 12-20-65 1-20-66 2-23-66 3-22-66 4-21-66 5-17-66 6-21-66 7-19-66 8-17-66 9-20-66	(1) 51.7 (1) 43.8 35.5 36.2 19.6 19.0 18.5 (1) (1) (1) (1) (1) (1)	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050	21N/03W-12C02M	202.0	10-05-65 3-09-66	49.0 26.4	5105 5105
			175.2 183.5 182.8 199.4 200.0 200.5	5050 5050 5050 5050 5050 5050	21N/03W-14B01M	197.8	10-06-65 3-09-66	47.3 33.7	5105 5105
			118.1 117.8	5105 5105	21N/03W-15C01M	215.0	10-06-65 3-09-66	41.0 36.5	5105 5105
			118.1	5105	21N/03W-18S01M	218.0	10-05-65 3-09-66	82.4 68.1	5001 5001
			118.1	5105	21N/03W-20D02M	206.1	10-05-65 3-10-66	68.3 59.1	5001 5001
			118.1	5105	21N/03W-29R02M	192.0	10-07-65 3-10-66	69.8 47.9	5001 5001
21N/03W-08D01M	225.5	10-05-65 3-09-66	77.5 57.0	5001 5001					
			148.0 168.5	5001 5001					



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE OF WELL SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SURVEYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SURVEYING DATA
GLENN COUNTY 5-21.02						GLENN COUNTY 5-21.02					
21N/03W-31C02M	199.0	10-07-65 3-10-66	76.7 64.2	122.3 134.8	5001 5001	21N/03W-35L02M	160.0	10-07-65 3-10-66	40.5 32.9	119.5 127.1	5105 5105
21N/03W-31R01M	192.0	10-07-65 3-10-66	93.8 66.4	98.2 125.6	5001 5001	21N/04W-12B02M	249.0	10-05-65 3-09-66	101.6 86.4	147.4 162.6	5001 5001
21N/03W-31R02M	183.0	10-07-65 7-19-66 8-17-66 9-20-66	76.2 51.5 86.7 84.6 79.8	106.8 131.5 96.3 98.4 103.2	5001 5001 5050 5050 5050	21N/04W-12H01M	244.0	10-05-65 3-09-66	109.1 79.6	134.9 164.4	5001 5001
21N/03W-31R03M	183.0	10-07-65 3-08-66 7-19-66 8-17-66 9-20-66	10.6 8.8 7.5 7.0 6.2	172.4 174.2 175.5 176.0 176.8	5001 5001 5050 5050 5050	21N/04W-23H01M	259.0	10-05-65 3-10-66	DRY 102.0	157.0	5001 5001
21N/03W-31R04M	183.0	10-07-65 3-08-66 7-19-66 8-17-66 9-20-66	80.5 48.0 92.5 81.5 78.6	102.5 135.0 90.5 101.5 104.4	5001 5001 5050 5050 5050	22N/01W-18B02M	149.5	10-04-65 3-07-66	15.9 19.1	133.6 130.4	5105 5105
21N/03W-31R05M	183.0	10-07-65 3-08-66 7-19-66 8-17-66 9-20-66	68.2 47.6 72.7 72.4 72.1	114.8 135.4 110.3 110.6 110.9	5001 5001 5050 5050 5050	22N/01W-18E03M	147.0	10-04-65 3-07-66	15.0 13.0	132.0 134.0	5105 5105
21N/03W-31R06M	183.0	10-07-65 3-08-66 7-19-66 8-17-66 9-20-66	4.1 2.3 2.9 3.4 3.4	178.9 180.7 180.1 179.6 179.6	5001 5001 5050 5050 5050	22N/01W-34E01M	135.0	10-15-65 3-08-66	17.0 14.9	118.0 120.1	5105 5105
21N/03W-32N01M	184.4	10-07-65 3-10-66	(1) 48.5	135.9 135.9	5001 5001	22N/02W-03F01M	191.0	10-07-65 3-07-66	45.0 28.5	146.0 162.5	5105 5105
21N/03W-33A04M	174.0	10-07-65 3-10-66	35.0 (7)	139.0 139.0	5001 5001	22N/02W-03L01M	186.0	10-04-65 3-07-66	56.3 26.2	129.7 159.8	5105 5105
21N/03W-35L01M	163.0	10-14-65 3-10-66	42.1 36.6	120.9 126.4	5105 5105	22N/02W-05L02M	202.0	10-04-65 3-07-66	21.9 16.5	180.1 185.5	5105 5105
						22N/02W-05B02M	205.0	7-19-65 8-19-65 9-20-65 10-20-65 11-20-65 12-20-65 1-20-66 2-20-66 3-22-66	55.7 40.6 45.2 37.2 26.0 23.8 21.1 21.3 19.7	149.3 152.4 159.8 167.4 179.0 181.2 182.9 183.7 185.9	5050 5050 5050 5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
GLENN COUNTY 5-21.02											
GLENN COUNTY 5-21.02											
22N/02W-08B02M CONT.	205.0	4-21-66	36.3	168.7	5050	22N/02W-36D01M	158.7	10-06-65	15.0	143.7	5105
		5-17-66	43.3	161.7	5050			3-08-66	10.4	148.3	5105
		6-21-66	55.9	149.1	5050						
		7-19-66	61.6	143.4	5050	22N/03W-01I01M	237.0	10-04-65	10.2	226.8	5105
		8-17-66	54.9	150.1	5050			3-07-66	17.6	219.4	5105
		9-20-66	49.3	155.7	5050						
22N/02W-08D01M	207.0	10-04-65	30.1	176.9	5105	22N/03W-04F01M	283.0	10-05-65	72.0	211.0	5001
		3-07-66	19.5	187.5	5105			3-09-66	71.1	211.9	5001
22N/02W-08Q01M	203.0	10-04-65	14.0	189.0	5105	22N/03W-05F01M	293.0	10-05-65	42.0	251.0	5001
		3-07-66	10.5	192.5	5105			3-09-66	44.2	246.8	5001
22N/02W-09I03M	195.0	10-11-65	37.1	157.9	5105	22N/03W-07C01M	300.0	10-05-65	7.6	292.4	5001
		3-07-66	12.5	182.5	5105			3-09-66	6.0	294.0	5001
22N/02W-12C01M	156.0	10-04-65	23.5	132.5	5105	22N/03W-10G01M	256.2	10-04-65	11.7	244.5	5105
		3-07-66	21.0	135.0	5105			3-07-66	13.4	240.4	5105
22N/02W-14B02M	165.0	10-05-65	14.1	150.9	5105	22N/03W-12G01M	230.0	10-04-65	11.1	218.9	5105
		3-08-66	9.6	155.4	5105			3-07-66	10.8	216.6	5105
22N/02W-16C01M	196.0	10-05-65	16.3	179.7	5105	22N/03W-13D02M	235.3	10-05-65	12.5	222.8	5001
		3-08-66	10.0	186.0	5105			3-08-66	(7)		
22N/02W-20F02M	203.0	10-05-65	5.2	197.8	5105	22N/03W-13M01M	232.2	10-05-65	10.5	221.7	5001
		3-08-66	5.0	198.0	5105			3-08-66	10.8	221.4	5001
22N/02W-21D01M	198.0	10-04-65	19.6	178.4	5105	22N/03W-17G01M	275.9	10-05-65	7.8	268.1	5001
		3-07-66	11.2	186.8	5105			3-09-66	10.3	265.6	5001
22N/02W-23B01M	169.0	10-05-65	5.4	163.6	5105	22N/03W-21F01M	262.0	7-19-65	18.2	243.8	5050
		3-08-66	6.6	162.4	5105			6-19-66	16.7	242.3	5050
22N/02W-23N01M	175.0	10-05-65	16.2	158.8	5105			9-20-66	15.6	242.4	5050
		3-08-66	13.8	151.0	5105			10-20-66	16.4	245.6	5050
22N/02W-24I01M	163.5	10-08-65	35.4	128.1	5105			11-22-66	17.0	242.0	5050
		3-08-66	21.0	142.5	5105			12-26-66	15.9	246.1	5050
								1-20-66	18.5	243.9	5050
								2-23-66	18.1	243.0	5050
								3-22-66	20.8	241.2	5050
								4-21-66	(1)		
22N/02W-31Q01M	198.6	10-06-65	25.7	172.9	5105			5-17-66	18.5	243.5	5050
		3-08-66	16.1	182.5	5105			6-21-66	17.2	244.8	5050
22N/02W-32H03M	187.0	10-06-65	14.8	172.8	5105			7-19-66	16.1	245.9	5050
		3-08-66	11.2	175.8	5105			8-17-66	15.5	246.5	5050
								9-20-66	17.2	244.8	5050

# TABLE C-2 (Cont.) GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
GLENN COUNTY 5-21.02					
22N/03W-23E01M	243.0	10-05-65 3-08-66	14.5 19.6	228.5 223.4	5105 5105
22N/03W-24N01M	232.5	10-05-65 3-08-66	11.9 14.7	220.6 217.8	5105 5105
22N/03W-29F01M	270.0	7-01-65	(0)	270.0	5001
22N/03W-31F01M	255.0	10-05-65 3-09-66	1.5 1.4	253.5 253.6	5001 5001
22N/03W-32R01M	247.2	10-05-65 3-09-66	17.3 20.5	229.9 226.7	5001 5001
22N/03W-33A01M	241.8	10-05-65 3-09-66	9.1 14.1	232.7 227.7	5001 5001
22N/04W-12L01M	318.0	10-05-65 3-09-66	4.2 3.0	313.8 315.0	5001 5001
22N/04W-35Q01M	282.9	7-01-65	(0)	282.9	5001
BUTTE COUNTY 5-21.03					
17N/01E-01R01M	69.5	10-11-65 3-15-66	5.8 4.9	63.7 64.6	5106 5106
17N/01E-02D01M	63.2	10-11-65 3-15-66	6.7 6.4	56.5 56.8	5106 5106
17N/01E-10A01M	63.0	10-11-65 3-15-66	10.5 9.9	52.5 53.1	5106 5106
17N/01E-13N01M	65.0	10-11-65 10-28-65 3-15-66 8-04-66	(1) (1) (1) (0)	5106 5050 5106 5050	5106 5106 5106 5050
17N/02E-06D01M	71.0	7-20-65 8-20-65 9-21-65 10-21-65 11-24-65 12-22-65	5.1 5.9 6.5 7.7 7.8 7.2	65.9 65.1 64.5 63.3 63.2 63.8	5050 5050 5050 5050 5050 5050
BUTTE COUNTY 5-21.03					
BUTTE COUNTY 5-21.03					
CONF.					
17N/02E-06D01M	71.0	1-19-66 2-24-66 3-21-66 4-18-66 5-15-66 6-19-66 8-19-66 8-17-66 9-21-66	7.6 7.4 8.1 7.6 7.7 7.9 7.9 6.0 5.3	63.4 63.6 62.9 63.4 63.3 62.7 62.1 62.0 65.7	5050 5050 5050 5050 5050 5050 5050 5050 5050
17N/02E-08D01M	74.5	10-11-65 3-15-66	5.1 6.1	69.4 68.4	5106 5106
17N/02E-12A01M	90.0	10-11-65 3-15-66	10.1 9.1	79.9 80.9	5106 5106
17N/02E-14A01M	82.5	10-11-65 3-15-66	5.4 4.6	77.1 77.9	5106 5106
17N/02E-16C01M	74.0	10-11-65 3-15-66	5.1 4.0	68.9 70.0	5106 5106
17N/03E-01R01M	100.0	10-04-65 3-15-66	36.4 32.3	63.6 67.7	5106 5106
17N/03E-03D01M	95.0	10-11-65 3-15-66	24.9 22.0	70.1 70.3	5106 5106
17N/03E-05C01M	96.0	10-11-65 3-15-66	12.1 10.1	83.9 85.9	5106 5106
17N/03E-08G01M	90.0	10-11-65 3-15-66	8.6 8.2	81.4 81.8	5106 5106
17N/03E-16N01M	85.0	10-11-65 3-15-66	10.0 9.6	75.0 75.4	5106 5106
17N/04E-05C01M	95.0	10-04-65 3-15-66	42.7 32.7	52.3 62.3	5106 5106
17N/04E-08A01M	96.0	10-05-65 3-15-66	21.5 15.9	74.5 80.1	5106 5106
17N/04E-08I01M	92.0	10-27-65 3-15-66	23.9 19.5	68.1 72.5	5106 5106

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03											
17N/04E-16E01M	106.0	10-04-65 3-15-66	29.3 29.1	76.7 76.9	5106 5106	18N/02E-13D03M	93.0	10-06-65 3-11-66	7.4 5.1	85.6 87.9	5050 5050
17N/04E-16E02M	106.0	10-04-65 3-15-66	31.3 27.9	74.7 78.1	5106 5106	18N/02E-13L02M	94.0	10-06-65 3-11-66	7.8 (9)	86.2	5050 5050
17N/04E-18C01M	96.0	10-04-65 3-15-66	42.0 25.1	54.0 70.9	5106 5106	18N/02E-13L03M	94.0	10-06-65 3-11-66	6.1 5.8	87.9 88.7	5050 5050
18N/01E-13M01M	77.0	10-11-65 3-14-66	8.0 7.2	69.0 69.8	5106 5106	18N/02E-13M01M	93.0	10-06-65 3-11-66	6.2 6.4	86.7 86.6	5050 5050
18N/01E-15D01M	70.0	10-11-65 3-14-66	3.5 3.3	66.5 66.7	5106 5106	18N/02E-13R03M	95.0	10-06-65 3-11-66	3.5 3.9	91.5 91.1	5050 5050
18N/01E-33M03M	64.0	10-11-65 3-14-66	7.8 7.0	56.2 57.0	5106 5106	18N/02E-13R04M	96.0	10-06-65 3-11-66	2.7 3.6	93.3 92.4	5050 5050
18N/02E-11D01M	90.0	10-11-65 3-14-66	4.6 4.3	85.4 85.7	5106 5106	18N/02E-14G01M	87.0	10-11-65 3-14-66	(1)		5106 5106
18N/02E-11J02M	93.0	10-06-65 3-11-66	6.0 (9)	87.0	5050 5050	18N/02E-14R01M	92.0	10-06-65 3-11-66	7.0 6.8	85.0 85.2	5050 5050
18N/02E-11R01M	92.0	10-06-65 3-11-66	5.5 5.4	86.5 86.6	5050 5050	18N/02E-16F01M	80.0	10-28-65 3-14-66	7.5 7.7	72.5 72.3	5106 5106
18N/02E-12H01M	103.0	10-06-65 3-11-66	8.7 9.4	94.3 93.6	5050 5050	18N/02E-20F01M	76.0	10-11-65 3-14-66	5.3 7.2	70.7 68.8	5106 5106
18N/02E-12K01M	99.0	10-06-65 3-11-66	6.7 5.5	92.3 93.5	5050 5050	18N/02E-25M01M	87.0	10-11-65 3-14-66	6.9 4.9	80.1 82.1	5106 5106
18N/02E-12K02M	101.0	10-06-65 3-11-66	8.8 6.0	92.2 95.0	5050 5050	18N/02E-32Q02M	75.0	10-11-65 3-14-66	5.8 6.2	69.8 68.2	5106 5106
18N/02E-12P01M	95.0	10-06-65 3-11-66	7.1 4.0	87.9 91.0	5050 5050	18N/02E-35F01M	84.0	10-11-65 3-15-66	3.4 4.7	80.6 79.3	5106 5106
18N/02E-12P01M	101.0	10-06-65 3-11-66	10.4 8.7	90.6 92.3	5050 5050	18N/03E-05G01M	110.0	10-05-65 3-03-66	14.0 13.8	96.0 96.2	5050 5050
18N/02E-13D01M	93.0	10-06-65 3-11-66	6.0 4.6	87.0 88.4	5050 5050	18N/03E-05H01M	114.0	10-05-65 3-10-66	16.2 13.3	97.8 100.7	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03					
18N/03E-05K01M	110.4	10-04-65 10-05-65 3-10-66 3-14-66	16.5 16.4 14.1 13.7	93.9 94.0 96.3 96.7	5106 5050 5050 5106
18N/03E-06K01M	107.0	7-20-65 8-20-65 9-21-65 10-21-65 11-24-65 12-22-65 1-27-66 2-24-66 3-21-66 5-18-66 7-18-66 8-18-66 9-21-66	12.6 12.5 12.9 13.9 12.5 13.6 12.4 12.4 13.6 13.7 12.7 13.1 12.7 13.7	94.4 94.5 94.1 93.1 94.3 93.3 94.5 94.4 93.4 94.3 94.1 91.1 93.3	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
18N/03E-08K01M	106.0	10-05-65 3-10-66	14.2 12.1	91.8 93.9	5050 5050
18N/03E-08F01M	110.0	10-05-65 3-10-66	22.3 19.0	87.7 91.0	5050 5050
18N/03E-09D01M	114.0	10-05-65 3-10-66	16.4 14.1	97.6 99.9	5050 5050
18N/03E-09F01M	111.0	10-05-65 3-10-66	18.4 26.0	92.6 85.0	5050 5050
18N/03E-09N01M	110.0	10-05-65 3-10-66	20.0 (9)	90.0	5050 5050
18N/03E-11G01M	124.0	7-21-65 8-20-65 9-21-65 10-21-65 11-24-65 (4) 12-22-65 1-19-66 2-24-66 3-21-66 4-20-66	30.5 29.7 30.8 31.0 30.7 30.2 28.0 26.9 26.7 28.2	93.5 94.3 93.2 93.0 93.3 94.8 96.0 97.1 97.3 95.8	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
BUTTE COUNTY 5-21.03					
18N/03E-11G01M CONT.	124.0	5-18-66 6-22-66 7-18-66 8-17-66 9-21-66	33.6 31.7 35.3 35.7 35.3	90.4 92.3 88.7 88.3 88.7	5050 5050 5050 5050 5050
18N/03E-14H01M	120.0	10-05-65 3-14-66	34.4 26.1	85.6 93.9	5106 5106
18N/03E-16A01M	111.0	10-05-65 3-09-66	20.3 16.4	90.7 94.6	5050 5050
18N/03E-16C01M	110.0	10-05-65 3-09-66	19.7 16.8	90.3 93.2	5050 5050
18N/03E-16F01M	110.0	10-05-65 3-09-66	21.2 18.0	88.8 92.0	5050 5050
18N/03E-16F02M	108.0	10-05-65 3-09-66	21.5 18.6	86.5 89.4	5050 5050
18N/03E-16K01M	109.0	10-05-65 3-09-66	19.3 17.1	89.7 91.9	5050 5050
18N/03E-16N01M	102.0	10-05-65 3-09-66	19.5 16.4	82.5 85.5	5050 5050
18N/03E-16F02M	106.0	10-05-65 3-09-66	20.5 17.6	85.5 88.4	5050 5050
18N/03E-16F03M	106.0	10-05-65 3-09-66	21.5 19.2	84.5 86.8	5050 5050
18N/03E-17A01M	116.0	10-05-65 3-09-66	28.4 (3)	87.6	5050 5050
18N/03E-17A02M	110.0	10-05-65 3-09-66	(4) (4)		5050 5050
18N/03E-17A03M	117.0	10-05-65 3-09-66	30.4 27.3	86.6 89.7	5050 5050
18N/03E-17B02M	111.0	10-05-65 3-09-66	22.0 19.0	89.0 92.0	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03					
18N/03E-17E01M	115.0	10-06-65 3-09-66	23.0 21.8	92.0 93.2	5050 5050
18N/03E-17G02M	112.0	10-05-65 3-09-66	(1) 21.6	90.4	5050 5050
18N/03E-17J01M	115.0	10-05-65 3-09-66	25.6 23.4	89.4 91.6	5050 5050
18N/03E-17J02M	110.0	10-05-65 3-09-66	24.7 22.6	85.3 87.4	5050 5050
18N/03E-17F01M	107.0	10-05-65 3-09-66	22.3 19.3	84.7 87.7	5050 5050
18N/03E-17Q01M	111.0	10-05-65 3-09-66	25.0 22.3	86.0 88.7	5050 5050
18N/03E-18D01M	100.0	10-06-65 3-09-66	8.4 7.1	91.6 92.9	5050 5050
18N/03E-18E01M	99.0	10-06-65 3-09-66	7.1 6.0	91.9 93.0	5050 5050
18N/03E-18E02M	99.0	10-06-65 3-09-66	4.5 4.1	94.5 94.9	5050 5050
18N/03E-18F01M	97.5	10-05-65 3-14-66	8.1 6.6	89.4 90.9	5106 5106
18N/03E-19Q01M	95.5	10-05-65 3-14-66	9.9 9.4	85.6 86.1	5106 5106
18N/03E-21G01M	104.0	10-05-65 3-14-66	21.2 17.9	82.8 86.1	5106 5106
18N/03E-24A01M	115.0	10-27-65 3-15-66	26.1 17.4	99.0 97.6	5106 5106
18N/04E-07A01M	153.0	10-05-65 3-15-66	5.1 4.2	147.9 148.8	5106 5106
18N/04E-08M01M	145.0	10-05-65 10-27-65 3-15-66	(1) 43.1 34.0	101.9 111.0	5106 5106
BUTTE COUNTY 5-21.03					
18N/04E-16C01M	201.0	10-05-65 3-15-66	82.4 78.1	118.6 122.9	5106 5106
18N/04E-28I01M	135.0	10-27-65 3-15-66	62.4 47.1	72.6 87.9	5106 5106
18N/04E-30D01M	107.0	10-27-65 3-15-66	28.2 4.7	78.8 102.3	5106 5106
18N/04E-32J01M	111.0	10-27-65 3-15-66	37.2 29.2	73.8 81.8	5106 5106
19N/01E-04H01M	91.0	10-08-65 3-11-66	(1) 1.1	89.9	5106
19N/01E-21H01M	82.0	10-08-65 3-01-66	(4) (0)		5106 5050
19N/01E-28F01M	80.0	7-20-65 8-20-65 9-21-65 10-21-65 11-24-65 12-22-65	3.3 2.9 3.5 5.1 5.8 5.6	76.7 77.1 76.5 74.9 74.2 74.4	5050 5050 5050 5050 5050 5050
		1-19-66 2-24-66 3-21-66 4-22-66 5-18-66 6-22-66 7-18-66 8-18-66 9-20-66	4.9 5.1 6.1 4.8 3.2 3.2 4.4 4.3	75.1 73.9 73.9 75.2 76.9 76.8 75.6 77.3 75.7	5050 5050 5050 5050 5050 5050 5050 5050 5050
19N/02E-01A01M	125.0	10-08-65 3-11-66	14.3 9.1	110.7 115.9	5106 5106
19N/02E-02A01M	124.0	10-04-65 3-10-66	5.5 6.0	118.5 118.0	5050 5050
19N/02E-07K01M	98.0	10-08-65 3-11-66	3.2 2.7	94.8 95.3	5106 5106
19N/02E-10B09M	112.0	10-11-65 3-14-66	3.5 3.4	108.5 108.6	5106 5106



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03											
19N/02E-12H01M	118.0	10-04-65 3-10-66	10.9 10.9	107.1 107.1	5050 5050	19N/02E-36G01M	105.0	10-05-65 3-10-66	13.7 12.5	91.3 92.7	5050 5050
19N/02E-12P01M	117.0	10-04-65 3-10-66	10.5 10.7	106.5 106.3	5050 5050	19N/02E-36F01M	115.0	10-05-65 3-10-66	20.4 18.5	94.6 96.5	5050 5050
19N/02E-15F01M	107.0	10-04-65 3-10-66	4.4 3.4	102.6 103.6	5050 5050	19N/03E-05N01M	142.0	10-04-65 3-09-66	36.3 33.1	105.7 108.9	5050 5050
19N/02E-16N01M	99.0	10-08-65 3-11-66	4.2 3.3	94.8 95.7	5106 5106	19N/03E-14B01M	201.5	10-05-65 3-14-66	81.0 71.1	120.5 130.4	5106 5106
19N/02E-17A01M	102.0	10-08-65 3-11-66	3.0 2.4	99.0 99.6	5106 5106	19N/03E-14K01M	169.0	10-04-65 3-09-66	40.7 37.4	128.3 131.6	5050 5050
19N/02E-21J01M	101.0	10-05-65 3-10-66	4.0 3.3	97.0 97.7	5050 5050	19N/03E-14K02M	159.0	10-04-65 3-09-66	35.4 33.5	123.6 125.5	5050 5050
19N/02E-22K02M	102.0	10-05-65 3-10-66	7.1 6.8	94.9 95.2	5050 5050	19N/03E-15D01M	186.0	10-04-65 3-10-66	(3) 73.1	112.9	5050 5050
19N/02E-22N01M	101.0	10-05-65 3-10-66	4.1 3.4	96.9 97.6	5050 5050	19N/03E-15D02M	178.0	10-04-65 3-10-66	68.1 68.2	109.8 109.8	5050 5050
19N/02E-22N01M	100.0	10-05-65 3-10-66	4.6 4.1	95.4 95.9	5050 5050	19N/03E-16B01M	167.0	10-04-65 3-10-66	55.2 55.3	111.8 111.7	5050 5050
19N/02E-25J01M	112.0	10-05-65 3-10-66	14.1 11.8	97.9 100.2	5050 5050	19N/03E-16G01M	163.0	10-04-65 3-10-66	54.2 54.5	108.8 108.5	5050 5050
19N/02E-27E01M	98.0	10-05-65 3-10-66	4.3 2.6	93.7 95.4	5050 5050	19N/03E-16F01M	170.0	10-04-65 3-11-66	65.3 (1)	104.7	5106 5106
19N/02E-27N01M	97.0	10-05-65 3-10-66	3.8 3.7	93.2 93.3	5050 5050	19N/03E-17F01M	157.0	10-04-65 3-10-66	47.9 47.3	109.1 109.7	5050 5050
19N/02E-27N01M	96.0	10-05-65 3-10-66	4.4 3.3	91.6 92.7	5050 5050	19N/03E-18E02M	122.0	10-04-65 3-10-66	23.1 22.7	98.9 99.3	5050 5050
19N/02E-28J01M	97.0	10-05-65 3-10-66	4.7 4.1	92.3 92.9	5050 5050	19N/03E-18M02M	116.0	10-04-65 3-10-66	9.9 9.9	106.1 106.1	5050 5050
19N/02E-34J01M	96.0	10-11-65 3-11-66	5.7 4.4	90.3 91.6	5106 5106	19N/03E-18G01M	140.0	10-04-65 3-10-66	(3) (6)	5050 5050	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03											
19N/03E-19M01M	125.0	10-04-65 3-10-66 3-11-66	28.8 25.3 25.6	96.2 99.7 99.4	5106 5050 5106	19N/04E-06F01M	275.0	10-05-65 3-14-66	137.0 129.9	138.0 145.1	5106 5106
19N/03E-19F01M	145.0	10-05-65 3-10-66	47.6 47.0	97.4 98.0	5050 5050	19N/04E-06G01M	275.0	10-04-65 3-09-66	DRY 54.6	220.4	5050 5050
19N/03E-22A01M	183.0	10-04-65 3-11-66	73.0 65.6	110.0 117.4	5106 5106	19N/04E-20D01M	193.0	10-11-65 3-14-66	(1) (1)		5106 5106
19N/03E-22C02M	170.0	10-04-65 3-10-66	60.3 (3)	109.7	5050 5050	19N/04E-28G01M	248.0	10-04-65 3-14-66	27.4 18.2	220.6 229.8	5106 5106
19N/03E-22Q02M	160.0	10-04-65	(3)		5050	19N/04E-32P01M	187.0	10-04-65 3-14-66	54.6 53.9	132.4 133.1	5106 5106
19N/03E-23B01M	155.0	10-04-65 3-09-66	40.6 35.3	114.4 119.7	5050 5050	20N/01E-05D01M	116.7	10-07-65	(6)		5106
19N/03E-23L01M	135.0	10-04-65 3-10-66	16.7 12.6	118.3 122.4	5050 5050	20N/01E-07A01M	114.6	10-08-65 3-11-66	10.4 (2)	104.2	5106 5106
19N/03E-23N01M	160.0	10-04-65	(3)		5050	20N/01E-10C02M	125.0	10-08-65 3-11-66	14.7 9.6	110.3 115.4	5106 5106
19N/03E-28F01M	147.0	10-04-65 3-11-66	43.7 42.4	103.3 104.6	5106 5106	20N/01E-10M01M	115.0	10-08-65 3-11-66	5.6 3.2	109.4 111.8	5106 5106
19N/03E-30N04M	110.0	10-04-65 3-10-66	15.9 13.7	94.1 96.3	5050 5050	20N/01E-11B02M	128.9	10-08-65 3-11-66	19.2 12.0	109.7 116.9	5106 5106
19N/03E-31E01M	112.0	10-28-65 3-11-66 8-04-66	16.5 (5) (6)	95.5	5106 5106 5050	20N/01E-24F01M	114.0	10-08-65 3-11-66	2.8 2.8	111.1 111.2	5106 5106
19N/03E-33M02M	140.0	10-05-65 3-10-66	41.3 40.7	98.7 99.3	5050 5050	20N/01E-27F01M	101.0	10-08-65 10-28-65 3-11-66	(9) (6) (7)		5106 5050 5106
19N/03E-33N02M	120.0	10-05-65 3-10-66	13.7 8.0	106.3 112.0	5050 5050	20N/01E-35C01M	100.0	10-08-65 3-11-66	3.5 3.1	96.5 96.9	5106 5106
19N/03E-36A01M	145.0	10-05-65 3-14-66	28.4 23.9	116.6 121.1	5106 5106	20N/02E-06G01M	135.3	10-08-65 3-11-66	15.1 9.3	120.2 126.0	5106 5106
19N/04E-06B01M	345.0	10-04-65 3-09-66	10.6 7.8	334.4 337.2	5050 5050	20N/02E-07H02M	129.4	10-08-65 3-11-66	8.5 5.0	120.9 124.4	5106 5106



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03											
20N/02E-09I01M	137.0	10-08-65 3-11-66	11.9 7.1	125.1 129.9	5106 5106	20N/03E-08E01M	187.0	10-08-65 3-10-66	33.3 14.9	153.7 172.1	5106 5106
20N/02E-10J01M	147.0	10-08-65 3-11-66	24.5 16.2	122.5 130.8	5106 5106	20N/03E-10B01M	270.0	10-08-65 3-10-66	4.1 3.2	265.9 266.8	5106 5106
20N/02E-13M01M	160.0	10-08-65 3-11-66	31.2 31.8	128.8 128.2	5106 5106	20N/03E-22A01M	265.0	10-08-65 3-10-66	3.7 2.6	261.3 262.2	5106 5106
20N/02E-17F01M	122.5	10-08-65 3-11-66	4.4 1.9	118.1 120.6	5106 5106	20N/03E-26J02M	293.0	10-04-65 3-09-66	(1) 15.4	277.6	5050 5050
20N/02E-22F01M	130.0	10-08-65 3-11-66	14.1 10.1	115.9 119.9	5106 5106	20N/03E-28N01M	150.0	7-20-65 8-20-65 9-21-65 10-21-65 11-24-65 12-22-65	30.0 31.5 31.4 31.8 32.7 32.4	120.0 118.5 118.2 117.3 117.6 118.1 118.8	5050 5050 5050 5050 5050 5050 5050
20N/02E-28N01M	118.0	7-20-65 9-21-65 10-21-65 11-24-65 12-22-65	5.8 5.7 6.3 6.0 5.3	112.2 113.4 111.7 112.0 112.7	5050 5050 5050 5050 5050	20N/03E-31B01M	137.0	10-04-65 3-09-66	30.9 21.2	106.1 115.8	5050 5050
		1-19-66 2-24-66 4-22-66 5-18-66 6-22-66 7-18-66 8-18-66 9-21-66	4.8 4.5 4.7 5.1 5.0 4.4 4.3 6.0	113.2 113.5 113.3 112.9 113.6 113.7 112.0	5050 5050 5050 5050 5050 5050 5050	20N/03E-31K01M	134.0	10-04-65 3-09-66	29.2 19.0	104.8 115.0	5050 5050
20N/02E-35A01M	136.0	10-04-65 3-10-66	21.4 16.0	114.6 120.0	5050 5050	20N/03E-31I01M	130.0	10-04-65 3-09-66	25.8 17.9	104.2 112.1	5050 5050
20N/02E-36A02M	130.0	10-04-65 3-09-66	27.9 18.2	102.1 111.8	5050 5050	20N/03E-32D01M	141.0	10-08-65 3-10-66	36.8 29.1	104.2 111.9	5106 5106
20N/02E-36F01M	129.0	10-04-65 3-10-66	19.6 11.8	109.4 117.2	5050 5050	20N/03E-32B02M	170.0	10-08-65	(6)	5106	5106
20N/02E-36F02M	126.0	10-04-65 3-10-66	5.7 6.8	120.3 119.2	5050 5050	20N/03E-34A01M	226.0	10-08-65 3-11-66	8.3 2.0	217.7 224.0	5106 5106
20N/03E-07H01M	190.0	10-08-65 3-10-66	61.3 49.3	128.7 140.7	5106 5106						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03											
20N/01N-03D01M	114.0	10-07-65 3-10-66	20.6 19.1	93.4 95.9	5106 5106	21N/01E-27D01M	141.0	10-08-65 3-10-66	29.9 24.2	111.1 116.8	5106 5106
20N/01N-15A01M	107.0	10-07-65 3-08-66	12.7 10.8	94.3 96.2	5106 5106	21N/01E-28N01M	135.0	7-20-65 6-29-65 9-21-65 10-21-65 11-21-65 12-22-65 1-18-66 2-21-66 3-21-66 4-22-66 5-18-66 6-22-66 7-18-66 8-18-66 9-21-66	27.9 27.4 27.8 27.4 27.7 18.0 20.7 11.2 11.8 11.7 18.0 19.1 21.2 20.1 30.3 30.5 28.0	107.1 107.2 107.4 107.4 107.3 107.0 116.3 117.0 117.0 110.8 110.8 106.9 104.7 104.7 107.0	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
20N/01N-26H01M	105.2	10-07-65 3-08-66	8.2 8.1	97.0 97.1	5106 5106	21N/01E-31I01M	115.0	7-20-65 8-20-65 9-21-65 10-21-65 11-21-65 12-22-65 1-19-66 2-21-66 3-21-66 4-22-66 5-18-66 6-22-66 7-18-66 8-18-66 9-21-66	11.0 11.1 11.1 10.5 9.4 11.0 8.9 7.0 5.3 5.4 3.9 3.9 9.2 9.3 10.6 8.9	104.0 103.9 104.5 105.6 104.0 106.1 108.0 109.7 109.6 111.1 106.4 105.8 105.7 106.0 106.1	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
20N/01N-26H02M	105.6	10-07-65 3-08-66	7.0 8.5	98.6 97.1	5106 5106						
21N/01E-05G01M	149.0	7-20-65 8-20-65 9-21-66 10-21-66 11-21-66 12-22-65 1-19-66 2-21-66 3-21-66 4-22-66 5-18-66 6-22-66 7-18-66 8-18-66 9-21-66	23.9 24.0 23.2 21.0 21.0 20.8 18.8 18.0 16.4 15.4 16.6 21.1 22.7 27.8 29.2	125.1 124.1 125.1 127.1 127.1 128.2 128.2 131.0 132.6 133.6 132.4 137.9 126.3 121.2 119.8	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050						
21N/01E-05W01M	141.0	10-07-65 3-09-66	18.3 11.2	122.7 129.8	5106 5106						
21N/01E-08A01M	152.1	10-06-65 3-10-66	26.3 16.9	125.8 135.2	5106 5106						
21N/01E-12K01M	187.0	10-08-65 3-10-66	27.3 27.1	159.7 159.9	5106 5106						
21N/01E-13K01M	177.0	10-08-65 3-08-66	50.9 39.8	126.1 137.4	5106 5106						
21N/01E-17A01M	137.0	10-07-65 3-09-66	13.6 9.5	123.4 127.5	5106 5106						
21N/01E-23C01M	160.5	10-07-65 3-10-66	41.1 31.6	119.4 128.9	5106 5106						
BUTTE COUNTY 5-21.03											
21N/01E-33A01M	135.0	10-08-65 3-10-66	28.9 21.3	106.1 113.7	5106 5106						
21N/02E-08F01M	205.0	10-08-65	(0)		5106						
21N/02E-08E02M	205.0	10-28-65 3-10-66	6.9 14.1	198.1 190.9	5106 5106						
21N/02E-08E03M	205.0	10-28-65 3-10-66	53.3 58.4	151.7 146.6	5106 5106						

**GROUND WATER LEVELS AT WELLS**

TABLE C-2 (Cont.)

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03											
21N/02E-17G01M	185.0	10-08-65 3-10-66	10.1 8.9	174.9 176.1	5106 5106	22N/01E-16K02M	178.0	10-07-65 3-09-66	37.3 28.6	140.7 149.4	5106 5106
21N/02E-26E02M	177.0	7-20-65 8-20-65 9-21-65 10-21-65 11-24-65 12-22-65 1-19-66 2-24-66 3-21-66 4-20-66 5-18-66 6-22-66 7-18-66 8-18-66 9-21-66	25.3 26.5 26.3 32.6 31.8 32.8 21.2 20.3 20.0 20.5 21.5 25.8 32.8 31.0 35.9	151.7 150.5 150.7 144.4 145.1 144.2 155.8 156.7 171.0 156.5 155.5 141.2 144.0 146.0 141.1	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050	22N/01E-19K01M	151.0	10-07-65 3-09-66	20.3 14.6	130.7 136.4	5106 5106
21N/02E-29E01M	155.5	10-08-65 3-09-66	15.2 11.0	140.3 144.5	5106 5106	22N/01E-20K01M	165.5	7-19-65 8-20-65 9-20-65 10-20-65 11-24-65 12-22-65 1-20-66 2-23-66 3-21-66 4-20-66 5-18-66 6-21-66 7-18-66 8-18-66 9-21-66	36.8 33.6 32.5 31.7 30.4 28.2 28.2 27.2 27.7 30.4 33.2 35.6 35.9 35.0	128.7 131.9 133.0 133.8 135.1 135.8 137.3 138.7 139.8 144.2 138.3 129.9 129.6 130.5	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
21N/02E-31K01M	146.0	10-08-65 3-10-66	23.8 17.3	122.2 128.7	5106 5106	22N/01E-20L01M	159.0	10-07-65 3-08-66	29.1 21.2	129.9 135.8	5106 5106
21N/03E-31F02M	208.0	10-08-65 3-10-66	48.8 49.2	159.2 158.8	5106 5106	22N/01E-21E01M	155.0	10-07-65 3-08-66	19.2 17.7	135.8 137.3	5106 5106
21N/01W-01E01M	130.0	10-07-65 3-09-66	16.8 15.7	113.2 114.3	5106 5106	22N/01E-29F01M	164.7	10-07-65 3-09-66	28.5 18.5	144.2 146.2	5106 5106
21N/01W-23J01M	117.0	10-07-65 3-10-66	11.4 (5)	105.6	5106 5106	22N/01E-31J01M	147.0	10-07-65 3-09-66	16.6 10.9	130.4 136.1	5106 5106
21N/01W-26K01M	115.3	10-28-65 3-10-66	17.5 (4)	97.8	5106 5106	22N/02E-17E01M	281.0	10-07-65 3-07-66	(1) 64.8	216.2	5106
21N/01W-36A01M	115.0	10-28-65 3-10-66	8.6 3.9	106.4 111.1	5106 5106	22N/01W-05M01M	149.9	10-06-65 3-07-66	23.0 15.8	126.9 134.1	5106 5106
22N/01E-02F01M	218.0	10-07-65 3-09-66	65.8 58.4	152.2 159.6	5106 5106	22N/01W-10C01M	147.3	10-07-65 3-09-66	14.1 7.9	133.2 139.4	5106 5106
22N/01E-09J02M	178.0	10-07-65 3-09-66	32.4 20.3	145.6 157.7	5106 5106	22N/01W-12A01M	157.0	10-07-65 3-09-66	22.7 16.3	134.3 140.7	5106 5106

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03					
22N/01W-12J01M	153.0	10-07-65 3-09-66	25.4 13.4	127.6 139.6	5106 5106
22N/01W-20A01M	145.0	10-07-65 3-08-66	20.7 19.7	124.3 125.3	5106 5106
22N/01W-24C01M	139.0	10-07-65 3-09-66	13.1 7.1	125.9 131.9	5106 5106
23N/01E-05H01M	390.0	10-06-65 3-07-66	115.4 113.2	274.6 276.8	5106 5106
23N/01E-07D01M	262.0	10-08-65 3-07-66	83.4 56.0	178.6 206.0	5106 5106
23N/01E-22K01M	310.0	10-06-65 3-08-66	70.6 60.6	239.4 250.0	5106 5106
23N/01E-27J01M	297.0	10-08-65 3-08-66	133.1 131.6	163.9 165.4	5106 5106
23N/01E-28F01M	215.0	10-06-65 3-07-66	56.1 56.3	158.9 158.7	5106 5106
23N/01E-29H01M	216.0	10-06-65 3-07-66	28.3 8.3	187.7 207.7	5106 5106
23N/01E-29K01M	209.2	10-06-65 3-07-66	9.4 6.0	199.8 203.2	5106 5106
23N/01E-29P01M	203.0	7-20-65 8-19-65 9-21-65 10-21-65 11-24-65 12-22-65 1-20-66 2-24-66 3-21-66 4-20-66	41.8 41.7 40.3 39.5 38.0 33.2 36.9 35.5 34.8 36.2	161.2 161.3 162.7 163.5 165.0 169.8 166.1 167.5 168.2 168.8	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
23N/01E-29Q01M	164.9	10-06-65 3-07-66	18.4 13.4	146.5 151.5	5106 5106
23N/01W-22C02M	170.0	10-06-65 3-07-66	22.1 15.3	147.9 154.7	5106 5106
23N/01W-24F01M	184.0	10-06-65 3-07-66	21.3 (6)	162.7	5106 5106
23N/01W-27K01M	162.4	10-06-65 3-07-66	16.9 11.5	145.5 150.9	5106 5106
23N/01W-33A01M	153.0	10-06-65 3-07-66	15.4 10.0	137.6 143.0	5106 5106
23N/01W-36P01M	162.0	10-06-65 3-07-66	21.4 15.2	140.6 146.8	5106 5106
23N/02W-13A01M	166.8	10-06-65 3-07-66	17.5 13.6	149.3 153.2	5106 5106
23N/01E-33Q01M	218.0	10-06-65 3-08-66	63.9 59.9	154.1 162.1	5106 5106
23N/01W-09E01M	181.0	10-06-65 3-07-66	28.5 24.0	152.5 157.0	5106 5106
23N/01W-10J02M	196.5	10-06-65 3-07-66	30.3 26.2	166.2 168.3	5106 5106
23N/01W-14R01M	189.0	7-20-65 8-13-65 9-21-65 10-21-65 11-21-65 12-22-65 1-20-66 2-24-66 3-21-66 4-20-66 5-18-66 7-18-66 8-18-66 9-21-66	31.3 32.5 32.4 31.7 30.8 29.1 29.0 27.8 27.4 26.2 26.7 32.4 33.4 33.8 33.3	157.7 156.2 156.8 157.8 158.9 158.2 158.9 161.7 161.7 160.4 168.3 156.2 156.6 157.2 153.7	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
BUTTE COUNTY 5-21.03					
23N/02W-23R02M	160.9	10-06-65 3-07-66	18.4 16.6	142.5 144.3	5106 5106
COLUSA COUNTY 5-21.04					
13N/01E-05A01M	27.6	7-19-65 8-19-65 9-20-65 10-20-65 11-22-65 12-20-65 1-01-66	4.1 4.1 4.4 5.4 4.8 4.7 (0)	23.5 23.5 23.2 22.2 22.8 22.9	5050 5050 5050 5050 5050 5050 5050
13N/01E-11A01M	31.8	3-20-66	6.2	25.6	5101
13N/01W-05R01M	40.1	10-19-65 3-08-66	27.5 20.7	12.6 19.4	5001 5001
13N/01W-08M01M	75.0	10-19-65 3-08-66	(1) 52.3	22.7	5001
13N/01W-08R01M	56.0	10-19-65 3-08-66	52.0 (7)	4.0	5001 5001
13N/01W-15H01M	28.5	10-18-65 3-08-66	6.0 (9)	22.5	5001
13N/01W-15R03M	43.0	10-18-65 3-08-66	38.3 27.1	4.7 15.9	5001 5001
13N/01W-16N01M	56.0	10-18-65 3-08-66	45.0 40.2	11.0 15.8	5001 5001
13N/01W-19J01M	105.0	10-18-65 3-08-66	DRY DRY		5001 5001
13N/01W-22P02M	58.0	10-18-65 3-08-66	53.6 42.3	4.6 15.7	5001 5001
13N/01W-23P02M	40.0	10-18-65 3-08-66	32.8 20.8	7.2 19.2	5001 5001
13N/01W-28E02M	91.0	10-18-65 3-08-66	92.2 75.9	-1.2 15.1	5001 5001
COLUSA COUNTY 5-21.04					
13N/01W-34P01M	75.3	10-04-65 3-07-66	56.4 57.3	18.9 18.0	5001 5001
13N/01W-36R01M	48.0	10-18-65 3-07-66	42.6 31.0	5.4 17.0	5001 5001
13N/02W-04G01M	187.0	7-06-65 8-06-65 9-03-65 10-04-65 11-05-65 3-07-66 4-27-66 5-17-66 6-21-66	DRY DRY 142.7 138.4 135.1 121.2 135.8 148.7 (3)	44.3 48.6 51.9 65.8 51.2 38.3	5001 5001 5001 5001 5001 5050 5050
13N/02W-04G03M	187.0	7-06-65 8-06-65 9-03-65 10-04-65 11-05-65 3-07-66	146.3 144.9 136.3 132.6 130.9 118.4	40.7 42.1 50.5 54.4 26.1 68.6	5001 5001 5001 5001 5001
13N/02W-05H02M	210.0	10-04-65 3-07-66	134.3 123.0	75.7 87.0	5001 5001
13N/02W-11M01M	185.0	7-19-65 8-19-65 9-20-65 10-04-65 11-20-65 12-20-65 1-20-66 2-23-66 3-07-66 4-22-66 5-17-66 6-21-66	195.8 172.9 161.7 160.3 160.6 156.0 150.0 173.4 164.7 144.7 139.0 153.1 172.7 DRY	-10.8 12.1 23.3 24.7 28.4 58.4 35.0 10.9 10.3 44.7 38.7 8.3	5050 5050 5050 5050 5050 5050 5050 5050 5001 5001 5050 5050
13N/02W-12I01M	133.0	10-04-65 3-08-66	140.9 129.7	-7.9 3.3	5001 5001
13N/02W-13R01M	142.0	10-04-65 3-08-66	110.8	25.2	5001

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COLUSA COUNTY 5-21.04					
13N/02W-21N01M	357.0	10-04-65 3-07-66	{4} {4}		5001 5001
13N/02W-22H01M	245.0	10-04-65 3-07-66	145.1 146.1	99.9 98.9	5001 5001
13N/02W-25F01M	189.0	10-04-65 3-07-66	{1} 133.8	55.2	5001 5001
14N/01E-33R01M	32.1	3-20-66	6.2	25.6	5101
14N/01E-34R01M	32.2	3-20-66	7.2	25.0	5101
14N/01W-03I02M	39.0	3-20-66	10.0	29.0	5101
14N/01W-12A01M	36.0	3-20-66	9.0	27.0	5101
14N/01W-32R01M	32.0	10-04-65 3-08-66	DRY 11.5	20.5	5001 5001
14N/02W-04R01M	79.0	10-04-65 3-08-66	{1} 19.4	59.6	5001 5001
14N/02W-13N01M	60.0	10-04-65 3-08-66	38.2 25.7	21.8 34.3	5001 5001
14N/02W-16N02M	118.0	7-19-65 8-19-65 9-20-65 10-20-65 11-22-65 12-20-65 1-20-66 2-23-66 3-27-66 4-22-66 5-17-66 6-21-66	61.5 63.0 64.7 59.1 55.5 52.7 42.9 63.1 63.7 53.9 51.6 52.8 65.6 64.8	56.5 34.4 38.3 28.9 25.9 25.3 24.9 63.1 63.7 53.9 51.6 52.8 65.6 64.8	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
14N/02W-19R01M	189.5	10-04-65 3-11-66	{9} 123.6	65.9	5001 5001
14N/02W-23F01M	89.0	10-19-65 3-08-66	54.7 47.9	34.3 41.1	5001 5001
COLUSA COUNTY 5-21.04					
14N/02W-31N02M	283.0	10-04-65 3-07-66	280.6 244.8	2.4 38.2	5001 5001
14N/02W-34N01M	159.1	10-04-65 3-07-66	97.7 94.9	61.4 64.2	5001 5001
14N/02W-36D01M	94.0	10-19-65 3-08-66	82.4 61.7	11.6 32.3	5001 5001
14N/02W-36N02M	110.5	10-04-65 3-08-66	88.6 82.5	21.9 28.0	5001 5001
14N/03W-01D01M	121.7	10-04-65 3-07-66	DRY	DRY	5001 5001
14N/03W-12F02M	123.0	10-04-65 3-07-66	53.6 50.6	69.4 73.0	5001 5001
14N/03W-24C01M	170.0	10-04-65 3-07-66	110.2 107.6	59.8 62.4	5001 5001
14N/03W-36B01M	275.0	10-04-65 3-07-66	124.3 127.8	150.7 147.2	5001 5001
15N/01W-06J02M	46.0	7-19-65 8-19-65 9-20-65 10-20-65 11-22-65 12-20-65 1-01-66	15.0 12.1 15.8 12.2 10.9 9.5 (0)	31.0 20.9 30.2 29.8 35.1 36.5	5050 5050 5050 5050 5050 5050 5050
15N/01W-27F02M	45.7	3-20-66	10.2	35.5	5101
15N/02W-13H01M	39.0	3-20-66	3.7	35.3	5101
15N/02W-20A01M	63.1	3-20-66	-0.4	63.5	5101
15N/03W-18J01M	118.5	10-04-65 3-07-66	6.9 7.9	111.6 110.6	5001 5001
15N/03W-27G01M	111.4	7-19-65 8-19-65 9-20-65	12.0 12.6 12.9	99.4 98.8 98.5	5050 5050 5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COLUSA COUNTY 5-21.04											
15N/03W-27G01M	111.4	10-04-65	12.6	98.8	5001	16N/02W-26I01M	47.0	3-13-66	3.9	43.1	5101
CONT.		10-20-65	12.4	99.0	5050	16N/03W-01A01M	62.8	3-06-66	5.5	57.3	5101
		11-22-65	14.9	96.5	5050	16N/03W-13E02M	63.0	3-13-66	2.9	60.1	5101
		12-20-65	15.4	96.6	5050	16N/03W-20F01M	91.0	7-19-65	2.5	88.5	5050
		1-20-66	17.8	93.6	5050			8-19-65	2.3	88.7	5050
		2-23-66	18.4	92.5	5050			9-20-65	3.1	87.9	5050
		3-07-66	18.9	92.5	5001			10-20-65	6.3	84.7	5050
		3-22-66	19.5	91.9	5050			11-22-65	3.3	87.7	5050
		4-21-66	(7)		5050			12-20-65	3.9	87.1	5050
		5-17-66	12.4	99.0	5050			1-20-66	2.4	84.6	5050
		6-21-66	11.9	99.5	5050			2-22-66	6.6	84.4	5050
		7-01-66	(0)		5050			3-22-66	6.9	84.1	5050
15N/03W-32B01M	150.0	10-04-65	31.8	118.2	5001	16N/04W-35J02M	73.0	3-20-66	7.0	66.0	5101
		3-07-66	33.8	116.2	5001	16N/04W-11A01M	139.5	3-06-66	(7)		5101
15N/03W-33N02M	164.0	10-04-65	65.4	98.6	5001	16N/04W-23E01M	148.0	3-06-66	1.4	146.6	5101
		2-03-66	55.7	108.3	5050	16N/04W-35J01M	125.0	3-20-66	6.4	118.6	5101
		3-07-66	55.6	108.4	5001	17N/01W-06R01M	70.0	3-13-66	19.0	51.0	5101
		3-22-66	55.6	108.4	5050	17N/02W-24G01M	68.0	3-13-66	13.5	54.5	5101
		4-21-66	65.0	99.0	5050	17N/02W-30F01M	60.0	3-06-66	(9)		5101
		5-17-66	59.3	104.7	5050	17N/02W-34R02M	60.0	3-06-66	11.7	48.3	5101
		6-21-66	65.0	99.0	5050	17N/03W-10G01M	94.2	3-13-66	12.6	81.6	5101
		7-19-66	72.9	91.1	5050	17N/03W-18H01M	125.0	3-20-66	14.0	111.0	5101
		8-17-66	63.4	100.6	5050	17N/03W-27M01M	89.1	7-19-65	3.0	86.1	5050
		9-20-66	61.0	103.0	5050			8-19-65	2.6	86.5	5050
16N/01W-20F01M	59.0	3-13-66	13.0	46.0	5101			9-20-65	3.2	85.9	5050
16N/02W-09R01M	59.0	3-13-66	4.5	45.5	5101						
16N/02W-24N01M	56.0	3-13-66	13.4	42.6	5101						
16N/02W-25B02M	53.0	11-22-65	13.8	39.2	5050						
		12-20-65	13.6	39.4	5050						
		1-20-66	11.9	41.1	5050						
		2-23-66	11.0	42.0	5050						
		3-22-66	10.7	42.3	5050						
		4-21-66	14.0	39.0	5050						
		5-17-66	14.1	38.9	5050						
		6-21-66	16.0	37.0	5050						
		7-19-66	12.1	37.9	5050						
		8-17-66	16.1	36.9	5050						
		9-20-66	15.3	37.7	5050						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COLUSA COUNTY 5-21.04					
17N/03W-27N01M CONT.	89.1	10-20-65	6.0	83.1	5050
		11-22-65	4.9	81.7	5050
		12-20-65	4.1	85.2	5050
		1-20-66	6.8	82.3	5050
		2-23-66	5.6	83.5	5050
		3-22-66	2.6	82.5	5050
		4-21-66	3.8	85.3	5050
		5-17-66	4.8	84.3	5050
		6-21-66	4.1	85.0	5050
		7-19-66	3.8	85.3	5050
		8-17-66	3.5	85.6	5050
		9-20-66	6.0	83.1	5050
17N/03W-29B01M	115.0	3-06-66	10.4	104.6	5101
17N/03W-31N01M	121.5	3-06-66	5.5	116.0	5101
17N/03W-33N01M	101.0	3-06-66	(9)		5101
17N/03W-35N01M	76.0	3-06-66	0.6	75.4	5101
17N/04W-25G01M	127.0	3-06-66	15.6	111.4	5101
17N/04W-34G01M	175.0	3-06-66	13.3	161.7	5101
18N/01W-18Q01M	76.5	3-13-66	11.5	65.0	5101
18N/01W-32F01M	76.0	3-13-66	7.6	68.4	5101
18N/01W-35K01M	60.0	3-13-66	3.9	56.1	5101
18N/02W-15N01M	69.7	3-13-66	4.0	65.7	5101
18N/02W-19A01M	78.1	3-13-66	2.5	75.6	5101
18N/02W-36B01M	73.0	3-13-66	8.0	65.0	5101
SUTTER COUNTY 5-21.05					
10N/04E-02K01M CONT.	25.0	11-23-65	34.0	-8.0	5050
		12-23-65	33.5	-8.5	5050
		1-25-66	32.2	-7.6	5050
		2-24-66	31.7	-6.7	5050
		3-10-66	30.9	-6.6	5102
		3-28-66	(1)	-5.9	5050
		4-26-66	(1)		5050
		5-27-66	(1)		5050
		6-23-66	(1)		5050
		7-26-66	(1)		5050
		8-30-66	(1)	-68.4	5050
		9-27-66	39.0	-14.0	5050
10N/04E-12A01M	43.1	10-12-65	57.9	-14.8	5102
		3-10-66	55.6	-12.5	5102
11N/03E-01D01M	25.6	10-12-65	16.0	9.6	5102
		3-10-66	8.5	17.1	5102
11N/03E-03C02M	26.4	10-12-65	12.1	14.3	5102
		3-10-66	7.9	18.5	5102
11N/03E-10N01M	28.5	10-12-65	13.4	15.1	5102
		3-10-66	12.1	16.4	5102
11N/03E-15C01M	28.7	10-12-65	13.6	15.1	5102
		3-10-66	11.6	17.1	5102
11N/03E-20H03M	27.0	10-08-65	10.7	16.3	5102
		3-13-66	5.4	21.6	5102
11N/03E-22H01M	27.0	10-12-65	17.0	10.0	5102
		3-10-66	13.6	13.4	5102
11N/04E-01M02M	45.5	7-23-65	52.0	-6.5	5050
		8-24-65	50.8	-5.3	5050
		9-24-65	50.9	-5.4	5050
		10-26-65	48.8	-3.3	5050
		11-23-65	47.0	-1.5	5050
		12-23-65	46.3	-0.8	5050
		1-25-66	45.2	0.3	5050
		2-24-66	44.2	1.3	5050
		3-29-66	43.3	2.2	5050
		4-27-66	44.9	0.6	5050
		5-31-66	45.2	-0.3	5050
		6-23-66	46.0	-0.5	5050
10N/04E-02K01M	25.0	7-23-65	(1)		5050
		8-24-65	(1)		5050
		9-24-65	(1)		5050
		10-12-65	34.8	-9.8	5102
		10-26-65	34.0	-9.0	5050



TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND WATER ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05					
11N/04E-01M02M CONT.	45.5	7-26-66 8-30-66 9-27-66	46.5 46.9 48.2	-1.0 -1.4 -2.7	5050 5050 5050
11N/04E-01M03M	46.3	10-12-65 3-10-66	51.1 45.4	-4.8 0.9	5102 5102
11N/04E-03P02M	35.0	10-12-65 3-10-66	33.2 27.5	1.8 7.5	5102 5102
11N/04E-05B02M	26.8	10-10-65 3-13-66	6.2 5.7	20.6 21.1	5401 5401
11N/04E-06B01M	23.9	7-23-65 8-24-65 9-24-65 10-12-65 10-26-65 11-23-65 12-23-65 1-25-66 2-24-66 3-10-66 3-29-66 4-26-66 6-23-66 7-28-66 8-29-66 9-29-66	6.5 6.1 6.0 4.5 6.7 5.7 5.9 5.0 4.6 3.8 5.6 7.1 17.7 7.3 6.3 2.6 6.3	17.4 17.8 17.9 19.4 17.2 18.2 18.0 18.9 19.3 20.1 18.3 16.8 17.7 16.6 17.6 18.3 17.6	5050 5050 5050 5102 5050 5050 5050 5050 5050 5102 5050 5050 5050 5050 5050 5050 5050
11N/04E-09D02M	28.0	7-23-65 8-24-65 9-24-65 10-26-65 11-23-65 12-23-65 1-23-66 2-24-66 3-28-66 5-28-66 7-28-66 8-29-66 9-29-66	15.7 15.9 12.4 14.4 13.9 14.1 13.9 12.1 12.1 14.5 13.5 14.4 13.7 13.7	12.3 12.1 15.6 13.6 14.1 14.1 14.1 15.9 13.2 15.2 12.7 9.6 13.2 13.9 14.7 14.7	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
SUTTER COUNTY 5-21.05					
11N/04E-11C02M	41.9	10-12-65 3-10-66	53.5 42.0	-11.6 -0.1	5102 5102
11N/04E-13D01M	47.4	10-12-65 3-10-66	62.7 57.0	-15.3 -9.6	5102 5102
11N/04E-13R01M	50.0	10-10-65 3-13-66	(1) 66.9	-16.9	5401 5401
11N/04E-15C01M	30.9	10-12-65 3-10-66	35.2 28.5	-4.3 2.4	5102 5102
11N/04E-15Q01M	33.1	10-10-65 3-13-66	51.0 38.5	-17.9 -5.4	5401 5401
11N/04E-19E02M	29.0	10-12-65 3-10-66	11.1 10.7	17.9 18.3	5102 5102
11N/04E-23R01M	41.0	10-12-65 3-10-66	68.1 63.6	-27.1 -22.6	5102 5102
11N/04E-24R01M	47.0	10-10-65 3-13-66	75.6 66.1	-28.6 -19.1	5401 5401
11N/04E-28R01M	34.3	10-12-65 3-10-66	25.4 30.0	8.9 4.3	5102 5102
11N/04E-33R01M	25.6	10-12-65 3-10-66	21.0 20.9	4.6 4.7	5102 5102
11N/04E-35R01M	39.0	10-12-65 3-10-66	73.0 58.3	-34.0 -19.3	5102 5102
12N/01E-01A01M	26.9	10-08-65 3-13-66	5.2 6.6	21.7 20.3	5102 5102
12N/02E-11P02M	20.0	10-08-65 3-13-66	2.7 5.2	17.3 14.8	5102 5102
12N/02E-20P01M	25.0	10-08-65 3-13-66	12.0 7.6	13.0 17.4	5102 5102
12N/02E-23R01M	20.0	7-26-65 8-25-65 9-27-65 10-08-65	3.1 2.1 2.9 4.4	16.9 17.9 17.1 15.6	5050 5050 5050 5102

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05											
SUTTER COUNTY 5-21.05											
12N/02E-23K01M CONT.	20.0	10-27-65	5.0	15.0	5050	12N/04E-14F01M	41.0	10-18-65	16.7	24.3	5102
		11-24-65	3.9	16.1	5050			3-13-66	19.0	27.0	5102
		12-27-65	4.7	15.3	5050			10-10-65	14.0	27.0	5401
		1-27-66	3.9	16.1	5050	12N/04E-15M01M	41.0	3-13-66	15.4	25.6	5401
		2-25-66	3.8	16.2	5050			10-10-65	18.3	21.7	5401
		3-13-66	4.5	15.5	5102	12N/04E-16A04M	40.0	3-13-66	18.9	21.1	5401
		3-30-66	4.5	15.5	5050			10-10-65	24.2	7.8	5401
		4-28-66	2.2	17.8	5050			3-13-66	17.2	14.8	5401
		5-31-66	2.5	17.5	5050			7-23-65	25.0	7.0	5050
		6-24-66	2.7	17.3	5050			8-24-65	25.0	8.2	5050
		7-26-66	2.7	17.3	5050			9-24-65	23.1	8.1	5050
		8-29-66	2.2	17.8	5050			10-13-65	21.6	10.4	5050
		9-29-66	4.3	15.7	5050	12N/04E-17D01M	32.0	10-17-65	18.8	10.8	5050
			(1)					11-24-65	18.8	12.2	5050
								12-24-65	17.2	13.2	5050
								1-26-66	17.6	15.4	5050
								2-23-66	16.9	15.4	5050
								3-15-66	16.1	13.3	5050
								4-22-66	15.8	12.6	5050
								5-20-66	15.4	12.0	5050
								6-20-66	21.6	18.4	5050
								7-23-66	21.2	7.8	5050
								8-20-66	19.2	12.3	5050
								9-29-66	19.7	12.3	5050
								10-13-65	19.4	12.0	5102
								3-10-66	14.1	17.3	5102
12N/03E-12C01M	29.5	10-05-65	10.8	18.7	5102	12N/04E-18D01M	31.4	10-10-65	20.9	11.1	5401
		3-11-66	10.3	19.2	5102			3-13-66	13.9	18.1	5401
12N/03E-23N01M	30.0	10-13-65	12.1	17.9	5102	12N/04E-20C01M	32.0	10-10-65	29.1	11.1	5401
		3-10-66	10.3	19.7	5102			3-13-66	16.5	12.5	5401
12N/03E-24A01M	24.5	10-13-65	15.2	9.3	5102	12N/04E-20P01M	29.0	10-10-65	29.1	22.9	5401
		3-10-66	10.2	14.3	5102			3-13-66	32.3	19.7	5401
12N/03E-24Q01M	30.0	10-13-65	14.0	16.0	5102	12N/04E-24M02M	52.0	10-10-65	29.1	22.9	5401
		3-10-66	10.5	19.5	5102			3-13-66	32.3	19.7	5401
12N/03E-30H01M	18.8	10-08-65	3.7	15.1	5102	12N/04E-28H01M	36.0	10-13-65	6.6	29.4	5102
		3-13-66	2.5	16.3	5102			3-13-66	8.8	27.2	5102
12N/04E-02B01M	56.0	10-10-65	39.8	16.2	5401						
		3-13-66	36.9	19.1	5401						
12N/04E-03F01M	52.0	10-18-65	28.2	23.8	5102						
		3-18-66	29.3	22.7	5102						
12N/04E-05F04M	41.0	10-10-65	28.7	12.3	5401						
		3-13-66	23.3	17.7	5401						
12N/04E-08D03M	34.0	10-10-65	23.2	10.8	5401						
		3-13-66	16.2	17.8	5401						
12N/04E-10D02M	48.0	10-10-65	20.3	27.7	5401						
		3-13-66	22.6	25.4	5401						
12N/04E-13C01M	50.7	10-11-65	39.5	11.2	5102						
		3-16-66	38.9	13.8	5102						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05					
12N/04E-33I01M	31.0	10-12-65 3-10-66	12.4 10.5	18.6 20.5	5102 5102
12N/04E-34H01M	38.0	10-10-65	15.5	22.5	5401
12N/04E-35H01M	48.4	7-23-66 8-20-66 9-21-66 10-27-66 11-24-66 12-24-66	45.2 41.5 42.3 41.2 39.8 38.3 38.3	3.2 6.9 7.1 6.0 8.2 9.1 9.1	5050 5050 5050 5050 5050 5050 5050
12N/04E-35H02M	48.4	3-29-66 1-28-66 5-27-66 7-26-66 8-29-66 9-28-66	37.8 37.8 37.8 43.0 42.8 46.8	10.6 10.6 8.6 5.4 5.6 7.5	5050 5050 5050 5050 5050 5050
12N/04E-35H02M	48.4	10-12-65 3-10-66	41.6 38.0	6.8 10.4	5102 5102
12N/04E-36Q01M	48.0	10-12-65 3-10-66	52.0 46.7	4.0 1.3	5102 5102
13N/01E-01J01M	39.0	10-08-65 3-13-66	10.2 6.5	28.8 32.5	5102 5102
13N/01E-12J02M	38.0	10-08-65 3-13-66	14.5 12.5	23.5 25.5	5102 5102
13N/01E-23B01M	34.0	10-08-65 3-13-66	12.2 10.5	21.8 23.5	5102 5102
13N/02E-04J01M	27.5	10-08-65 3-13-66	6.3 7.0	21.2 20.5	5102 5102
13N/02E-23B02M	26.0	9-23-66	6.6	19.4	5050
13N/02E-34W01M	21.0	7-26-65 8-25-65 9-27-65 10-08-65	4.8 4.6 6.0 6.8	16.2 16.4 15.0 14.2	5050 5050 5050 5102
SUTTER COUNTY 5-21.05					
13N/02E-34W01M	21.0	10-27-65 11-24-65 12-27-65 2-25-66 3-13-66 3-30-66 4-28-66 5-31-66 6-24-66 7-26-66 8-29-66 9-29-66	7.6 7.3 7.8 7.0 7.4 7.0 7.0 2.3 2.4 2.0 2.0 5.6	13.4 13.7 13.2 14.0 13.6 14.0 18.0 18.7 18.6 19.0 19.0 15.4	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
13N/03E-02H01M	42.9	10-05-65 3-11-66	(3) 15.8	27.1	5102 5102
13N/03E-04J01M	38.0	2-11-66 3-15-66	13.7 13.3	24.3 24.7	5050 5050
13N/03E-06R01M	33.7	10-05-65 3-11-66	10.3 10.5	23.4 23.2	5102 5102
13N/03E-08M02M	33.0	7-14-65 10-05-65 10-13-65 3-11-66	6.9 7.3 7.7 7.7	26.1 25.7 25.3 25.3	5050 5102 5050 5102
13N/03E-13D01M	38.8	10-05-65 3-11-66	13.9 13.1	24.9 25.7	5102 5102
13N/03E-14C02M	36.0	10-05-65 3-11-66	10.3 10.2	25.7 25.8	5102 5102
13N/03E-16A01M	34.6	10-05-65 3-11-66	10.5 9.8	24.1 24.8	5102 5102
13N/03E-17A03M	32.0	8-17-65	(6)	29.5	5050
13N/03E-23K01M	35.0	7-26-65 8-25-65 9-24-65 10-05-65 10-27-65 11-24-65 12-24-65	5.5 5.6 6.3 8.2 8.0 9.3 8.7	29.4 29.4 28.7 26.8 26.0 26.7 26.3	5050 5050 5050 5102 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05											
SUTTER COUNTY 5-21.05											
13N/03E-23K01M CONT.	35.0	1-26-66 2-25-66 3-11-66 1-20-66 5-11-66 2-27-66 2-25-66 7-26-66 8-29-66 9-29-66	7.9 7.3 8.2 6.5 5.4 5.1 5.8 5.9 26.1 8.4	27.1 27.1 26.5 28.5 29.2 29.2 29.1 26.0	5050 5050 5102 5050 5050 5050 5050 5050 5050 5050	13N/04E-31F01M	35.0	10-10-65 3-13-66	18.5 9.7	16.5 25.3	5401 5401
13N/03E-23K01M						13N/04E-32G01M	45.0	10-10-65 3-13-66	28.2 23.8	16.8 21.2	5401 5401
13N/03E-24D01M	36.2	10-05-65 3-11-66	10.3 9.1	25.9 27.1	5102 5102	13N/04E-33F01M	47.0	10-18-65 3-16-66	31.6 28.0	15.4 19.0	5102 5102
13N/03E-35K02M	33.0	10-05-65 3-11-66	4.5 4.7	28.5 28.3	5102 5102	13N/04E-36F01M	60.0	7-23-65 8-24-65 9-24-65 10-18-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66 3-13-66 4-26-66 5-28-66 6-23-66 7-28-66 8-30-66 9-28-66	55.8 56.1 55.4 48.2 48.1 46.2 44.9 43.7 42.8 42.6 42.4 47.1 50.5 54.5 57.5 56.1 54.1 46.3	4.2 3.9 4.6 11.8 11.9 13.8 15.1 16.3 17.2 17.4 17.6 12.9 5.5 2.5 3.9 5.9 13.7	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
13N/04E-13D01M	62.0	10-05-65 3-13-66	28.1 25.3	33.9 36.7	5401 5401	13M/05E-07K01M	73.5	10-13-65 3-10-66	47.1 41.2	26.4 32.3	5102 5102
13N/04E-13R01M	69.1	10-13-65 3-10-66	51.1 46.8	18.0 22.3	5102 5102	13M/05E-09R01M	83.5	10-15-65 3-08-66	37.7 33.3	45.8 50.2	5102 5102
13N/04E-16N01M	43.4	10-13-65 3-10-66	22.7 16.1	20.7 27.3	5102 5102	13M/05E-17G01M	74.0	10-10-65 3-13-66	36.6 32.4	37.4 41.6	5401 5401
13M/04E-22D01M	50.0	10-10-65 3-13-66	33.1 25.1	16.9 24.9	5401 5401	13M/05E-17R01M	70.0	10-13-65 3-10-66	43.5 39.4	26.5 30.6	5102 5102
13M/04E-22G01M	54.5	10-13-65 3-10-66	38.2 31.4	16.3 23.1	5102 5102	13M/05E-18C01M	69.6	10-10-65 3-13-66	45.0 39.5	24.6 30.1	5401 5401
13M/04E-23A02M	57.0	10-15-65 3-13-66	32.8 30.3	24.2 26.7	5401 5401	13M/05E-21R03M	80.0	10-10-65 3-13-66	48.3 42.8	31.7 37.2	5401 5401
13M/04E-26R01M	59.0	10-18-65 3-13-66	52.5 46.3	6.5 12.7	5102 5102						
13M/04E-28R01M	48.0	10-10-65 3-13-66	45.2 31.6	2.8 16.4	5401 5401						
13M/04E-29A02M	40.0	10-10-65 3-13-66	25.5 16.6	14.5 23.4	5401 5401						
13M/04E-29F01M	39.0	10-13-65 3-10-66	22.4 15.8	16.6 23.2	5102 5102						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05											
13N/05E-28N01M	80.2	10-13-65 3-17-66	68.3 55.1	11.9 25.1	5102 5102	14N/02E-26R01M	33.0	10-05-65 3-11-66	6.0 7.0	27.0 26.0	5102 5102
13N/05E-30A01M	70.5	10-13-65 3-10-66	50.9 46.4	19.6 24.1	5102 5102	14N/02E-31M01M	31.0	10-08-65 3-13-66	6.4 6.7	24.6 24.3	5102 5102
13N/05E-31K01M	68.0	10-10-65 3-13-66	54.3 47.8	13.7 20.2	5401 5401	14N/03E-05O01M	49.1	10-05-65 3-11-66	34.4 28.6	14.7 20.5	5102 5102
14N/01E-02B01M	36.7	10-08-65 3-13-66	5.2 3.1	31.5 31.6	5102 5102	14N/03E-08N01M	44.9	10-05-65 3-11-66	33.4 25.5	11.5 19.4	5102 5102
14N/01E-08A06M	39.0	10-08-65 3-13-66	6.3 4.5	32.7 34.5	5102 5102	14N/03E-10F03M	48.0	2-11-66 3-15-66	32.6 31.6	15.4 16.4	5050 5050
14N/01E-14G01M	37.0	7-26-65 8-25-65 9-27-65 10-27-65 11-24-65 12-27-65	5.6 4.6 4.8 6.5 6.7 6.6	31.4 32.4 32.2 30.5 30.3 30.4	5050 5050 5050 5102 5050 5050	14N/03E-14F02M	47.0	10-05-65 3-11-66	25.5 25.5	21.5 21.5	5102 5102
		1-27-66 2-25-66 3-13-66 4-28-66 5-31-66 6-24-66 7-26-66 8-29-66 9-29-66	5.4 6.0 5.8 4.5 4.3 (1) 5.8 5.8 6.8	31.3 31.6 31.0 32.5 32.7 (1) 42.0 42.0 42.0	5050 5102 5050 5050 5050 5050 5050 5050 5050	14N/03E-17A03M	46.0	7-26-65 8-25-65 9-27-65 10-27-65 11-24-65 12-24-65	40.9 37.9 37.7 35.8 34.7 33.9	5.1 8.1 8.3 10.2 11.3 12.1	5050 5050 5050 5050 5050 5050 5050 5050 5050
		10-08-65 3-13-66	8.7 9.1	28.3 27.9	5102 5102	14N/03E-18D01M	41.0	10-05-65 3-11-66	6.7 8.7	34.3 32.3	5102 5102
14N/02E-13F01M	38.4	10-05-65 3-11-66	4.0 5.2	34.4 33.2	5102 5102	14N/03E-22B02M	46.6	10-05-65 3-11-66	27.9 25.9	18.7 20.7	5102 5102
14N/02E-14B01M	38.0	10-04-65 3-11-66	7.5 6.5	30.5 31.5	5102 5102	14N/03E-31B01M	38.0	10-05-65 3-11-66	10.5 12.8	27.5 25.2	5102 5102
14N/02E-17A02M	34.0	10-08-65 3-13-66	6.7 7.3	27.3 26.7	5102 5102	14N/03E-33C01M	38.6	3-15-66	17.0	21.6	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05					
15N/O1E-12A01M	98.0	10-06-65 3-13-66	64.5 (9)	33.5	5102 5102
15N/O1E-13A01M	56.0	10-06-65 3-13-66	(1) (9)	51.02	5102
15N/O1E-14F01M	51.0	10-06-65 3-15-66	11.2 14.7	39.8 36.3	5102 5102
15N/O1E-16R01M	40.5	7-26-65 8-25-65 9-27-65 10-08-65 10-27-65 11-24-65 12-27-65	6.1 6.3 6.9 7.4 7.9 7.4 7.0	34.4 34.2 33.6 33.1 32.6 33.5 34.6	5050 5050 5050 5102 5050 5050 5050
		1-27-66 2-25-66 3-13-66 3-30-66 4-28-66 5-31-66 6-24-66 7-26-66 8-29-66 9-29-66	5.9 5.0 5.3 5.8 6.4 6.0 6.0 6.5 7.4	35.5 35.2 34.7 34.1 34.5 34.5 34.5 34.0 33.1	5050 5102 5050 5050 5050 5050 5050 5050 5050
15N/O2E-10D02M	71.0	10-05-65 3-15-66	29.5 28.2	41.5 42.8	5102 5102
15N/O2E-22D01M	45.5	5-11-66 5-31-66 6-24-66 7-26-66 8-29-66 9-29-66	5.8 5.3 5.7 5.1 4.8 7.2	39.7 40.2 39.8 40.4 40.7 38.3	5050 5050 5050 5050 5050 5050
15N/O2E-24B01M	51.0	10-05-65 3-11-66	12.7 14.3	38.3 36.7	5102 5102
15N/O2E-25A01M	48.0	10-05-65 3-11-66	12.7 14.0	35.3 34.0	5102 5102
SUTTER COUNTY 5-21.05					
15N/O2E-28D02M	40.0	7-26-65 8-25-65 9-27-65 10-08-65 10-27-65 11-24-65 12-24-65 1-27-66 2-25-66 3-13-66 3-30-66 4-28-66 5-31-66 6-24-66 7-26-66 8-29-66 9-29-66	3.3 3.8 4.8 5.9 6.3 6.7 6.6 7.7 8.0 7.3 7.5 7.3 7.7 7.4 7.5 7.7 8.0	36.7 36.7 35.2 34.1 33.7 33.3 33.4 32.5 32.3 32.7 32.5 32.7 32.3 32.4 32.5 32.7 33.9	5050 5050 5050 5102 5050 5050 5050 5050 5050 5102 5050 5050 5050 5050 5050 5050 5102
15N/O2E-35D01M	42.5	10-05-65 3-11-66	6.1 8.0	36.4 34.5	5102 5102
15N/O2E-36A01M	44.5	10-05-65 3-11-66	9.5 12.2	35.0 32.3	5102 5102
15N/O3E-05D02M	59.6	10-06-65 3-15-66	13.3 16.9	40.3 42.7	5102 5102
15N/O3E-10G01M	61.0	10-06-65 3-15-66	36.0 27.5	29.0 33.5	5102 5102
15N/O3E-17B02M	55.0	2-11-66 3-15-66	28.5 28.5	26.5 27.5	5050 5050
15N/O3E-20R01M	52.7	10-05-65 3-11-66	38.5 31.5	14.2 21.2	5102 5102
15N/O3E-21H02M	51.0	7-26-65 8-25-65 9-27-65 10-05-65 10-27-65 11-24-65	50.7 44.5 40.5 41.9 38.9 36.3	0.3 6.5 10.5 9.1 12.1 14.7	5050 5050 5050 5050 5050 5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUTTER COUNTY 5-21.05					
15N/03E-21H02M	51.0	12-24-65	25.7	15.3	5050
		2-26-66	34.2	16.8	5050
		3-11-66	34.2	16.8	5050
		3-11-66	34.2	17.0	5102
		1-27-66	43.9	7.2	5050
		5-27-66	43.9	7.1	5050
		6-23-66	40.4	7.1	5050
		7-26-66	51.2	-0.2	5050
		8-26-66	49.3	1.7	5050
		9-29-66	45.9	5.1	5050
15N/03E-26M01M	51.2	10-05-65	29.0	22.3	5102
		3-11-66	24.4	26.8	5102
15N/03E-33M01M	48.4	10-05-65	(1)		5102
15N/03E-33M04M	48.0	3-11-66	33.8	14.2	5102
15N/03E-34H01M	52.0	10-05-65	37.9	14.1	5102
		3-11-66	34.4	17.6	5102
15N/01M-25A01M	50.0	10-08-65	14.8	35.2	5102
		3-15-66	11.3	38.7	5102
16N/01E-08C01M	58.0	10-06-65	12.8	45.2	5102
		3-15-66	8.7	49.3	5102
16N/01E-18K01M	78.0	10-06-65	38.4	39.6	5102
		3-15-66	29.4	48.6	5102
16N/01E-31H01M	71.0	10-06-65	31.4	39.6	5102
		3-15-66	27.9	43.1	5102
16N/02E-02Q01M	71.0	10-06-65	5.3	65.7	5102
		3-15-66	6.9	64.1	5102
16N/02E-26Q01M	67.0	10-06-65	14.9	52.1	5102
		3-15-66	15.3	51.7	5102
16N/03E-07D02M	73.0	10-06-65	10.8	62.2	5102
		3-15-66	10.1	62.9	5102
16N/03E-21D01M	69.5	10-06-65	11.0	58.5	5102
		3-15-66	9.8	59.7	5102
SUTTER COUNTY 5-21.05					
16N/03E-21D02M	70.0	7-26-65		60.1	5050
		8-25-65		61.2	5050
		9-27-65		60.5	5050
		10-27-65		59.7	5050
		11-24-65		59.4	5050
		12-24-65		58.2	5050
		1-26-66		58.2	5050
		2-25-66		58.2	5050
		3-20-66		56.7	5050
		4-27-66		56.7	5050
		5-27-66		56.7	5050
		6-23-66		58.1	5050
		7-23-66		58.5	5050
		8-26-66		59.4	5050
		9-28-66		57.9	5050
16N/03E-32J02M	65.4	10-06-65	26.6	38.8	5102
		3-15-66	24.0	41.4	5102
17N/01E-25J01M	75.5	10-06-65	40.3	35.2	5102
		3-15-66	25.4	50.1	5102
17N/01E-33G01M	68.0	10-06-65	21.9	46.1	5102
		3-15-66	16.6	51.4	5102
17N/02E-31A01M	86.0	10-06-65	43.3	42.7	5102
		3-15-66	27.9	58.1	5102
17N/02E-34A01M	74.6	7-26-65	3.7	70.9	5050
		8-25-65	3.4	71.2	5050
		9-27-65	3.9	70.7	5050
		10-27-65	4.8	69.8	5102
		11-24-65	3.8	70.8	5050
		12-24-65	4.4	70.2	5050
		1-26-66	6.0	68.6	5050
		2-25-66	4.4	70.2	5050
		3-20-66	5.4	69.2	5050
		4-27-66	6.1	68.5	5102
		5-27-66	4.2	70.4	5050
		6-23-66	3.6	71.7	5050
		7-23-66	2.9	71.6	5050
		8-26-66	3.8	70.8	5050
		9-28-66	3.5	71.1	5050
			4.9	69.7	5050





TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YUBA COUNTY 5-21.06					
14N/04E-18C01M	51.5	10-18-65 3-14-66	47.7 32.2	3.8 19.3	5103 5103
14N/04E-20H01M	42.0	2-11-66 3-15-66	29.8 28.8	12.2 13.2	5050 5050
14N/04E-22M01M	61.2	10-18-65 3-16-66	61.4 53.6	-0.2 7.6	5103 5103
14N/04E-23A01M	71.0	10-18-65 3-17-66	85.4 79.0	-14.4 -8.0	5103 5103
14N/04E-24P01M	69.0	10-18-65 3-17-66	89.1 77.8	-20.1 -8.8	5103 5103
14N/04E-28R01M	58.7	10-06-65 3-16-66	55.8 51.0	2.9 7.7	5103 5103
14N/04E-30F01M	44.0	10-18-65 3-16-66	25.9 (1)	18.1	5103
14N/04E-30K01M	45.0	10-18-65 3-16-66	(1) 25.7	19.3	5103 5103
14N/04E-30N01M	45.0	7-26-65 8-25-65 9-27-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66 3-30-66 4-27-66 5-27-66 6-23-66 7-25-66 8-26-66 9-28-66	40.0 29.0 27.5 27.5 24.6 24.6 23.8 23.2 30.0 32.1 33.3 32.7 38.4 35.2 34.9	5.0 16.0 17.5 17.5 20.4 20.4 21.8 21.8 15.0 12.9 11.7 12.3 6.6 9.8 10.1	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
14N/04E-32M01M	49.0	3-15-66	28.5	20.5	5050
14N/04E-35N01M	62.0	10-18-65 3-16-66	(8) (1)		5103 5103
YUBA COUNTY 5-21.06					
14N/04E-36G01M	68.8	10-18-65 3-16-66	79.3 69.8	-10.5 -1.0	5103 5103
14N/05E-05A01M	89.2	10-19-65 3-17-66	(1) 90.6		5103 5103
14N/05E-06B01M	77.8	10-18-65 3-17-66	92.7 83.7	-14.9 -5.9	5103 5103
14N/05E-08R01M	88.9	10-18-65 3-17-66	104.8 90.6	-15.9 -1.7	5103 5103
14N/05E-13C01M	121.0	10-13-65 3-17-66	25.6 97.0	95.4	5050 5050
14N/05E-16C02M	98.0	10-18-65 3-17-66	105.6 90.9	-7.6 7.1	5103 5103
14N/05E-18A01M	86.2	10-18-65 3-17-66	109.0 93.5	-22.8 -7.3	5103 5103
14N/05E-20D01M	86.0	11-30-65 3-17-66	99.2 90.9	-13.2 -4.9	5050 5103
14N/05E-21G01M	95.5	10-18-65	(6)		5103
14N/05E-21R02M	92.5	10-18-65 3-17-66	98.3 83.0	-5.8 9.5	5103 5103
14N/05E-26F01M	125.0	10-13-65 3-15-66	92.3 87.3	32.7 37.7	5050 5050
14N/05E-27I02M	92.0	10-18-65 3-17-66	77.7 68.9	14.3 23.1	5103 5103
14N/05E-30Q01M	77.2	7-26-65 8-25-65 9-27-65 10-18-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66	89.8 80.7 86.6 96.7 85.3 79.0 77.1 74.8 73.2	-12.6 -13.5 -11.4 -18.5 -8.1 -1.0 0.1 0.4 4.0	5050 5050 5050 5103 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YUBA COUNTY 5-21.06											
14N/05E-30001M	77.2	3-16-66	78.6	-1.4	5103	15N/04E-15A01M	78.5	10-18-65	39.8	38.7	5103
CONT.		3-30-66	73.6	3.6	5050			3-17-66	32.0	46.5	5103
		4-27-66	83.8	-6.6	5050			10-18-65	52.6	28.4	5103
		5-27-66	85.6	-8.4	5050			3-17-66	46.8	34.2	5103
		6-23-66	91.8	-14.6	5050			10-18-65	(3)		5103
		7-25-66	95.5	-18.3	5050			3-17-66	(3)		5103
		8-28-66	98.1	-20.9	5050			6-30-66	(0)		5050
		9-28-66	93.5	-16.3	5050			4-19-66	(1)	18.7	5050
14N/05E-32R02M	74.0	10-18-65	60.8	13.2	5103	15N/04E-16P01M	76.3	10-18-65	26.2	44.8	5103
		3-17-66	50.2	23.8	5103			3-17-66	24.3	46.7	5103
14N/05E-34001M	108.0	10-13-65	74.2	33.8	5050	15N/04E-20B01M	71.0	10-18-65	56.3	15.7	5103
		3-15-66	67.7	40.3	5050			3-17-66	53.5	18.5	5103
15N/03E-01D05M	66.0	1-26-66	(8)	48.0	5050	15N/04E-22P01M	72.0	10-18-65	(1)	27.3	5103
		2-25-66	18.0	44.2	5050			3-17-66	61.5	15.6	5103
		3-30-66	21.8	38.7	5050	15N/04E-23A01M	83.0	10-18-65	55.7	20.0	5103
		4-27-66	27.3	37.5	5050			3-17-66	64.0	10.6	5050
		5-27-66	28.5	37.0	5050	15N/04E-28D01M	77.1	7-26-65	53.4	8.9	5050
		6-23-66	33.0	34.0	5050			8-25-65	55.1	13.2	5050
		7-25-66	29.0	31.0	5050			9-27-65	50.6	13.4	5103
		8-28-66	29.0	31.0	5050			10-11-65	49.0	15.0	5050
		9-28-66	27.8	38.2	5050			10-27-65	46.5	17.5	5050
15N/03E-11C02M	60.0	10-11-65	22.4	37.6	5103	15N/04E-32D01M	64.0	1-26-66	44.9	18.6	5050
		3-18-66	18.9	41.1	5103			2-25-66	44.0	20.0	5050
15N/03E-13P01M	56.0	10-13-65	22.7	33.3	5050			3-17-66	43.7	20.3	5103
		3-15-66	16.0	40.0	5050			3-30-66	44.2	19.8	5050
15N/03E-25X01M	57.0	3-15-66	18.2	38.8	5050			4-27-66	47.3	16.7	5050
15N/04E-04R01M	85.4	10-18-65	36.0	49.4	5103			5-27-66	51.4	12.6	5050
		3-18-66	(1)	51.8	5103			6-23-66	54.5	9.5	5050
15N/04E-07H01M	70.0	10-11-65	17.4	52.6	5103			7-25-66	59.4	4.6	5050
		3-18-66	18.2	51.8	5103			8-28-66	58.9	5.1	5050
15N/04E-08R01M	80.3	10-18-65	34.0	46.3	5103			9-28-66	55.5	8.5	5050
		3-17-66	32.5	47.8	5103			10-18-65	60.0	10.0	5103
15N/04E-13A01M	89.0	10-13-65	59.6	29.4	5103	15N/04E-33D01M	70.0	3-17-66	56.5	13.5	5103
		3-15-66	51.1	37.9	5103						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YUBA COUNTY 5-21.06					
15N/04E-351O1M	70.0	10-18-65 3-17-66	73.8 78.0	-3.8 -8.0	5103 5103
15N/05E-06R01M	105.0	10-13-65 3-15-66	25.1 22.2	79.9 82.8	5050 5050
15N/05E-19N01M	80.0	10-08-65 4-13-66	96.0 87.5	-16.0 -7.5	5103 5050
15N/05E-29O01M	91.0	10-13-65 3-15-66	91.8 90.9	-0.8 0.1	5050 5050
15N/05E-30B01M	88.0	7-26-65 8-25-65 9-27-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66 3-30-66 4-27-66	92.0 91.9 90.5 90.5 87.9 86.5 86.0 85.2 84.8 89.5	-4.0 -3.9 -2.5 -2.5 0.1 1.5 2.0 2.8 3.2 -1.5	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
16N/03E-01P02M	78.0	7-26-65 8-25-65 9-27-65 10-11-65 11-24-65 12-24-65 1-26-66 2-25-66 3-30-66 4-27-66 5-27-66 6-23-66 7-28-66 8-26-66 9-28-66	31.3 33.7 29.4 28.5 27.9 27.0 24.6 25.7 25.4 25.6 28.2 33.0 32.2 31.5	46.7 44.3 48.6 49.5 50.1 51.0 53.4 52.3 53.8 52.6 49.8 45.0 45.8 46.5	5050 5050 5050 5103 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
YUBA COUNTY 5-21.06					
16N/03E-02O01M	80.0	10-11-65 3-18-66	27.2 25.5	52.8 54.5	5103 5103
16N/03E-14B02M	75.0	10-11-65 3-18-66 3-30-66	22.9 19.5 22.0	52.1 55.5 53.0	5103 5103 5050
16N/03E-24A01M	69.0	10-11-65 3-18-66	20.4 16.1	48.6 52.9	5103 5103
16N/03E-26F01M	68.2	10-11-65 3-18-66	22.4 18.0	45.8 50.2	5103 5103
16N/03E-36G01M	63.5	10-11-65 3-18-66	15.5 12.3	48.0 51.2	5103 5103
16N/04E-08A01M	91.0	10-11-65 3-18-66	50.1 38.1	40.9 52.9	5103 5103
16N/04E-16A01M	94.2	10-11-65 3-18-66	43.2 42.5	51.0 51.7	5103 5103
16N/04E-17R01M	81.0	7-26-65 8-25-65 9-27-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66 3-30-66 4-27-66 5-27-66 6-23-66 7-28-66 8-26-66 9-28-66	13.8 12.6 12.4 14.0 14.6 14.7 14.1 14.2 14.5 14.8 14.8 14.0 13.2 12.1 12.6 8.6 14.2	67.2 68.4 68.6 67.0 66.4 66.3 66.8 66.8 66.5 66.2 67.0 67.8 68.9 68.4 77.4 71.8	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5103 5103
16N/04E-27P02M	86.0	10-11-65 3-18-66	8.6 9.1	77.4 71.1	5103 5103
16N/04E-28F01M	80.2	10-11-65 3-18-66	10.8 10.8	69.4 69.4	5103 5103
16N/04E-33N01M	79.6	10-11-65 3-18-66	11.0 13.5	68.6 66.1	5103 5103

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YUBA COUNTY 5-21.06											
16N/04E-34Q01M	94.6	10-11-65 3-18-66	14.8 21.0	79.8 73.6	5103 5103	10N/06E-03M01M	136.0	10-14-65 3-07-66	109.0 109.6	27.0 29.4	5107 5107
17N/03E-22R01M	85.5	10-11-65 3-18-66	28.2 24.8	57.3 60.7	5103 5103	10N/06E-05H01M	141.0	7-23-65 8-24-65 9-24-65 10-14-65 10-26-65 11-23-65	110.7 110.7 110.8 111.0 111.0 110.7	30.3 30.3 30.2 30.1 30.0 30.3	5050 5050 5050 5050 5050 5050
17N/03E-26A02M	84.7	10-11-65 3-18-66	25.7 23.6	59.0 61.1	5103 5103			12-23-65 1-25-66 2-24-66	109.8 110.3 109.9	31.2 30.7 31.1	5050 5050 5107
17N/03E-35H02M	82.0	10-11-65 3-18-66	29.1 26.9	52.9 55.1	5103 5103			3-07-66 3-29-66 4-27-66	108.9 110.0 110.5	31.1 30.5 27.3	5107 5050 5050
17N/04E-27F01M	106.0	10-11-65 3-18-66	58.6 50.0	47.4 50.0	5103 5103			5-26-66 6-22-66 (1) 113.7	114.3 114.3 114.9	26.7 25.1 26.1	5050 5050 5050
17N/04E-30F01M	89.0	10-11-65 3-18-66	45.6 35.0	43.4 50.4	5103 5103			7-25-66 8-26-66 9-28-66	114.9 114.9 114.9		
17N/04E-33Q01M	105.0	10-11-65 3-18-66	71.9 54.6	33.1 50.4	5103 5103						
17N/04E-35C01M	121.7	10-11-65 3-18-66	57.0 56.0	64.7 65.7	5103 5103	10N/06E-05L01M	134.0	10-14-65 3-07-66	109.5 107.2	24.5 26.8	5107 5107
PLACER COUNTY 5-21.07											
10N/05E-04Q01M	72.2	10-14-65 3-07-66	77.4 69.8	-5.2 2.4	5107 5107	10N/06E-07L01M	94.0	10-14-65 3-07-66	74.3 70.9	19.7 23.1	5107 5107
10N/05E-05F01M	55.0	10-14-65 3-07-66	74.0 67.5	-19.0 -12.5	5107 5107	10N/06E-09D01M	142.0	10-14-65 3-07-66	106.5 (8)	35.5	5107 5107
10N/05E-06F01M	44.6	10-14-65 3-07-66	69.8 64.6	-25.2 -20.0	5107 5107	10N/06E-10C01M	146.4	10-14-65 3-07-66	116.5 114.3	29.9 32.1	5107 5107
10N/05E-08L02M	51.5	10-14-65 3-18-66	58.6 57.5	-7.1 -6.0	5107 5107	10N/06E-12D01M	145.0	10-14-65 3-07-66	21.3 21.4	123.7 123.6	5107 5107
10N/05E-10J03M	87.0	10-14-65 3-22-66	(8) 79.4	7.6	5107 5050	10N/06E-13C01M	188.7	10-15-65 3-07-66	152.4 152.4	36.3 36.3	5107 5107
10N/05E-12D01M	105.0	10-14-65 3-07-66	88.4 86.2	16.6 18.8	5107 5107	10N/06E-17A01M	140.0	10-14-65 3-07-66	114.7 114.7	25.3 25.3	5107 5107
						10N/07E-07E02M	160.5	10-14-65 3-07-66	118.7 117.2	41.8 43.3	5107 5107

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PLACER COUNTY 5-21.07					
10N/07E-18N01M	195.0	10-14-65 3-07-66	146.5 143.5	48.5 51.5	5107 5107
11N/05E-01N01M	106.3	10-04-65 3-09-66	87.3 90.3	19.0 16.0	5107 5107
11N/05E-03N03M	89.3	7-23-65 8-24-65 9-24-65 10-04-65 10-26-65 11-24-65 12-23-65 1-25-66 2-24-66 3-09-66 4-27-66 5-26-66 6-23-66 7-25-66 8-26-66 9-28-66	87.2 87.6 87.4 87.2 85.1 84.2 83.5 82.5 83.4 82.0 83.6 84.5 86.8 85.8 86.7 85.8	2.1 1.7 1.9 2.1 2.2 4.2 5.1 6.0 7.3 5.9 5.7 4.8 2.5 3.5 2.6 3.5	5050 5050 5050 5107 5050 5050 5050 5050 5107 5050 5050 5050 5050 5050 5050 5050
11N/05E-06H01M	57.5	10-15-65 3-09-66	65.5 57.5	-8.0 0.0	5107 5107
11N/05E-07H01M	63.0	10-04-65 3-07-66	71.3 65.0	-8.3 -2.0	5107 5107
11N/05E-15G01M	74.7	10-04-65 3-09-66	70.3 66.3	4.4 8.4	5107 5107
11N/05E-16H01M	88.0	10-04-65 3-09-66	86.1 82.4	1.9 5.6	5107 5107
11N/05E-17A04M	72.0	10-07-65 3-09-66	73.6 68.6	-1.6 3.4	5107 5107
11N/05E-18R01M	61.0	10-10-65 3-13-66	(1) 64.6	-3.6	5401
11N/05E-20C01M	63.0	10-14-65 3-07-66	75.7 69.2	-12.7 -6.2	5107 5107
PLACER COUNTY 5-21.07					
11N/05E-28G01M	70.0	10-14-65 3-07-66	75.3 68.2	-5.3 1.8	5107 5107
11N/05E-29G02M	64.0	10-14-65 3-07-66	77.7 68.1	-13.7 -4.1	5107 5107
11N/05E-31D03M	52.0	10-14-65 3-07-66	71.4 62.7	-19.4 -10.7	5107 5107
11N/05E-32R01M	70.0	7-23-65 8-24-65 9-24-65 10-14-65 10-26-65 11-23-65 12-23-65 1-25-66 2-24-66 3-07-66 3-29-66 4-27-66 5-26-66 6-23-66 7-25-66 8-26-66 9-28-66	79.2 78.1 80.2 79.2 76.7 75.5 74.6 73.5 72.7 72.6 73.0 75.0 76.8 79.2 79.2 82.1 81.1 78.9	-8.2 -8.1 -10.2 -9.2 -6.7 -5.5 -4.6 -3.5 -2.7 -2.6 -3.0 -5.0 -6.8 -9.2 -9.2 -12.1 -12.1 -8.9	5050 5050 5050 5107 5050 5050 5050 5050 5050 5107 5050 5050 5050 5050 5050 5050 5050 5050
11N/05E-34R03M	97.0	10-14-65 3-07-66	88.9 83.5	8.9 13.5	5107 5107
11N/06E-06B01M	130.2	10-14-65 3-08-66	99.8 97.0	30.4 33.2	5107 5107
11N/06E-10P01M	125.0	10-14-65 3-07-66	47.0 47.7	78.0 79.3	5107 5107
11N/06E-11R01M	162.0	10-14-65 3-07-66	17.6 16.3	144.4 145.7	5107 5107
11N/06E-15C04M	116.0	10-14-65 3-07-66	63.3 64.4	52.7 51.6	5107 5107
11N/06E-17J02M	109.0	10-14-65 3-07-66	70.0 66.7	39.0 48.3	5107 5107

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PLACER COUNTY 5-21.07					
11N/06E-18F05M	85.0	10-04-65 3-09-66	61.3 58.8	23.7 26.2	5107 5107
11N/06E-28N01M	148.0	10-14-65 3-07-66	117.5 115.8	30.5 32.2	5107 5107
11N/06E-32F02M	125.8	10-14-65 3-07-66	101.1 98.6	24.7 27.2	5107 5107
11N/06E-34D01M	161.5	10-14-65 3-07-66	124.4 122.4	37.1 39.1	5107 5107
12N/05E-01D02M	97.8	10-15-65 3-08-66	44.0 38.2	53.8 59.6	5107 5107
12N/05E-01R01M	112.5	10-04-65 3-09-66	49.9 42.5	62.6 70.0	5107 5107
12N/05E-04F01M	77.0	10-15-65 3-08-66	78.4 62.8	-1.4 14.2	5107 5107
12N/05E-06T03M	62.0	3-15-66	43.7	18.3	5050
12N/05E-06R01M	69.0	10-15-65 3-08-66	58.4 52.3	10.6 16.7	5107 5107
12N/05E-07H01M	68.5	10-05-65 3-08-66	60.0 53.6	8.5 14.9	5107 5107
12N/05E-12Q01M	106.0	7-26-65 8-25-65 9-27-65 10-04-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66 3-09-66 4-26-66 5-27-66 6-23-66 7-25-66 8-26-66 9-28-66	64.4 68.4 62.2 60.1 58.6 55.0 54.1 52.1 51.0 51.1 52.0 44.7 61.3 62.8 72.3 76.2 79.3 65.6	41.6 37.8 47.9 47.4 51.0 51.9 53.9 55.0 54.9 54.0 44.7 43.2 33.7 29.8 26.7 40.4	5050 5050 5050 5107 5050 5050 5050 5050 5050 5107 5050 5050 5050 5050 5050 5050 5050
PLACER COUNTY 5-21.07					
12N/05E-14H01M	100.6	10-15-65 1-28-66	(5) (5)		5107 5107
12N/05E-14R01M	103.4	10-15-65 3-09-66	81.3 (9)	22.1	5107 5107
12N/05E-15A01M	89.0	10-04-65 3-09-66	85.0 79.3	4.0 9.7	5107 5107
12N/05E-17A02M	75.0	10-04-65 3-09-66	78.0 70.8	-3.0 4.4	5107 5107
12N/05E-17D01M	66.5	7-26-65 8-25-65 9-24-65 10-04-65 10-27-65 11-24-65 12-24-65 1-26-66 2-25-66 3-09-66 4-26-66 5-27-66 6-23-66 7-25-66 8-26-66 9-28-66	68.5 66.8 66.0 65.0 71.0 67.0 63.0 62.4 61.2 60.9 60.1 59.7 63.4 61.7 62.2 62.1 64.7	-2.0 -0.3 -0.1 0.9 -4.5 -1.1 2.9 4.1 5.3 5.6 6.4 6.8 3.1 4.8 4.3 4.4 1.8	5050 5050 5050 5107 5050 5050 5050 5050 5050 5107 5050 5050 5050 5050 5050 5050
12N/05E-18R01M	66.0	10-15-65 3-08-66	69.3 57.8	-3.3 8.2	5107 5107
12N/05E-23H01M	103.0	10-15-65 3-09-66	(8) (8)		5107 5107
12N/05E-26D01M	90.0	10-15-65 3-15-66	88.1 75.7	1.9 14.3	5107 5107
12N/05E-26H02M	91.0	10-15-65 3-15-66	75.3 66.6	15.7 24.4	5107 5107
12N/05E-28C01M	77.0	10-15-65 3-09-66 4-19-66	(8) (8) 80.5	-3.5	5107 5107 5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PLACER COUNTY 5-21.07					
12N/05E-29D01M	64.0	10-15-65 3-09-66	62.7 59.1	1.3 4.9	5107 5107
12N/05E-31A01M	59.0	10-10-65 3-13-66	59.7 55.1	-0.7 5.9	5401 5401
12N/05E-33C01M	67.0	10-04-65 3-08-66	69.0 64.0	-2.0 2.4	5107 5107
12N/05E-35E02M	90.2	10-04-65 3-08-66	89.3 79.3	0.9 10.9	5107 5107
12N/06E-06A01M	123.5	10-15-65 3-08-66	42.7 37.8	80.8 85.7	5107 5107
12N/06E-07M01M	109.7	10-04-65 3-09-66	55.3 51.1	54.4 58.6	5107 5107
12N/06E-11E01M	175.0	10-04-65 3-08-66	22.9 (7)	152.1	5107 5107
12N/06E-14F01M	180.0	10-04-65 3-08-66	16.8 15.0	163.2 165.0	5107 5107
12N/06E-16D01M	132.9	10-04-65 3-09-66	64.1 67.9	68.8 65.0	5107 5107
12N/06E-18I01M	112.5	10-04-65 3-09-66	52.3 46.5	60.2 66.0	5107 5107
12N/06E-19F01M	114.0	10-04-65 3-08-66	50.5 54.0	63.5 60.0	5107 5107
12N/06E-20P03M	129.0	10-04-65 3-08-66	104.3 85.0	24.7 44.0	5107 5107
12N/06E-27D01M	139.7	10-04-65 3-08-66	104.2 91.6	35.5 48.1	5107 5107
12N/06E-27D02M	139.0	7-26-65 8-25-65 9-27-65 10-27-65 11-24-65 12-24-65	102.7 103.4 104.2 104.8 105.1 104.1	36.3 34.8 34.2 33.9 34.9	5050 5050 5050 5050 5050 5050
PLACER COUNTY 5-21.07					
12N/06E-27D02M CONT.	139.0	1-26-66 2-25-66 3-30-66 4-26-66 5-27-66 6-23-66 7-25-66 8-26-66 9-28-66	103.4 104.7 104.2 104.9 103.9 104.6 105.4 105.9	35.6 34.3 34.8 34.1 35.1 35.6 33.6 33.1	5050 5050 5050 5050 5050 5050 5050 5050
12N/06E-28N01M	128.5	10-04-65 3-08-66	95.7	32.8	5107 5107
12N/06E-30I01M	108.3	10-04-65 3-08-66	59.2 57.0	49.1 51.3	5107 5107
12N/06E-32K01M	117.0	10-15-65 3-07-66	(1)	35.8	5107
13N/05E-01K01M	126.0	10-15-65 3-08-66	39.8 39.8	86.2 86.2	5107 5107
13N/05E-03J01M	95.0	10-15-65 3-08-66	29.4	65.6	5107
13N/05E-10B01M	88.6	10-15-65 3-08-66	33.3 30.0	55.3 58.6	5107 5107
13N/05E-13E02M	109.0	7-26-65 8-25-65 9-27-65 10-15-65 11-24-65 12-24-65	60.5 61.3 61.6 61.0 59.4 58.0	48.5 47.7 47.4 47.7 48.0 49.9	5050 5050 5050 5050 5050 5050
		1-26-66 2-25-66 3-08-66 4-27-66 5-27-66 6-23-66 7-25-66 8-26-66 9-28-66	56.3 57.3 56.8 57.8 58.0 58.0 60.8 61.2 62.5	52.7 51.7 52.2 51.2 51.0 48.2 47.8 46.5	5050 5050 5050 5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO PACKED SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PLACER COUNTY 5-21.07					
13N/05E-22C03M	80.0	10-15-65 3-08-66	40.2 35.6	39.8 44.2	5107 5107
13N/05E-24E02M	92.0	10-15-65 3-08-66	47.4 37.7	44.6 54.3	5107 5107
13N/05E-24J01M	101.3	10-15-65 3-08-66	(2) 42.2	59.1	5107 5107
13N/05E-27R03M	87.0	10-15-65 3-08-66	53.7 45.8	33.3 41.2	5107 5107
13N/05E-34P01M	87.0	10-15-65 3-08-66	62.3 56.5	24.7 30.5	5107 5107
13N/05E-34R03M	90.0	10-15-65 3-08-66	61.9 51.5	28.1 38.5	5107 5107
13N/06E-06A01M	160.0	10-15-65 3-08-66	55.5 49.3	104.5 110.7	5107 5107
13N/06E-09N02M	164.8	10-15-65 3-08-66	22.9 18.8	141.9 146.0	5107 5107
13N/06E-19B01M	131.4	10-15-65 3-08-66 3-15-66	(9) (9) 51.0	80.4	5107 5107 5050
13N/06E-30M01M	107.8	10-15-65 3-08-66	40.4 35.4	67.4 72.4	5107 5107
13N/06E-33C01M	142.0	10-15-65 3-08-66	41.0 24.0	101.0 118.0	5107 5107
13N/06E-33M01M	147.0	10-15-65 3-08-66	49.2 32.4	97.8 114.6	5107 5107
13N/06E-33M02M	140.5	10-15-65 3-08-66	(1) 26.8	113.7	5107 5107
13N/06E-34P02M	168.0	10-15-65 3-08-66	6.9 2.0	161.1 166.0	5107 5107
SACRAMENTO COUNTY 5-21.08					
5N/05E-01D02M	25.0	10-05-65 3-07-66		64.5 51.8	5001 5001
5N/05E-03F01M	20.0	4-11-66		(0)	5050
5N/05E-04C01M	13.0	7-23-65 8-24-65 9-24-65 10-26-65 11-23-65 12-23-65 1-25-66 2-24-66 3-29-66 4-26-66 5-25-66 6-22-66 7-21-66 8-24-66 9-26-66	52.9 54.8 55.1 54.1 49.3 48.9 47.5 (8) 45.7 50.5 53.1 55.5 57.3 58.8 58.4 45.4	-39.9 -41.8 -42.1 -41.1 -36.3 -35.9 -34.5 -32.7 -37.5 -40.1 -42.5 -44.3 -45.8 -45.4	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
5N/05E-06B01M	7.5	10-07-65 3-09-66		28.1 25.1	5050 5050
5N/05E-07G01M	8.0	10-05-65 3-07-66		15.2 10.7	5001 5001
5N/05E-10Q01M	15.0	10-21-65 3-15-66		37.4 32.1	4202 4202
5N/05E-11B02M	21.8	10-05-65 3-07-66 6-02-66		45.4 38.1 (1)	5001 5001 5050
5N/05E-11N01M	17.9	10-05-65 3-07-66		31.8 28.6	5001 5001
5N/05E-12N01M	12.0	3-14-66		19.0	5050
5N/05E-17A01M	9.6	10-05-65 3-07-66		17.1 15.8	5001 5001



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08											
5N/05E-22B01M	12.0	10-05-65 3-07-66	15.5 17.4	-3.5 -5.4	5001 5001	5N/06E-15C02M	45.0	10-07-65 3-11-66 7-19-66	78.9 73.6 80.5	-33.9 -28.6 -35.5	5050 5050 5050
5N/05E-25C01M	17.0	10-06-65 3-07-66 6-02-66	31.2 22.0 26.2	-14.2 -5.0 -9.2	5001 5001 5050	5N/06E-15R02M	41.0	10-08-65 3-09-66	79.1 72.9	-38.1 -31.9	5001 5001
5N/05E-35R01M	10.0	10-06-65 3-07-66	4.2 5.8	5.8 4.2	5001 5001	5N/06E-17J01M	32.5	10-06-65 3-07-66	67.0 61.0	-34.5 -28.5	5001 5001
5N/06E-02C01M	50.0	10-21-65 3-15-66	75.1 61.4	-25.1 -11.4	4202 4202	5N/06E-19B01M	20.0	10-06-65 3-07-66	37.6 32.8	-17.6 -12.8	5001 5001
5N/06E-02M01M	51.0	10-08-65 3-10-66	74.6 (7)	-23.6	5001	5N/06E-21J03M	42.0	10-07-65 3-07-66	89.3 77.8	-47.3 -35.8	5001 5001
5N/06E-04R02M	40.0	10-07-65 3-11-66	76.1 56.3	-36.1 -16.3	5050 5050	5N/06E-26D01M	51.3	10-11-65 3-08-66	83.2 72.1	-31.9 -20.8	5050 5050
5N/06E-06C01M	25.0	10-06-65 3-11-66	28.0 27.0	-3.0 -2.0	5001 5001	5N/06E-26H01M	55.0	10-07-65 3-09-66	(1) 71.2	-16.2	5001
5N/06E-07B02M	27.0	10-07-65 3-11-66	36.4 31.7	-9.4 -4.7	5050 5050	5N/06E-26K01M	50.0	7-22-65 8-23-65 9-19-65 10-23-65 11-25-65 12-26-65	82.0 81.9 80.9 77.0 72.9 71.4	-32.0 -31.9 -30.9 -27.0 -25.7 -24.7	5050 5050 5050 5050 5050 5050
5N/06E-09M02M	36.0	10-07-65 3-11-66	55.6 54.0	-19.6 -18.0	5050 5050	5N/06E-26L01M	47.3	1-24-66 5-28-66 7-3-66 8-23-66 9-22-66 10-23-66	68.7 68.7 73.3 80.7 88.1 88.1	-18.7 -18.7 -23.3 -31.7 -38.1 -38.1	5050 5050 5050 5050 5050 5050
5N/06E-10A01M	41.3	10-11-65 3-07-66	78.4 71.7	-37.1 -30.4	5050 5050	5N/06E-27C01M	46.0	10-21-65 3-15-66	88.9 75.4	-42.9 -29.4	4202 4202
5N/06E-10F01M	64.0	10-08-65 3-09-66	90.6 (7)	-26.6	5001 5001	5N/06E-29C01M	28.0	10-21-65 3-15-66	68.2 57.5	-40.2 -29.5	4202 4202
5N/06E-12R01M	63.5	10-07-65 3-09-66	81.2 (7)	-17.7	5001	5N/06E-29H01M	32.6	10-06-65 3-07-66	78.9 62.6	-46.3 -30.0	5001 5001
5N/06E-14D01M	52.0	10-21-65 3-15-66	82.5 78.5	-30.5 -26.5	4202 4202						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08					
5N/06E-30E01M	24.0	10-06-65	56.9	-32.9	5001
		10-21-65	67.1	-43.1	4202
		3-07-66	42.0	-18.0	5001
		3-15-66	42.3	-18.3	4202
5N/06E-31E03M	20.0	10-06-65	39.3	-19.3	5001
		3-07-66	29.6	-9.6	5001
5N/06E-33E01M	38.5	10-07-65	66.6	-28.1	5001
		3-07-66	53.0	-14.5	5001
5N/06E-33U01M	41.0	10-21-65	69.5	-28.5	4202
		3-15-66	51.6	-10.6	4202
5N/06E-35E02M	53.0	10-07-65	75.7	-22.7	5001
		3-07-66	52.8	0.2	5001
5N/07E-06A01M	65.0	10-07-65	77.0	-12.0	5050
		3-14-66	67.8	-2.8	5050
5N/07E-07E02M	60.0	10-08-65	86.8	-26.8	5001
		3-09-66	78.1	-18.1	5001
		6-02-66	85.5	-25.5	5050
5N/07E-08E01M	75.0	10-07-65	89.7	-14.7	5050
		3-14-66	79.4	-4.4	5050
5N/07E-09E01M	73.7	10-07-65	85.9	-12.2	5001
		3-09-66	79.7	-6.0	5001
		6-02-66	88.7	-15.0	5050
5N/07E-09E01M	82.7	4-11-66	(0)		5050
5N/07E-12E02M	127.2	10-07-65	119.8	7.4	5001
		3-09-66	117.7	9.5	5001
5N/07E-14E01M	91.5	10-07-65	83.3	8.2	5001
		3-09-66	85.7	5.8	5001
5N/07E-20E01M	76.7	10-07-65	95.4	-18.7	5001
		3-09-66	83.1	-6.4	5001
5N/07E-23E01M	100.0	5-20-66	(1)		5050
5N/07E-26E01M	91.0	10-07-65	99.4	-8.4	5001
		3-07-66	82.8	8.2	5001
SACRAMENTO COUNTY 5-21.08					
5N/07E-28A01M	86.0	6-08-66	(1)		5050
5N/07E-29E01M	71.0	10-07-65	88.3	-17.3	5001
		3-09-66	74.8	-3.8	5001
5N/07E-29E02M	71.0	10-07-65	(1)		5001
		3-09-66	75.7	-4.7	5001
5N/07E-30A01M	73.0	10-21-65	82.0	-9.0	4202
		3-15-66	80.5	-7.5	4202
5N/08E-08E01M	173.0	10-07-65	141.6	31.4	5001
		3-09-66	144.4	28.6	5001
6N/04E-24A01M	10.0	10-07-65	30.0	-20.0	5050
		3-09-66	27.8	-17.8	5050
6N/05E-01E01M	39.3	7-22-65	93.8	-54.5	5050
		8-23-65	94.8	-55.5	5050
		9-23-65	96.3	-57.0	5050
		10-25-65	95.6	-56.3	5050
		11-22-65	95.5	-56.2	5050
		12-22-65	93.8	-54.5	5050
		1-24-66	92.2	-52.9	5050
		2-23-66	90.5	-51.2	5050
		3-28-66	89.8	-50.5	5050
		4-25-66	91.3	-52.0	5050
		5-25-66	93.4	-54.1	5050
		6-21-66	94.8	-55.5	5050
		7-22-66	96.8	-57.5	5050
		8-25-66	98.0	-58.7	5050
		9-27-66	98.5	-59.2	5050
6N/05E-01E01M	40.6	10-11-65	81.3	-40.7	5050
		3-08-66	75.0	-34.4	5050
6N/05E-04E01M	19.5	10-05-65	73.6	-54.1	5001
		3-08-66	(1)		5001
6N/05E-10E01M	34.5	10-05-65	103.0	-68.5	5001
		3-08-66	92.3	-57.8	5001
6N/05E-10E01M	36.0	10-21-65	101.9	-65.9	4202
		3-15-66	93.9	-57.9	4202

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE OF SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SURVEYING DATA
SACRAMENTO COUNTY 5-21.08					
6N/05E-12B01M	39.0	10-05-65 3-08-66	102.6 98.5	-63.6 -59.5	5001 5001
6N/05E-14J01M	32.5	10-05-65 3-08-66	(1) 91.9	-59.4	5001 5001
6N/05E-15B01M	26.4	10-05-65 3-08-66	102.1 89.4	-75.7 -63.0	5001 5001
6N/05E-17F01M	16.0	10-05-65 3-07-66	59.9 56.1	-43.9 -40.1	5001 5001
6N/05E-18G01M	13.9	10-05-65	(2)		5001
6N/05E-20A02M	16.3	10-05-65 3-08-66	72.5 64.6	-56.2 -48.3	5001 5001
6N/05E-22C02M	23.0	10-05-65 3-08-66	81.1 81.1	-68.1 -58.1	5001 5001
6N/05E-25B01M	35.2	10-05-65 3-08-66	89.4 72.8	-54.2 -37.6	5001 5001
6N/05E-28F01M	17.5	10-05-65 3-08-66	83.6 66.6	-66.1 -49.1	5001 5001
6N/05E-31A01M	14.6	10-05-65 3-07-66	47.9 37.4	-33.3 -22.8	5001 5001
6N/05E-32J01M	13.0	10-05-65 3-07-66	54.0 57.1	-41.0 -44.1	5001 5001
6N/05E-34B02M	21.5	10-05-65 3-08-66	(1) 70.0	-48.5	5001 5001
6N/06E-01G01M	76.5	10-08-65 3-10-66	60.9 57.9	15.6 18.6	5001 5001
6N/06E-05J01M	54.5	10-11-65 3-08-66	84.1 74.3	-29.6 -19.8	5001 5001
6N/06E-07A01M	50.0	10-21-65 3-15-66	95.4 87.1	-45.4 -37.1	4202 4202
6N/06E-07M01M	42.0	10-11-65 3-08-66	(1) 97.1	-55.1	5001 5001
SACRAMENTO COUNTY 5-21.08					
6N/06E-08M01M	50.5	10-11-65 3-08-66	94.6 83.9	-44.1 -33.4	5001 5001
6N/06E-11J03M	65.0	10-08-65 3-10-66	58.8 55.1	6.2 9.9	5001 5001
6N/06E-13R01M	62.0	10-08-65 3-10-66	(1) 62.7	-0.7	5001 5001
6N/06E-16F01M	50.5	10-11-65 3-08-66	57.8 53.0	-7.3 -2.5	5001 5001
6N/06E-18F01M	43.5	10-06-65 3-08-66	90.2 81.5	-46.7 -38.0	5001 5001
6N/06E-18G01M	44.9	10-11-65 3-08-66	74.5 66.7	-29.6 -21.8	5050 5050
6N/06E-20D01M	45.0	10-06-65 (3) 3-08-66	74.7 59.9	-29.7 -14.9	5001 5001
6N/06E-20P01M	39.0	10-08-65 3-09-66	53.9 42.7	-14.9 -3.7	5001 5001
6N/06E-22C01M	50.0	10-07-65 3-11-66	46.9 44.5	3.1 5.5	5050 5050
6N/06E-23C01M	52.0	10-08-65 3-10-66	59.0 57.2	-7.0 -5.2	5001 5001
6N/06E-24G01M	56.0	10-08-65 3-10-66	60.5 58.5	-4.5 -2.5	5001 5001
6N/06E-25Q01M	60.0	10-08-65 3-10-66	73.8 64.3	-13.8 -4.3	5001 5001
6N/06E-26D02M	47.0	2-21-66 4-10-66	48.0 47.4	-0.4 -0.4	5050 5050
6N/06E-28C02M	40.0	11-09-65 3-11-66	45.7 43.3	-5.7 -3.3	5050 5050
6N/06E-29K01M	33.0	11-09-65 3-11-66	40.0 36.4	-7.0 -3.4	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08											
6N/06E-30N01M	32.0	10-06-65 3-08-66	52.9 48.5	-20.9 -16.5	5001 5001	6N/07E-14A01M	110.0	10-07-65 3-11-66	(1) 88.7	21.3	5001 5001
6N/06E-33J01M	45.8	7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65 1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66	54.8 55.0 55.4 54.6 54.0 54.0 53.6 53.3 53.3 54.2 55.3 (7)	-9.0 -9.2 -9.6 -8.8 -8.2 -7.8 -7.5 -8.1 -8.4 -9.5	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050	6N/07E-15K01M	107.0	10-08-65 3-10-66	99.7 (9)	7.3	5001 5001
6N/06E-33I01M	45.8	6-21-66 7-22-66 8-25-66 9-27-66	61.1 60.7 63.3	-15.3 -11.8 -17.5	5050 5050 5050	6N/07E-19A01M	71.0	10-07-65 3-14-66	(1) 68.5	2.5	5050 5050
6N/06E-33J02M	35.6	10-11-65 3-08-66	48.4 42.8	-12.8 -7.2	5050 5050	6N/07E-20F02M	77.0	10-08-65 3-10-66	(1) (7)		5001 5001
6N/06E-33Q01M	35.7	10-08-65 3-10-66	53.9 45.4	-18.2 -9.7	5001 5001	6N/07E-20P03M	77.0	3-10-66	79.3	-2.3	5001
6N/06E-34P01M	46.9	10-08-65 3-10-66	63.6 59.2	-16.7 -12.3	5001 5001	6N/07E-25F02M	98.5	10-07-65 3-09-66	89.8 86.8	8.6 11.7	5001 5001
6N/06E-36K01M	61.0	10-08-65 3-10-66	82.6 71.0	-21.6 -10.0	5001 5001	6N/07E-28F01M	71.0	7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65 1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-22-66 8-25-66 9-27-66	75.1 75.0 75.0 73.1 71.0 69.5 68.5 67.3 67.4 72.9 72.9 77.3 79.5 80.2 78.9	-4.1 -5.0 -4.8 -2.1 0.0 1.5 2.5 3.7 3.6 4.9 -1.9 -4.3 -6.3 -8.5 -9.2 -7.9	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
6N/07E-04G01M	107.5	10-08-65 3-11-66	95.8 90.8	11.7 16.7	5001 5001	6N/07E-32F01M	69.0	10-07-65 3-14-66	78.0 68.7	-9.0 0.3	5050 5050
6N/07E-06N01M	78.7	10-08-65 3-10-66	70.8 60.6	7.9 18.1	5001 5001	6N/07E-33D02M	75.5	10-08-65 3-09-66	72.7 (8)	2.8	5001
6N/07E-08R01M	105.0	2-21-66 3-14-66	97.3 96.8	7.7 8.2	5050 5050	6N/07E-34H01M	86.0	2-21-66 3-14-66	78.5 (1)	7.5	5050 5050
6N/07E-11A02M	116.0	10-07-65 3-11-66	92.1 90.1	23.9 25.9	5001 5001	6N/08E-15J01M	214.0	10-06-65 3-14-66	124.0 124.4	90.0 89.6	5108 5108



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08					
7N/06E-08H01M	58.5	10-05-65 3-10-66	87.2 84.7	-28.7 -26.2	5108 5108
7N/06E-09J01M	69.0	10-06-65 10-21-65 3-10-66	DRY 88.1 84.8	-19.1 -15.8	5108 5050 5108
7N/06E-10M01M	82.0	10-21-65 3-15-66	104.6 97.4	-22.6 -15.4	4202 4202
7N/06E-12A01M	115.0	10-05-65 3-10-66	97.9 86.5	17.1 28.5	5108 5108
7N/06E-14Q01M	90.0	10-05-65 3-10-66	89.8 84.8	0.1 5.2	5108 5108
7N/06E-15J01M	73.0	10-21-65 3-15-66	82.0 79.8	-9.8 -6.8	4202 4202
7N/06E-15N01M	64.0	10-05-65 3-10-66	86.3 81.2	-22.3 -17.2	5108 5108
7N/06E-20J01M	57.0	10-05-65 3-10-66	87.4 81.3	-30.4 -24.3	5108 5108
7N/06E-22R02M	70.0	10-05-65 3-10-66	82.1 72.6	-12.1 -2.6	5108 5108
7N/06E-25B01M	84.0	10-11-65 3-08-66	67.3 63.7	16.7 20.3	5001 5001
7N/06E-27L01M	68.0	10-05-65 3-10-66 (3)	80.7 (8) (0)	-12.7	5108 5108 5050
7N/06E-28N01M	59.0	10-21-65 3-15-66	88.8 85.5	-29.8 -26.5	4202 4202
7N/06E-32P01M	50.5	10-05-65 3-10-66	92.3 83.9	-41.8 -33.4	5108 5108
7N/06E-33J01M	63.0	3-21-66	66.5	-3.5	5050
7N/06E-34R01M	70.6	10-11-65 3-11-66	54.4 53.5	16.2 17.1	5001 5001
SACRAMENTO COUNTY 5-21.08					
7N/06E-35Q01M	62.1	10-11-65 3-11-66	35.7 35.4	26.4 26.7	5001 5001
7N/06E-35R01M	61.8	10-11-65 3-11-66	40.8 35.1	21.0 26.7	5001 5001
7N/06E-36N01M	81.4	10-11-65 3-11-66	(3) 60.6 56.2	20.8 25.2	5001 5001
7N/07E-02C01M	102.5	10-11-65 3-11-66	35.5 33.4	67.0 69.1	5001 5001
7N/07E-03B01M	100.0	10-11-65 3-11-66	35.1 36.5	64.9 63.5	5001 5001
7N/07E-04J01M	133.5	10-11-65	86.2	47.3	5001
7N/07E-04P01M	174.1	10-11-65 1-10-66 3-11-66	125.7 124.1 122.3	48.4 50.0 51.8	5001 5050 5001
7N/07E-07N01M	100.0	7-22-65 8-23-65 9-23-65 10-11-65 10-25-65 11-22-65 12-22-65 1-24-66 2-23-66 3-08-66 3-28-66 4-25-66 7-22-66 8-25-66 9-27-66	78.1 78.1 DRY 77.7 77.7 75.3 74.2 73.2 72.8 72.6 71.6 71.4 71.3 70.7	21.9 21.8 DRY 22.3 22.3 24.7 25.8 26.5 27.2 27.4 23.4 23.4 21.9 20.7	5050 5050 5050 5001 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
7N/07E-10K01M	98.0	10-11-65 3-11-66	42.8 40.8	55.2 57.2	5001 5001
7N/07E-14I01M	127.6	10-08-65 3-11-66	79.7 80.7	47.9 46.9	5001 5001



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08											
7N/07E-14L02M	126.0	10-08-65 3-11-66	80.5 76.7	45.5 49.3	5001 5001	7N/08E-02L01M	198.0	10-06-65 3-14-66	17.8 11.2	180.2 186.8	5108 5108
7N/07E-17G02M	101.5	10-11-65 3-08-66	68.8 62.9	32.7 38.6	5001 5001	7N/08E-06N01M	117.5	10-11-65 3-11-66	37.7 26.4	79.8 91.1	5001 5001
7N/07E-17N01M	81.4	10-11-65 3-08-66	46.5 41.9	34.8 39.5	5001 5001	7N/08E-13A01M	260.0	10-06-65 3-14-66	16.4 12.6	245.8 247.4	5108 5108
7N/07E-20C01M	81.0	10-11-65 1-10-66 3-08-66	44.6 40.0 39.4	36.4 41.0 41.6	5001 5050 5001	7N/08E-26H01M	190.0	10-06-65 3-14-66	16.5 15.9	173.5 174.1	5108 5108
7N/07E-20H01M	80.5	10-11-65 3-08-66	39.4 42.8	41.1 37.7	5001 5001	7N/08E-36B01M	185.0	10-06-65 3-14-66	8.0 6.4	177.0 178.6	5108 5108
7N/07E-22E01M	109.6	10-11-65 3-11-66	78.9 72.1	30.7 37.5	5001 5001	8N/04E-01G01M	18.3	10-21-65 3-15-66	20.6 18.3	-2.3 0.0	5050 5050
7N/07E-24K01M	131.0	10-08-65 3-11-66	84.6 73.1	46.4 57.9	5001 5001	8N/04E-11P01M	17.0	10-04-65 3-09-66	15.6 12.6	1.4 4.4	5108 5108
7N/07E-27B01M	107.0	10-08-65 3-10-66	(1) 76.3	30.7	5001 5001	8N/04E-13K01M	23.0	10-04-65 3-09-66	30.9 28.9	-7.6 -5.9	5108 5108
7N/07E-27F01M	100.0	10-08-65 3-10-66	73.8 69.3	26.2 30.7	5001 5001	8N/04E-24M01M	25.0	7-23-65 8-24-65 9-21-65 10-26-65 11-6	36.0 35.2 36.3 36.6 36.4	-11.0 -10.2 -11.3 -11.6 -11.4	5050 5050 5050 5050 5050
7N/07E-29B01M	85.0	10-11-65 3-11-66	42.2 49.2	42.8 35.8	5001 5001			12-23-65 1-25-66 2-28-66 3-4-66 4-26-66 5-17-66 6-22-66 7-25-66 8-25-66 9-30-66	36.0 35.2 34.9 35.4 35.3 35.3 35.7 35.8 36.3 36.5 36.7	-11.0 -10.2 -9.9 -10.4 -10.3 -10.7 -10.8 -11.3 -11.5 -11.7	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
7N/07E-29B02M	85.0	10-11-65 3-11-66	51.1 58.7	33.9 26.3	5001 5001						
7N/07E-31F01M	85.1	10-08-65 3-11-66	63.8 60.0	21.3 25.1	5001 5001						
7N/07E-32A01M	75.0	10-08-65 3-10-66	DRY	DRY	5001						
7N/07E-34D01M	97.4	10-08-65 3-10-66	79.6 72.0	17.8 25.4	5001 5001	8N/04E-33N01M	7.0	10-04-65 3-09-66	7.1 5.4	-0.1 1.6	5108 5108
7N/07E-35K01M	156.0	10-07-65 3-11-66	125.5 124.9	30.5 31.1	5001 5001	8N/04E-36L01M	5.0	10-04-65 3-09-66	24.1 23.7	-19.1 -18.7	5108 5108

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08					
8N/05E-02F01M	39.0	10-08-65 3-09-66	32.8 31.8	6.1 7.2	5108 5108
8N/05E-03B01M	30.0	9-14-65 10-07-65 3-11-66	33.5 33.3 30.3	-3.5 -3.3 -0.5	5050 5108 5108
8N/05E-07F01M	24.3	10-11-65 3-08-66	31.6 29.7	-7.3 -5.4	5050 5050
8N/05E-12G01M	44.5	10-05-65 3-09-66	46.0 42.5	-1.5 2.0	5108 5108
8N/05E-13F01M	45.0	10-05-65 3-09-66	49.8 45.8	-4.8 -0.8	5108 5108
8N/05E-14T01M	45.0	10-05-65 3-09-66	56.0 52.9	-11.0 -7.9	5108 5108
8N/05E-15B01M	37.0	9-19-66	51.4	-14.4	5050
8N/05E-18K01M	19.9	10-11-65 3-08-66	33.6 32.7	-13.7 -12.8	5050 5050
8N/05E-18Q01M	24.7	10-11-65 3-08-66	42.1 39.9	-17.4 -15.2	5050 5050
8N/05E-21H02M	39.5	10-05-65 3-09-66	58.4 57.2	-18.9 -17.7	5108 5108
8N/05E-23H01M	42.0	10-05-65 3-09-66 3-18-66	66.7 (5) 64.4	-24.7 -22.4	5108 5108 5050
8N/05E-24M02M	44.0	10-05-65 3-09-66	65.9 59.0	-21.9 -15.0	5108 5108
8N/05E-27A01M	35.0	7-22-65 8-23-65 9-23-65 10-05-65 10-25-65 11-22-65 12-22-65 1-24-66	67.3 67.8 68.2 68.0 68.5 67.3 67.0 66.6	-32.3 -32.8 -33.2 -33.0 -33.5 -32.3 -32.0 -31.6	5050 5050 5050 5108 5050 5050 5050 5050
SACRAMENTO COUNTY 5-21.08					
8N/05E-27A01M CONT.	35.0	2-23-66 3-09-66	(6) (9)	(6) (9)	5050 5108
8N/05E-30A01M	27.3	10-11-65 3-08-66	58.7 52.7	-31.4 -25.4	5050 5050
8N/05E-31B01M	18.0	10-04-65 3-09-66	41.4 40.2	-23.4 -22.2	5108 5108
8N/05E-32D01M	27.4	10-11-65 3-08-66	(4) (4)	(4) (4)	5050 5050
8N/05E-32R01M	21.7	10-11-65 3-08-66	60.8 55.8	-39.1 -34.1	5050 5050
8N/05E-33T01M	26.0	10-04-65 3-09-66 3-18-66	(9) (9) 63.3	(9) (9) -37.3	5108 5108 5050
8N/05E-34C01M	30.5	10-04-65 3-09-66 (3)	67.8 68.0	-37.3 -37.5	5108 5108
8N/06E-05F01M	58.0	10-07-65 3-11-66	46.5 42.8	11.5 15.2	5108 5108
8N/06E-06E03M	65.0	10-05-65 3-05-66	68.0 60.0	-3.0 5.0	4400 4400
8N/06E-06F01M	60.0	10-05-65 3-05-66	65.0 59.0	-5.0 1.0	4400 4400
8N/06E-08F01M	57.8	10-07-65 3-11-66 3-18-66	49.3 (3) 47.7	8.5 (3) 12.1	5108 5108 5050
8N/06E-09Q02M	75.7	10-07-65 3-11-66	63.2 59.4	12.5 16.3	5108 5108
8N/06E-11B01M	90.1	10-06-65 (5) 3-14-66 (5)	74.0 79.0	16.1 11.1	5108 5108
8N/06E-15F01M	72.1	7-22-65 8-23-65 9-23-65	60.0 60.0 60.0	12.1 12.1 12.1	5050 5050 5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08											
8N/06E-15F01M CONT.	72.1	10-06-65 10-25-65 11-22-65 12-22-65 1-24-66 2-25-66 3-14-66 4-29-66 5-23-66 6-21-66 7-21-66 8-22-66 9-25-66 9-27-66	58.2 56.6 56.0 57.1 54.6 53.9 54.0 57.1 53.0 59.0 61.9 62.3 62.9 61.5	12.9 13.5 19.1 17.0 18.5 18.2 17.7 15.0 13.1 10.8 9.5 10.6	5108 5050 5050 5050 5050 5108 5050 5050 5050 5050 5050 5050	8N/07E-09N01M	189.6	10-06-65 3-14-66	(8) 109.9	79.7	5108
						8N/07E-14C01M	254.2	10-06-65 3-14-66	144.2 146.1	110.0 108.1	5108 5108
						8N/07E-18E01M	125.5	10-06-65 3-14-66 3-18-66	(1) (1) 85.0	40.5	5108 5050
						8N/07E-31J01M	115.4	10-06-65 3-14-66	72.5 66.2	42.9 49.2	5108 5108
						8N/07E-31M01M	126.4	10-07-65 4-05-66	(1) (0)	5108 5050	
	57.4	10-07-65 3-10-66	67.6 63.6	-10.2 -6.2	5108 5108	8N/07E-33E01M	145.3	10-06-65 3-14-66	90.2 88.3	55.1 57.0	5108 5108
	65.0	10-07-65 10-21-65 3-15-66 3-18-66	70.6 71.2 64.2 64.5	-5.6 -0.8 0.8 0.5	5108 4202 4202 5050	9N/03E-02D01M	23.0	10-13-65 3-07-66	15.0 12.7	8.0 10.3	5108 5108
	123.0	10-07-65 3-10-66	117.4 102.7	5.6 20.3	5108 5108	9N/04E-01F01M	19.5	10-11-65 3-07-66	19.5 17.9	0.0 1.6	5108 5108
	93.7	10-07-65 3-10-66	91.2 75.8	2.5 17.9	5108 5108	9N/04E-08I01M	24.0	10-11-65 3-07-66	17.3 16.5	6.7 7.5	5108 5108
	79.0	10-21-65 3-10-66	90.2 75.8	-11.2 3.2	5050 5108	9N/04E-09B01M	20.0	10-11-65 10-22-65 3-07-66	(2) 12.2 12.5	7.8 7.5	5108 5050 5108
	50.0	10-05-65 3-10-66	75.7 69.6	-25.7 -19.6	5108 5108	9N/04E-11E01M	21.0	10-11-65 3-18-66	(9) 20.2	0.8	5108 5050
	51.0	10-05-65 3-10-66	75.0 71.4	-24.0 -20.4	5108 5108	9N/04E-22E01M	12.0	7-23-65 8-24-65 9-24-65	5.0 8.3 6.3	7.0 3.7 5.7	5050 5050 5050
	64.7	10-07-65 3-10-66	86.6 82.0	-21.9 -17.3	5108 5108	9N/04E-23E01M	5.0	10-26-65 11-23-65 12-23-65	7.9 6.6 6.6	4.1 5.1 5.4	5050 5050 5050
	106.4	10-07-65 3-10-66	105.1 (1)	1.3	5108 5108	9N/04E-34F01M	106.4	1-25-66 2-24-66 3-29-66	6.1 5.6 5.5	5.9 6.4 6.5	5050 5050 5050
	257.6	10-06-65 3-14-66	137.1 136.7	120.5 120.9	5108 5108	8N/07E-02N01M	257.6	4-26-66 5-26-66	6.0 7.7	6.0 4.3	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21-08					
9N/04E-22E01M CONT.	12.0	6-22-66	7.2	4.8	5050
		7-26-66	6.6	5.4	5050
		8-30-66	9.5	2.5	5050
		9-28-66	10.8	1.2	5050
9N/04E-23R01M	15.0	10-11-65	14.4	0.6	5108
		3-07-66	10.8	4.2	5108
9N/04E-27F01M	24.0	10-11-65	21.2	2.8	5108
		3-07-66	18.0	6.0	5108
9N/04E-36D01M	21.6	10-11-65	18.6	3.0	5108
		3-07-66	14.7	6.9	5108
9N/05E-07D01M	20.0	10-11-65	21.4	-1.4	5108
		3-07-66	18.0	2.0	5108
9N/05E-08A01M	33.0	10-14-65	(8)		5108
		4-05-66	(0)		5050
9N/05E-08J01M	35.0	3-22-66	38.9	-3.9	5050
9N/05E-10G01M	57.0	10-11-65	63.9	-6.9	5108
		3-07-66	62.6	-5.6	5108
9N/05E-13G03M	80.0	10-05-65	92.0	-12.0	4400
		3-05-66	87.0	-7.0	4400
9N/05E-13J01M	80.0	3-05-66	78.0	2.0	4400
9N/05E-13L02M	72.0	10-05-65	72.0	0.0	4400
		3-05-66	69.0	3.0	4400
9N/05E-14H03M	64.0	3-23-66	69.7	-5.7	5050
9N/05E-14K02M	66.0	10-05-65	79.0	-13.0	4400
		3-05-66	74.0	-8.0	4400
9N/05E-18R01M	31.0	10-11-65	32.7	-1.7	5108
		3-07-66	29.8	1.2	5108
9N/05E-21M01M	34.0	7-23-65	42.6	-8.6	5050
		8-24-65	43.0	-9.0	5050
		9-24-65	43.5	-9.5	5050
		10-26-65	43.7	-9.7	5050
SACRAMENTO COUNTY 5-21-08					
9N/05E-21M01M CONT.	34.0	11-23-65	43.1	-9.1	5050
		12-23-65	42.3	-8.3	5050
		1-25-66	41.9	-7.9	5050
		2-24-66	41.3	-7.3	5050
		3-28-66	40.1	-6.1	5050
		4-26-66	41.5	-7.5	5050
		5-26-66	42.4	-8.4	5050
		6-22-66	43.3	-9.3	5050
		7-25-66	44.6	-10.6	5050
		8-25-66	45.5	-11.5	5050
		9-27-66	46.0	-12.0	5050
9N/05E-22A01M	52.0	10-05-65	63.0	-11.0	4400
		3-05-66	55.0	-3.0	4400
9N/05E-22G02M	51.0	10-11-65	(1)		5050
		3-08-66	62.6	-11.6	5050
9N/05E-22L01M	51.0	10-05-65	72.0	-21.0	4400
		3-05-66	59.0	-8.0	4400
9N/05E-23A01M	65.0	10-05-65	78.0	-13.0	4400
		3-05-66	73.0	-8.0	4400
9N/05E-23F01M	59.0	10-05-65	73.0	-14.0	4400
		3-05-66	66.0	-7.0	4400
9N/05E-23H01M	63.0	10-05-65	80.0	-17.0	4400
		3-05-66	69.0	-6.0	4400
9N/05E-23L01M	60.0	10-05-65	76.0	-16.0	4400
		3-05-66	69.0	-9.0	4400
9N/05E-23L02M	57.0	10-05-65	76.0	-19.0	4400
		3-05-66	65.0	-8.0	4400
9N/05E-24A03M	72.0	10-05-65	85.0	-13.0	4400
		3-05-66	76.0	-4.0	4400
9N/05E-25C01M	68.0	10-05-65	89.0	-21.0	4400
		3-05-66	78.0	-10.0	4400
9N/05E-25E02M	45.0	10-05-65	61.0	-16.0	4400
		3-05-66	53.0	-8.0	4400

TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21-08											
9N/05E-25Q01M	63.3	7-28-65	66.8	-3.5	5050	9N/05E-30B01M	22.0	8-13-65	27.0	-5.0	5050
		8-23-65	67.3	-4.0	5050			3-07-66	(4)	-2.0	5108
		9-2-65	67.7	-4.4	5050			3-18-66	24.0		5050
		10-08-65	67.3	-4.0	5108						
		10-25-65	67.3	-4.0	5050	9N/05E-35Q01M	49.0	10-05-65	55.0	-6.0	4400
		11-22-65	64.8	-1.5	5050			3-05-66	44.0	5.0	4400
		12-22-65	64.9	-1.6	5050	9N/06E-02P01M	160.0	10-08-65	122.8	37.2	5108
		1-24-66	64.0	-0.7	5050			3-15-66	118.0	42.0	5108
		2-23-66	62.8	0.5	5050	9N/06E-05M01M	112.0	10-11-65	98.9	13.1	5108
		3-11-66	63.0	0.3	5108			3-07-66	95.2	16.8	5108
		3-29-66	63.1	0.2	5050	9N/06E-07N01M	69.0	10-05-65	76.0	-7.0	4400
		4-25-66	63.5	-0.2	5050			3-05-66	67.0	2.0	4400
		5-31-66	66.3	-3.0	5050	9N/06E-08R01M	106.0	7-23-65	87.1	18.9	5050
		6-22-66	67.6	-4.3	5050			8-24-65	87.3	18.7	5050
		7-27-66	70.3	-7.0	5050			9-28-65	87.3	18.7	5050
		8-31-66	70.6	-7.3	5050			10-28-65	86.7	19.3	5050
		9-28-66	71.2	-7.9	5050			10-29-65	(0)		5050
9N/05E-26D01M	52.0	10-05-65	75.0	-23.0	4400	9N/06E-09P01M	135.5	10-08-65	113.1	22.4	5108
		3-05-66	66.0	-14.0	4400			3-15-66	107.7	27.8	5108
9N/05E-26E01M	42.0	10-05-65	60.0	-18.0	4400	9N/06E-12Q01M	205.5	10-08-65	24.5	181.0	5108
		3-05-66	55.0	-13.0	4400			3-15-66	25.2	180.3	5108
9N/05E-26G02M	58.0	10-05-65	76.0	-18.0	4400	9N/06E-17G01M	120.0	10-08-65	109.6	10.4	5108
		3-05-66	71.0	-13.0	4400			3-15-66	102.6	17.5	5108
9N/05E-26R01M	40.0	10-05-65	56.0	-16.0	4400	9N/06E-19E01M	78.0	10-05-65	90.0	-12.0	4400
		3-05-66	50.0	-10.0	4400			3-05-66	85.0	-7.0	4400
9N/05E-27R01M	44.0	10-08-65	51.7	-7.7	5050	9N/06E-19K01M	86.0	10-05-65	94.0	-8.0	4400
		3-15-66	48.7	-4.7	5050			3-05-66	84.0	2.0	4400
9N/05E-28B01M	40.0	10-08-65	50.6	-10.6	5108	9N/06E-19R01M	81.0	10-05-65	79.0	2.0	4400
		3-11-66	47.4	-7.4	5108			3-05-66	71.0	10.0	4400
9N/05E-28H01M	39.0	10-11-65	47.0	-8.0	5050	9N/06E-20D01M	78.0	10-05-65	82.0	-4.0	4400
		3-08-66	43.5	-4.5	5050			3-05-66	(6)		5108
9N/05E-28N01M	40.0	10-11-65	(1)		5050	9N/06E-20N01M	96.6	10-08-65			
		3-08-66	37.0	3.0	5050						
9N/05E-29I02M	30.0	10-08-65	35.7	-5.7	5108						
		3-11-66	28.2	-1.8	5108						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08					
9M/06E-20W02M	92.0	10-05-65 3-05-66	85.0 77.0	7.0 15.0	4400 4400
9M/06E-24K02M	113.0	10-07-65 3-11-66	53.7 50.6	59.3 62.4	5108 5108
9M/06E-26C01M	96.3	10-07-65 3-11-66	47.4 45.2	48.9 51.1	5108 5108
9M/06E-27D01M	71.0	10-08-65 3-11-66	33.9 32.9	37.1 38.1	5108 5108
9M/06E-28K01M	113.1	10-08-65 3-11-66	74.4 74.4	38.7 38.7	5108 5108
9M/06E-30C01M	75.0	10-05-65 3-05-66	79.0 74.0	-4.0 1.0	4400 4400
9M/06E-30N01M	66.0	10-05-65 3-05-66	76.0 69.0	-10.0 -3.0	4400 4400
9M/06E-30Q01M	82.0	10-05-65 3-05-66	94.0 86.0	-12.0 -4.0	4400 4400
9M/06E-31J01M	71.2	10-05-65 3-05-66	75.0 66.0	-3.8 5.2	4400 4400
9M/06E-32D02M	90.0	10-05-65 3-05-66	90.0 86.0	0.0 4.0	4400 4400
9M/06E-32I01M	52.6	10-08-65 3-11-66	43.6 38.5	9.0 14.1	5108 5108
9M/06E-33F01M	60.0	10-05-65 3-05-66	50.0 45.0	10.0 15.0	4400 4400
9M/06E-33F01M	73.2	10-07-65 3-11-66	42.4 42.1	30.8 31.1	5108 5108
9M/06E-34F01M	96.3	10-07-65 3-11-66 3-18-66	(1) (1) 62.4	(1) (1) 33.9	5108 5108 5050
9M/06E-36J01M	115.4	10-07-65 3-11-66	65.4 61.2	50.0 54.2	5108 5108
SACRAMENTO COUNTY 5-21.08					
9M/07E-07F01M	204.2	10-08-65 3-15-66	148.8 147.1	55.4 57.1	5108 5108
9M/07E-09A01M	192.0	10-08-65 3-15-66	74.0 72.2	118.0 119.8	5108 5108
9M/07E-12I01M	290.0	10-07-65 3-11-66	46.7 46.7	243.3 243.3	5108 5108
9M/07E-16Q01M	144.5	10-07-65 3-11-66	32.7 (1)	111.8 (1)	5108 5108
9M/07E-27Q01M	224.1	10-07-65 3-11-66	41.0 38.5	183.1 185.6	5108 5108
9M/07E-31G01M	133.3	10-07-65 3-11-66 3-18-66	58.5 56.6	74.8 74.7	5108 5108 5050
10N/03E-35A01M	18.9	10-13-65 3-07-66	7.4 6.6	11.5 14.3	5108 5108
10N/04E-13P01M	25.0	10-13-65 3-07-66	26.9 21.1	-1.9 3.9	5108 5108
10N/04E-15F01M	14.0	10-13-65 3-07-66	2.8 2.5	11.2 10.5	5108 5108
10N/04E-18A01M	23.0	10-13-65 3-07-66	8.2 (8)	14.8 (8)	5108 5108
10N/04E-19F01M	21.0	10-13-65 3-07-66	6.1 5.6	14.9 15.4	5108 5108
10N/04E-21B02M	16.0	10-13-65 3-07-66	4.8 4.8	11.2 11.2	5108 5108
10N/04E-23A01M	15.0	10-13-65 3-08-66	7.8 8.1	7.2 6.9	5108 5108
10N/04E-24H01M	22.0	10-13-65 3-08-66	24.5 18.4	-2.5 3.6	5108 5108
10N/04E-31A01M	15.0	10-13-65 3-07-66	3.8 3.4	11.2 11.6	5108 5108

TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08					
10N/04E-32N01M	13.0	10-13-65 3-07-66 3-18-66	{9} (5) 2.5	10.5	5108 5108 5050
10N/04E-34A01M	25.0	7-23-65 8-24-65 9-24-65 10-13-65 10-26-65 11-23-65 12-1-65 12-23-65 1-25-66 1-31-66 2-24-66 3-08-66 3-29-66 4-26-66 5-26-66 6-22-66 7-26-66 8-30-66 9-28-66	8.9 17.1 7.9 10.0 11.2 12.1 12.7 13.1 11.5 13.0 12.8 11.9 10.1 14.9 15.3 16.1 16.1 8.6	16.1 17.2 15.0 13.8 12.9 12.3 13.5 13.5 12.0 12.2 11.9 11.9 14.9 15.3 16.1 16.4	5050 5050 5050 5108 5050 5050 5050 5050 5050 5108 5050 5050 5050 5050 5050 5050 5050 5050
SACRAMENTO COUNTY 5-21.08					
10N/05E-32N02M	51.0	10-13-65 3-08-66	53.9 50.6	-2.9 0.4	5108 5108
10N/05E-25H01M	100.0	10-05-65 3-05-66	95.0 93.0	5.0 7.0	4400 4400
10N/05E-26B01M	81.0	10-13-65 3-08-66	71.8 69.6	9.2 11.4	5108 5108
10N/05E-30I01M	36.0	10-14-65 3-08-66 3-21-66	36.1 (9) 31.5	-0.1 4.5	5108 5108 5050
10N/05E-32Q02M	39.0	8-10-65 3-17-66	38.1 36.5	0.9 2.5	5050 5050
10N/05E-34M01M	47.0	10-14-65 3-08-66	49.2 48.1	-2.2 -1.1	5108 5108
10N/05E-36B01M	90.0	10-05-65 3-05-66	94.0 85.0	-4.0 5.0	4400 4400
10N/05E-36J01M	105.0	3-05-66	97.0	8.0	4400
10N/05E-36K01M	92.0	10-05-65 3-05-66	99.0 92.0	-7.0 0.0	4400 4400
10N/05E-36Q02M	86.0	10-05-65 3-05-66	88.0 82.0	-2.0 4.0	4400 4400
10N/06E-19K01M	150.5	10-13-65 3-08-66	142.7 138.0	7.8 12.5	5108 5108
10N/06E-21F02M	158.5	10-13-65 3-08-66	133.6 130.4	24.9 28.1	5108 5108
10N/06E-22C01M	170.0	10-13-65 3-08-66	138.4 135.4	31.6 34.6	5108 5108
10N/06E-22N01M	140.0	10-11-65 3-08-66	87.3 85.0	52.7 55.0	5050 5050
10N/06E-24J01M	185.0	10-11-65 3-07-66	144.8 144.3	40.2 40.7	5108 5108

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SACRAMENTO COUNTY 5-21.08					
10N/066E-25N01M	155.0	10-11-65 3-07-66	112.5 109.8	42.5 45.2	5108 5108
10N/066E-27E02M	130.0	10-11-65 3-07-66 3-08-66	(2) (2) (0)	5108 5108 5050	5108 5108 5050
10N/066E-30E01M	115.0	3-05-66	90.0	25.0	4400
10N/066E-31E01M	111.0	10-05-65 3-05-66	110.0 101.0	1.0 10.0	4400 4400
10N/066E-33E01M	120.0	10-11-65 1-24-66 2-23-66 3-07-66 3-28-66 4-23-66 5-26-66 6-21-66 7-23-66 8-26-66 9-27-66	102.8 95.4 94.8 95.5 96.9 100.2 106.6 109.5 111.5 109.9 106.2	17.2 24.6 25.2 24.5 23.1 19.1 13.4 18.5 10.1 13.8	5108 5050 5050 5108 5050 5050 5050 5050 5050 5050 5050
10N/076E-20E01M	210.0	10-11-65 3-15-66	116.5 114.9	93.5 95.1	5108 5108
10N/076E-20E01M	211.0	10-22-65 3-15-66	33.2 32.3	177.8 178.7	5108 5108
10N/076E-21E01M	230.0	10-08-65 3-15-66	4.2 4.6	225.1 225.4	5108 5108
10N/076E-28E01M	210.2	10-08-65 3-15-66	102.3 101.9	107.9 108.3	5108 5108
10N/076E-29E01M	216.0	10-22-65 3-15-66	108.5 108.1	107.5 107.9	5108 5108
10N/076E-32E01M	215.0	10-08-65 3-15-66	152.2 151.1	62.8 63.9	5108 5108
YOLO COUNTY 5-21.09					
6N/036E-12E01M	2.5	10-12-65 3-11-66	5.6 4.0	-3.1 -1.5	5104 5104
6N/036E-15E01M	4.0	10-12-65 3-11-66	3.1 3.2	0.9 0.8	5104 5104
6N/036E-23E01M	4.9	10-12-65 3-11-66	5.2 3.2	-0.3 -1.7	5104 5104
7N/036E-04E01M	19.0	10-12-65 3-10-66 (2)	30.8 22.9	-11.8 -3.9	5104 5104
7N/036E-08E01M	17.0	2-08-66 3-15-66	28.3 28.0	-12.3 -11.0	5050 5050
7N/036E-17E01M	16.0	2-16-66 3-15-66	25.0 24.4	-8.0 -8.4	5050 5050
7N/036E-19E01M	21.0	10-11-65 3-14-66	37.8 30.3	-16.8 -9.3	5001 5001
7N/036E-30E01M	17.0	10-11-65 3-14-66 (2)	15.8 17.5	1.2 -0.5	5001 5001
8N/016E-01E02M	65.0	10-07-65 3-07-66	56.6 41.4	8.4 23.6	5104 5104
8N/016E-02E01M	77.0	10-04-65 3-07-66	56.4 33.3	20.6 43.7	5001 5001
8N/016E-04E01M	97.0	10-04-65 3-07-66	37.1 34.8	59.9 62.2	5001 5001
8N/016E-04E02M	95.0	10-07-65 3-07-66	36.7 29.8	58.3 65.2	5104 5104
8N/016E-05E01M	115.0	10-04-65 3-07-66	57.6 41.4	57.4 73.6	5001 5001
8N/016E-05E01M	101.0	10-04-65 3-07-66	27.0 24.5	74.0 76.5	5001 5001
8N/016E-06E02M	108.0	10-07-65	(6)	(6)	5104



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09					
8N/O1E-07B02M	107.0	10-04-65 10-07-65 3-07-66	41.1 41.5 29.1	65.9 65.5 77.9	5001 5104 5001
8N/O1E-08W03M	100.0	10-06-65 3-07-66	38.6 30.6	61.4 69.4	5104 5104
8N/O1E-09E01M	97.0	10-06-65 3-07-66	(1) 36.9	60.1	5104
8N/O1E-09R01M	90.5	7-27-65 8-26-65 9-29-65 10-28-65 11-26-65 12-27-65 1-27-66 2-28-66 3-31-66 4-28-66 5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	61.7 26.3 53.0 46.4 40.5 38.6 37.6 36.5 39.2 43.6 56.3 56.0 64.2 64.6 47.4	28.8 26.3 37.5 44.1 50.0 51.9 52.9 54.0 51.3 46.9 34.2 34.5 26.3 25.9 43.1	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
8N/O1E-10W01M	91.3	10-06-65 3-07-66	59.1	32.2 55.2	5104 5104
8N/O1E-11F01M	78.0	10-07-65 3-07-66	(1) 40.3	37.7	5104 5104
8N/O1E-12D01M	70.0	10-07-65 3-07-66	54.7 37.0	15.3 33.0	5104 5104
8N/O1E-12R03M	64.0	10-04-65 3-07-66	59.3 49.2	4.7 14.8	5001 5001
8N/O1E-14F01M	79.0	10-06-65 3-07-66	53.2 38.6	25.8 40.4	5104 5104
8N/O1E-15B01M	85.0	7-12-65 8-16-65 9-20-65 10-06-65	31.0 30.6 31.2 32.7	54.0 54.4 53.8 52.3	5000 5000 5000 5104
YOLO COUNTY 5-21.09					
8N/O1E-15B01M CONT.	85.0	10-28-65 11-26-65 12-27-65 1-27-66 2-28-66 3-07-66 3-31-66 4-28-66 5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	33.0 33.2 33.0 32.8 32.5 32.6 32.2 32.0 32.3 32.1 32.9 32.5 31.8	52.0 51.8 52.0 52.2 52.5 52.6 52.8 53.0 52.7 52.9 52.5 52.5 53.2	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
8N/O1E-16B01M	93.5	10-06-65 3-08-66	57.4 36.3	36.1 57.2	5001 5001
8N/O1E-16D01M	94.0	10-06-65 3-07-66	53.2 34.5	40.8 59.5	5104 5104
8N/O1E-17D01M	102.0	10-06-65 3-07-66	42.4 30.0	59.6 72.0	5104 5104
8N/O1E-17F01M	101.1	10-03-65 3-08-66	39.8 33.9	61.3 67.2	5001 5001
8N/O1E-18J02M	104.0	10-06-65 3-07-66	42.9 35.5	61.1 68.5	5104 5104
8N/O2E-01K01M	34.0	10-04-65 3-07-66	50.4 32.4	-16.4 1.6	5001 5001
8N/O2E-02M01M	41.0	10-04-65 3-07-66	59.1 38.1	-18.1 2.9	5001 5001
8N/O2E-04E01M	52.0	10-04-65 3-07-66	53.7 42.3	-1.7 9.7	5001 5001
8N/O2E-08R03M	55.0	10-04-65 3-07-66	65.6 47.0	-10.6 8.0	5001 5001
8N/O2E-09A01M	43.0	10-12-65 3-07-66	56.8 40.1	-13.8 2.9	5104 5104
8N/O2E-13B05M	37.0	10-08-65 3-11-66	63.4 (0)	-26.4	5001 5001

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21-09											
8N/02E-13B06M	36.5	10-08-65 3-11-66	50.8 35.6	-14.3 0.9	5001 5001	8N/03E-19D01M	37.0	10-08-65 10-12-65 3-10-66 3-11-66	59.7 46.8 33.3 33.4	-22.7 -9.8 3.7 3.6	5001 5104 5104 5001
8N/02E-15W02M	52.7	10-08-65 3-08-66	(1) 54.8	-2.1	5001	8N/03E-20H01M	22.0	2-03-66 3-15-66	19.0 18.7	3.0 3.3	5050 5050
8N/02E-16W01M	58.0	10-08-65 3-08-66	66.3 50.1	-8.3 7.9	5001 5001	8N/03E-28H01M	20.0	10-12-65 3-10-66	20.0 15.0	0.0 5.0	5104 5104
8N/02E-16N01M	60.0	10-06-65 3-07-66	78.5 54.8	-18.5 5.2	5104 5104	8N/03E-31H01M	32.0	10-08-65 10-12-65 3-10-66 3-11-66	66.5 68.1 46.2 45.6	-34.5 -36.1 -14.2 -13.6	5001 5104 5104 5001
8N/02E-17W01M	59.0	10-08-65 3-08-66	59.4 46.9	-0.4 12.1	5001 5001	8N/03E-32G01M	21.0	2-08-66 3-15-66	19.0 26.0	2.0 -5.0	5050 5050
8N/03E-19B01M	65.0	10-08-65 3-10-66	63.6 53.9	3.6 8.9	5104 5104	8N/03E-32L01M	25.0	2-16-66 3-15-66	31.0 29.6	-6.0 -4.6	5050 5050
8N/03E-05G01M	20.0	10-12-65 3-10-66	10.4 (1) (7)	1.4 -11.8 1.7	5001 5104 5104	8N/01W-02K01M	130.0	10-06-65 3-07-66	45.3 37.7	84.7 92.3	5104 5104
8N/03E-07B01M	25.0	10-12-65 3-10-66	36.8 23.3	-11.8 1.7	5104 5104	8N/01W-03D03M	163.0	10-04-65 3-07-66	68.5 69.7	94.5 103.3	5001 5001
8N/03E-07W01M	32.4	7-27-65 8-23-65 3-28-65 10-28-65 11-26-65 12-27-65 (7)	69.8 77.2 46.7 37.3 34.6 33.0 38.3	-37.4 -24.8 -14.3 -6.3 -2.2 3.4 4.1	5050 5050 5050 5050 5050 5050	8N/01W-09G01M	163.0	10-06-65 3-07-66	63.8 58.3	89.2 104.7	5104 5104
						8N/01W-10A02M	135.0	10-04-65 3-07-66	62.2 46.3	72.8 86.7	5001 5001
						8N/01W-10F01M	139.0	10-04-65 3-07-66	57.5 51.3	81.5 87.7	5001 5001
						8N/01W-11K02M	125.0	10-06-65 3-07-66	50.1 40.6	74.9 84.4	5104 5104
						8N/01W-12D01M	122.0	10-06-65 3-07-66	53.5 37.0	68.5 85.0	5104 5104
8N/03E-15D01M	14.0	2-16-66 3-15-66	11.3 11.0	2.7 3.0	5050 5050	8N/01W-13F01M	114.0	10-05-65 3-07-66	45.7 36.3	68.3 77.7	5001 5001



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09					
8N/01W-13603M	113.0	10-06-65 3-07-66	45.7 35.2	67.3 77.8	5104 5104
8N/01W-14001M	120.0	10-06-65 3-07-66	48.5 40.9	71.5 79.1	5104 5104
8N/01W-16R02M	128.0	10-04-65 10-06-65 3-07-66 3-07-66	56.7 59.2 48.8 47.1	71.3 68.8 79.2 80.9	5001 5104 5104 5001
8N/01W-20R02M	149.0	10-04-65 3-07-66	69.6 56.6	79.4 92.4	5001 5001
8N/01W-20R05M	147.0	10-06-65 3-07-66	71.8 57.3	75.2 89.7	5104 5104
8N/01W-21N01M	145.0	10-04-65 1-04-66	65.7 58.1	79.3 86.9	5001 5001
8N/01W-22G02M	126.5	10-05-65 3-07-66	50.0 41.6	76.5 84.9	5001 5001
8N/01W-22L01M	128.0	10-05-65 3-07-66	59.1 46.8	68.9 81.2	5001 5001
8N/01W-28B01M	139.0	10-05-65 3-07-66	58.6 48.7	80.4 90.3	5001 5001
8N/01W-28B02M	139.0	10-05-65 3-07-66	58.4 49.2	80.6 89.8	5001 5001
8N/01W-28N01M	142.0	10-06-65 3-07-66	50.7 44.2	91.3 97.8	5001 5001
8N/01W-29W01M	155.0	10-06-65 3-07-66	63.2 54.9	91.8 100.1	5001 5001
8N/01W-31H01M	153.0	10-06-65 3-08-66	35.9 36.0	117.1 117.0	5001 5001
8N/01W-31J03M	144.7	10-06-65 3-08-66	26.2 25.9	118.5 118.8	5001 5001
8N/01W-31K01M	157.0	10-06-65 3-08-66	37.4 36.6	119.6 120.4	5001 5001
YOLO COUNTY 5-21.09					
8N/01W-32C01M	147.0	3-07-66	42.0	105.0	5001
9N/01E-01L01M	74.0	10-12-65 3-09-66	57.0 43.5	17.0 30.5	5104 5104
9N/01E-01R01M	71.0	10-12-65 3-09-66	55.8 47.0	15.2 24.0	5104 5104
9N/01E-02A01M	84.0	10-12-65 3-09-66	(1) 53.2	30.8	5104 5104
9N/01E-02N01M	87.0	10-12-65 3-09-66	56.5 (7)	30.5	5104 5104
9N/01E-03A02M	91.0	10-12-65 3-09-66	68.4 58.5	22.6 32.5	5104 5104
9N/01E-03C03M	96.0	10-12-65 3-09-66	59.1 49.6	36.9 46.4	5104 5104
9N/01E-05E01M	116.0	10-12-65 3-10-66	12.7 (7)	103.3	5050 5104
9N/01E-06D01M	125.0	10-11-65 3-10-66	(1) (4)	5104 5104	5104 5104
9N/01E-07D01M	121.0	10-11-65 3-10-66	22.9 14.7	98.1 106.3	5104 5104
9N/01E-08D01M	116.0	10-11-65 3-10-66	9.5 5.2	106.5 110.8	5104 5104
9N/01E-12A01M	70.0	10-12-65 3-09-66	64.5 (1)	5.5	5104 5104
9N/01E-12M01M	81.0	10-12-65 3-09-66	48.4 (1)	32.6	5104 5104
9N/01E-12Q01M	71.0	10-12-65 3-09-66	48.7 (1)	22.3	5104 5104
9N/01E-13C01M	75.0	10-12-65 3-09-66	43.4 (6)	31.6	5104 5104
9N/01E-16A01M	92.0	3-03-66	16.7	75.3	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09									
9N/O1E-17D01M	109.0	10-11-65 3-10-66	18.4 15.0	5104 5104	9N/O2E-11D01M	34.0	10-12-65 3-07-66	16.9 12.2	5104 5104
9N/O1E-20E01M	112.0	10-07-65 3-09-66	20.4 19.0	5104 5104	9N/O2E-12J01M	25.0	10-07-65 3-07-66	4.5 5.6	5104 5104
9N/O1E-22A02M	78.0	10-11-65 3-09-66	17.2 23.3	5104 5104	9N/O2E-16E01M	53.0	10-06-65 3-15-66	(1) 30.0	5104 5104
9N/O1E-22B01M	86.0	10-11-65 3-09-66	18.8 25.7	5104 5104	9N/O2E-16N01M	52.0	7-27-65 8-28-65 9-28-65 10-28-65 11-28-65 12-27-65	60.1 60.9 54.1 44.9 24.8 32.7	5050 5050 5050 5050 5050 5050
9N/O1E-24D01M	67.0	10-11-65 3-09-66	27.7 29.1	5104 5104	9N/O2E-16N01M	52.0	1-27-66 2-28-66 3-31-66 4-28-66 5-31-66 7-23-66 8-28-66 9-29-66	30.8 29.3 32.2 29.3 49.8 49.8 28.7 49.7 51.1	5050 5050 5050 5050 5050 5050 5050 5050
9N/O1E-26N01M	77.0	10-07-65 3-09-66	23.7 18.7	5104 5104	9N/O2E-17M01M	65.0	10-11-65 3-09-66	48.0 43.1	5104 5104
9N/O1E-27Q01M	87.0	10-07-65 3-09-66	29.3 24.0	5104 5104	9N/O2E-20M01M	61.0	10-11-65 3-09-66	45.8 39.1	5104 5104
9N/O1E-28N01M	102.0	10-07-65 3-09-66	15.5 18.8	5104 5104	9N/O2E-21I01M	51.0	10-06-65 3-11-66	58.2 33.6	5104 5104
9N/O1E-31D01M	116.0	3-07-66	18.7	5050	9N/O2E-23D01M	43.0	10-07-65 3-07-66	(4) 23.8	5104 5104
9N/O1E-31K02M	111.0	10-04-65 3-07-66	39.1 29.2	5001 5001	9N/O2E-29Q03M	50.0	10-07-65 3-09-66	54.6 33.6	5104 5104
9N/O2E-05C01M	68.0	10-12-65 3-15-66	42.3 43.7	5104 5104	9N/O2E-31D01M	65.0	10-07-65 3-09-66	53.2 45.7	5104 5104
9N/O2E-07A01M	72.0	10-12-65 3-09-66	57.4 46.4	5104 5104	9N/O2E-33H01M	47.0	10-07-65 3-07-66	60.9 34.9	5104 5104
9N/O2E-07K01M	70.0	10-12-65 3-09-66	57.1 51.8	5104 5104					
9N/O2E-07L01M	66.0	10-12-65 3-09-66	50.5 47.2	5104 5104					
9N/O2E-09B01M	53.0	10-06-65 3-07-66	42.4 35.7	5104 5104					
9N/O2E-10D01M	46.0	10-06-65 3-07-66	28.1 26.2	5104 5104					

TABLE G-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09											
9N/O2E-35E01M	34.0	10-07-65 3-07-66	46.8 25.5	-12.8 8.5	5104 5104	9N/O1W-09K01M	168.0	10-11-65 3-11-66	17.3 15.6	150.7 152.4	5104 5104
9N/O3E-07D01M	25.0	10-07-65 3-08-66	16.9 11.8	8.1 13.2	5104 5104	9N/O1W-09P01M	182.0	10-11-65 3-11-66	22.6 23.2	159.4 158.8	5104 5104
9N/O3E-11N09M	13.0	10-12-65 3-12-66	8.1 5.5	4.9 7.5	5104 5104	9N/O1W-11K01M	138.0	10-11-65 3-10-66	15.0 17.1	123.0 120.9	5104 5104
9N/O3E-30G01M	22.0	10-07-65 3-07-66	10.9 10.5	11.1 11.5	5104 5104	9N/O1W-15D01M	164.0	10-11-65 3-10-66	22.5 19.5	141.5 144.5	5104 5104
9N/O4E-32G01M	12.0	7-27-65 8-26-65 9-28-65 10-28-65 11-26-65 12-27-65	10.7 8.9 8.9 10.7 8.9 8.5	1.3 3.1 3.1 3.1 3.5 4.2	5050 5050 5050 5050 5050 5050	9N/O1W-24G01M	125.0	10-07-65 3-09-66	12.6 12.0	112.4 113.0	5104 5104
		2-28-66 3-31-66 4-28-66 5-31-66 6-23-66	6.8 5.9 8.3 9.1 11.0	5.2 6.1 3.7 2.9 1.0	5050 5050 5050 5050 5050	9N/O1W-27B01M	149.0	10-07-65 3-09-66	21.0 20.1	128.0 128.9	5104 5104
		7-26-66 8-29-66 9-29-66	10.1 13.4 10.6	1.9 -1.4 1.4	5050 5050 5050	9N/O1W-29J01M	182.0	2-03-66 3-15-66	40.5 36.9	141.5 145.1	5050 5050
9N/O1W-02Q02M	136.0	10-11-65 3-10-66	26.8 19.0	109.2 117.0	5104 5104	9N/O1W-33J01M	169.0	10-07-65 3-09-66	47.7 46.6	121.3 122.4	5104 5104
9N/O1W-03B01M	148.0	10-11-65 3-10-66	19.0 15.1	129.0 132.9	5104 5104	9N/O1W-35M01M	143.0	7-27-65 8-26-65 9-28-65 10-07-65 11-26-65 12-27-65	(1) 55.4 51.3 52.8 48.7 45.5	87.6 91.7 90.2 98.3 94.3 97.5	5050 5050 5104 5050 5050 5050
9N/O1W-03N01M	163.0	10-11-65 3-10-66	29.9 26.6	133.1 136.4	5104 5104			1-27-66 2-28-66 3-31-66 4-28-66	43.7 43.6 43.1 44.2	99.3 99.4 99.9 98.8	5050 5050 5104 5050
9N/O1W-05B01M	185.0	10-11-65 3-11-66	15.7 16.0	169.3 169.0	5104 5104			5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	59.0 (8) (1) (1) 52.8	84.0 66.3 66.3 90.2	5050 5050 5050 5050
9N/O1W-07R01M	210.0	10-11-65 3-11-66	29.0 33.2	181.0 176.8	5104 5104	9N/O1W-36G03M	119.5	10-07-65 3-09-66	34.1 25.5	85.4 94.0	5104 5104
9N/O1W-08Q01M	190.0	10-11-65 3-11-66	18.9 24.2	171.1 165.8	5104 5104						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09					
9M/02W-01A01M	218.0	10-11-65 3-11-66	27.4 29.8	190.6 188.2	5104 5104
10N/01E-01N01M	73.0	10-13-65 3-08-66	60.9 43.1	12.1 29.9	5104 5104
10N/01E-02Q02M	72.5	10-13-65 3-08-66	63.5 43.7	9.0 28.8	5104 5104
10N/01E-03E01M	79.0	10-13-65 3-08-66	90.7 (9)	-11.7	5104
10N/01E-07D01M	205.0	10-11-65 3-11-66	58.0 45.5	147.0 159.5	5104 5104
10N/01E-10G01M	84.0	10-13-65 3-08-66	70.2 54.9	13.8 29.1	5104 5104
10N/01E-13I01M	82.0	10-13-65 3-08-66	72.4 48.4	9.6 33.6	5104 5104
10N/01E-14K01M	91.0	10-13-65 3-08-66	76.0 51.8	15.0 39.2	5104 5104
10N/01E-15D01M	93.0	10-13-65 3-08-66	64.9 56.4	28.1 36.6	5104 5104
10N/01E-15F01M	87.0	10-13-65 3-08-66	72.0 49.5	15.0 37.5	5104 5104
10N/01E-15R01M	94.0	10-13-65 3-08-66	(7) (4)	(7) (4)	5104 5104
10N/01E-18C01M	185.0	10-11-65 3-11-66	56.9 54.7	128.1 130.3	5104 5104
10N/01E-19K01M	120.0	10-11-65 3-11-66	7.7 7.6	112.3 112.4	5104 5104
10N/01E-22F01M	100.0	10-13-65 3-08-66	47.0 (3)	53.0	5104
10N/01E-23G01M	92.0	10-13-65 3-08-66	68.7 45.4	23.3 46.8	5104 5104
YOLO COUNTY 5-21.09					
10N/01E-23Q02M	87.0	10-15-65 12-09-65 3-08-66	(8) 63.6 53.0	23.4 34.0	5104 5050 5104
10N/01E-24E01M	83.0	3-08-66	50.5	32.5	5104
10N/01E-26F03M	97.0	10-13-65 3-08-66	80.0 59.5	17.0 37.5	5104 5104
10N/01E-27F01M	100.0	10-13-65 3-08-66	87.3 50.8	12.7 49.2	5104 5104
10N/01E-28K01M	109.0	10-11-65 3-15-66	42.8 30.2	66.2 78.8	5104 5104
10N/01E-29K01M	110.0	10-11-65 3-15-66	19.8 14.7	90.2 95.3	5104 5104
10N/01E-30I01M	125.0	10-11-65 3-10-66	18.2 13.6	106.8 111.4	5104 5104
10N/01E-31E01M	128.0	10-11-65 3-10-66	24.1 16.1	103.9 111.9	5104 5104
10N/01E-32E01M	124.0	10-11-65 3-10-66	19.2 16.4	104.8 107.6	5104 5104
10N/01E-33A01M	120.0	10-11-65 3-09-66	(7) (7)	(7) (7)	5104 5104
10N/01E-33P01M	130.0	10-11-65 3-09-66	68.3 59.9	61.7 71.1	5104 5104
10N/01E-34A03M	100.0	10-11-65 3-09-66	84.9 62.6	15.1 37.4	5104 5104
10N/01E-34C01M	113.2	7-27-65 8-26-65 9-28-65 10-28-65 11-26-65 12-27-65 1-27-66 2-28-66	78.3 80.8 77.7 79.8 76.4 73.4 70.5 67.2	34.9 32.4 33.5 35.4 36.8 39.8 42.7 46.0	5050 5050 5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09											
YOLO COUNTY 5-21.09											
10N/01E-34C01M CONT.	113.2	3-31-66	66.2	47.0	5050	10N/02E-09F01M	60.0	10-06-65 3-08-66	(9) (9)	19.3 21.0	5104 5104
		4-26-66	67.6	45.6	5050						
		5-31-66	73.3	39.9	5050					8.3	5104
		6-24-66	78.1	35.1	5050					21.0	5104
		7-27-66	80.9	32.3	5050						
		8-29-66	82.2	31.0	5050						
		9-29-66	81.5	31.7	5050						
10N/01E-36G02M	85.0	10-12-65	68.9	16.1	5104	10N/02E-12R01M	35.0	10-06-65 3-08-66	38.5 15.7	-3.5 19.3	5104 5104
		3-09-66	56.2	28.8	5104						
10N/02E-01P02M	30.0	10-06-65	27.0	3.0	5104	10N/02E-14F01M	36.0	10-06-65 3-08-66	14.4 13.7	21.6 22.3	5104 5104
		3-08-66	11.8	18.2	5104						
10N/02E-03R01M	36.0	10-06-65	30.8	5.2	5104	10N/02E-14G01M	32.0	7-27-65 8-25-65	47.5 33.4	-15.5 -1.4	5050 5050
		3-08-66	(2)		5104						
10N/02E-04R01M	44.0	10-06-65	31.3	12.7	5104						
		3-08-66	22.0	22.0	5104						
10N/02E-05M02M	64.5	10-09-65	53.2	11.3	5104						
		3-08-66	41.3	23.2	5104						
10N/02E-06B01M	65.0	10-09-65	65.0	0.0	5104						
		3-08-66	44.5	20.5	5104						
10N/02E-06W01M	72.0	10-09-65	60.5	11.5	5104						
		3-08-66	50.7	21.3	5104						
10N/02E-07B01M	74.0	10-09-65	(3)		5104	10N/02E-15N01M	45.0	10-06-65 3-08-66	43.8 25.9	1.2 19.1	5104 5104
		3-08-66	41.1	25.9	5104						
10N/02E-08D02M	67.0	10-09-65	59.1	7.9	5104	10N/02E-18N01M	74.0	10-09-65 3-09-66	61.2 49.7	12.8 24.3	5104 5104
		3-08-66	41.1	25.9	5104						
10N/02E-08F01M	67.0	10-09-65	55.1	11.9	5104	10N/02E-20E01M	62.0	10-09-65 3-09-66	42.1 35.5	19.9 26.5	5104 5104
		3-08-66	40.8	26.2	5104						
10N/02E-08G01M	63.0	10-06-65	55.8	7.2	5104	10N/02E-20N01M	65.0	10-09-65 3-09-66	51.0 37.0	14.0 28.0	5104 5104
		3-08-66	38.2	24.8	5104						
10N/02E-09M02M	53.6	10-06-65	(7)		5104	10N/02E-21M02M	52.0	10-06-65 3-08-66	32.4 31.3	19.6 20.7	5104 5104
		3-08-66	32.0	21.6	5104						
10N/02E-09N01M	63.0	10-06-65	58.7	4.3	5104	10N/02E-24R01M	29.0	10-06-65 3-08-66	25.3 10.8	3.7 18.2	5104 5104
		3-08-66	43.0	20.0	5104						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21-09					
10N/02E-26Q01M	32.0	10-13-65 3-15-66	31.2 14.0	0.8 18.0	5104 5104
10N/02E-30E01M	74.0	10-09-65 3-09-66	48.8 45.4	25.2 28.6	5104 5104
10N/02E-31M01M	77.0	10-12-65 3-09-66	(4) (4)		5104 5104
10N/02E-33F01M	52.0	10-06-65 3-07-66	44.7 29.7	7.3 22.3	5104 5104
10N/02E-34M01M	54.0	10-06-65 3-07-66	49.7 30.9	4.3 23.1	5104 5104
10N/03E-14C01M	25.0	2-02-66 3-15-66	10.3 10.6	14.7 14.4	5050 5050
10N/03E-30A01M	24.0	10-08-65 3-15-66	20.0 8.4	4.0 15.6	5050 5050
10N/03E-32E01M	21.0	10-08-65 3-15-66	17.3 6.2	3.7 14.8	5050 5050
10N/03E-33B01M	22.0	3-24-66	7.8	14.2	5050
10N/01W-04B01M	178.0	10-08-65 3-11-66	47.9 35.6	130.1 142.4	5104 5104
10N/01W-05E01M	185.0	10-08-65 3-11-66	57.7 49.3	127.3 135.7	5104 5104
10N/01W-06A01M	189.0	10-08-65 3-11-66	66.5 52.3	122.5 136.7	5104 5104
10N/01W-06D01M	205.0	10-08-65 3-15-66	73.3 60.6	131.7 144.4	5050 5050
10N/01W-08B01M	176.0	10-08-65 3-11-66	48.7 39.1	127.3 136.9	5104 5104
10N/01W-09F01M	167.0	7-15-65	(0)		5050
10N/01W-09F02M	171.0	7-15-65 10-08-65 3-11-66	39.1 42.1 29.8	131.9 128.9 141.2	5050 5104 5104
YOLO COUNTY 5-21-09					
10N/01W-14B01M	153.0	10-11-65 3-11-66	20.7 21.5	132.3 131.5	5104 5104
10N/01W-15A01M	155.0	10-11-65 3-11-66	27.9 20.0	127.1 135.0	5104 5104
10N/01W-15B01M	153.0	10-11-65 3-11-66	27.8 21.3	125.2 131.7	5104 5104
10N/01W-15P01M	160.0	10-11-65 3-11-66	36.2 24.9	123.8 135.1	5104 5104
10N/01W-16J01M	164.5	10-08-65 3-11-66	36.4 27.0	128.1 137.5	5104 5104
10N/01W-17N01M	180.0	10-08-65 3-11-66	49.1 25.4	130.9 154.6	5104 5104
10N/01W-18E01M	188.0	10-08-65 3-11-66	29.1 (8)	158.9	5104 5104
10N/01W-19Q04M	188.0	10-11-65 3-15-66	42.4 36.3	145.6 151.7	5104 5104
10N/01W-20R01M	163.0	10-08-65 3-11-66	40.4 19.9	122.6 143.1	5104 5104
10N/01W-21G01M	163.0	10-11-65 3-11-66	38.8 25.9	124.2 137.1	5104 5104
10N/01W-21J01M	160.0	10-11-65 3-11-66	41.1 22.9	118.9 137.1	5104 5104
10N/01W-23P01M	141.0	10-11-65 3-10-66	25.5 17.2	115.5 123.8	5104 5104
10N/01W-24I02M	137.0	10-11-65 3-11-66	19.1 13.3	117.9 123.7	5104 5104
10N/01W-26D03M	147.0	10-11-65 3-10-66	29.2 18.8	117.8 128.2	5104 5104
10N/01W-27F01M	147.0	10-11-65 3-11-66	31.5 15.1	115.5 131.9	5104 5104



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09					
10N/O1W-15F01M	160.0	10-11-65 3-11-66	36.2 24.9	123.8 135.1	5104 5104
10N/O1W-16J01M	164.5	10-08-65 3-11-66	36.4 27.0	128.1 137.5	5104 5104
10N/O1W-17N01M	180.0	10-08-65 3-11-66	49.1 25.4	130.9 154.6	5104 5104
10N/O1W-18B01M	188.0	10-08-65 3-11-66	(8) 29.1	158.9	5104 5104
10N/O1W-19Q04M	188.0	10-11-65 3-15-66	42.4 36.3	145.6 151.7	5104 5104
10N/O1W-20F01M	163.0	10-08-65 3-11-66	40.4 19.9	122.6 143.1	5104 5104
10N/O1W-21G01M	163.0	10-11-65 3-11-66	38.8 25.9	124.2 137.1	5104 5104
10N/O1W-21J01M	160.0	10-11-65 3-11-66	41.1 22.9	118.9 137.1	5104 5104
10N/O1W-23F01M	141.0	10-11-65 3-10-66	25.5 17.2	115.5 123.8	5104 5104
10N/O1W-24J02M	137.0	10-11-65 3-11-66	19.1 13.3	117.9 123.7	5104 5104
10N/O1W-26D03M	147.0	10-11-65 3-10-66	29.2 18.8	117.8 128.2	5104 5104
10N/O1W-27F01M	147.0	10-11-65 3-11-66	31.5 15.1	115.5 131.9	5104 5104
10N/O1W-25N01M	150.0	7-27-65 8-25-65 9-28-65 10-28-65 11-26-65 12-27-65 1-27-66 2-28-66 3-31-66	30.9 32.3 28.2 26.4 24.6 23.5 18.0 15.7 15.5	119.1 117.7 121.8 123.6 125.4 126.5 132.0 134.3 134.5	5050 5050 5050 5050 5050 5050 5050 5050 5050
YOLO COUNTY 5-21.09					
10N/O1W-25N01M COUNTY	150.0	4-28-66 5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	24.0 22.0 23.4 34.8 38.7 32.0	126.0 128.0 126.6 115.2 111.3 118.0	5050 5050 5050 5050 5050 5050
10N/O1W-27F01M	146.0	10-11-65 3-10-66	18.0 14.7	128.0 131.3	5104 5104
10N/O1W-29M01M	173.0	10-11-65 3-15-66	13.0 7.8	160.0 165.2	5104 5104
10N/O1W-30K01M	181.0	10-11-65 3-15-66	20.4 13.0	160.6 168.0	5104 5104
10N/O1W-32B01M	180.0	10-11-65 3-15-66	18.0 15.7	162.0 164.3	5104 5104
10N/O1W-32F01M	188.0	10-11-65 3-11-66	20.1 19.2	167.9 168.8	5104 5104
10N/O1W-33F01M	165.0	10-11-65 3-11-66	27.1 21.3	137.9 143.7	5104 5104
10N/O1W-36B02M	131.0	10-11-65 3-10-66	21.7 14.6	109.3 116.4	5104 5104
10N/O2W-12D01M	210.0	10-08-65 3-15-66	63.1	146.9	5104
10N/O2W-14A01M	200.0	10-08-65 3-15-66	78.7 58.8	121.3 141.2	5104 5104
10N/O2W-15R01M	213.0	10-08-65 3-15-66	19.3 18.5	193.7 194.5	5104 5104
10N/O2W-16R01M	229.0	10-08-65 3-15-66	14.3 13.5	214.7 215.5	5104 5104
10N/O2W-17J01M	254.0	10-08-65 3-15-66	11.4 9.2	242.6 244.8	5104 5104
10N/O2W-21G01M	239.0	10-08-65 3-15-66	17.1 17.2	221.9 221.8	5104 5104



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09											
10N/02W-25C01M	224.0	10-11-65 3-11-66	(7) (7)	181.0	5104	11N/01E-12Q01M	35.5	10-04-65 3-15-66	(1) 21.0	14.5	5001
10N/02W-25D01M	232.0	10-12-65 3-07-66	46.3 42.2	185.7 189.8	5050	11N/01E-14F01M	39.0	10-04-65 3-15-66	47.2 23.2	8.2 15.8	5001
10N/02W-28J01M	365.0	10-11-65 3-11-66	95.8 85.3	269.2 279.7	5104	11N/01E-15C01M	42.0	10-04-65 3-16-66	45.5 22.2	3.5 19.8	5001
10N/02W-35A01M	250.0	10-11-65 3-11-66	51.2 48.5	198.8 201.5	5104	11N/01E-16V01M	46.0	10-04-65 3-16-66	34.2 26.4	11.8 19.6	5001
10N/02W-36A01M	191.0	10-11-65 3-11-66	10.0 9.5	181.0 181.5	5104	11N/01E-17F01M	50.5	10-04-65 3-15-66	45.9 28.8	4.6 21.7	5001
11N/01E-03E01M	36.0	10-04-65 3-16-66	48.7 17.6	-12.7 18.4	5001	11N/01E-18B01M	52.5	10-05-65 3-15-66	45.3 36.5	7.2 16.0	5001
11N/01E-06P01M	40.0	10-04-65 3-16-66	46.0 22.7	-6.0 17.3	5001	11N/01E-19A02M	57.0	10-05-65 3-15-66	46.5 35.0	10.5 22.0	5001
11N/01E-06R01M	35.0	7-26-65 8-25-65 9-28-65 10-04-65 10-28-65 11-26-65 12-27-65 1-27-66 2-28-66 3-31-66 4-28-66	7.9 6.7 8.1 8.5 9.6 (4) (4) 12.7 12.6 13.2 (6)	27.1 28.3 26.9 26.5 25.4 5050 5050 22.3 22.4 21.8	5050 5050 5050 5001 5050 5050 5050 5050 5050 5050	11N/01E-21Q01M	55.0	7-26-65 8-25-65 9-28-65 10-05-65 10-28-65 11-26-65 12-27-65 1-27-66 2-28-66 3-31-66 4-28-66	29.3 29.7 30.3 30.0 30.1 30.2 30.3 30.2 30.7 30.6 31.7 31.7 33.2 33.4 33.7 33.8	25.7 25.3 24.7 20.7 25.0 24.9 5050 5050 5001 5050 5050 5050 5050 5050	
11N/01E-06R02M	35.0	3-16-66	20.8	14.2	5001	11N/01E-22B02M	45.5	10-04-65 3-16-66	27.5 21.3	18.0 24.2	5001
11N/01E-08B01M	41.0	10-04-65 3-16-66	(1) 20.1	20.9	5001	11N/01E-22D01M	45.0	10-04-65 3-16-66	30.7 27.2	14.3 17.8	5001
11N/01E-09F01M	46.0	10-04-65 3-16-66	47.2 29.7	11.2 16.3	5001						
11N/01E-09P01M	47.5	10-04-65 3-16-66	49.0 30.5	17.5 17.0	5001						
11N/01E-09R01M	39.0	10-04-65 3-16-66	28.9 21.1	10.1 17.9	5001						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09					
11N/01E-22P01M	58.5	10-05-65 3-16-66	41.8 38.6	16.7 19.9	5001 5001
11N/01E-23O01M	46.6	10-04-65 3-16-66	58.1 31.3	11.5 15.3	5001 5001
11N/01E-23P01M	56.0	10-05-65 3-16-66	65.6 39.2	-9.6 16.8	5001 5001
11N/01E-23Q02M	53.0	10-05-65 3-16-66	66.1 39.7	-13.1 13.3	5001 5001
11N/01E-24P03M	46.0	10-05-65 3-16-66	45.1 27.9	0.9 18.1	5001 5001
11N/01E-25E01M	48.0	10-05-65 3-16-66	34.1 31.9	13.9 16.1	5001 5001
11N/01E-25R01M	55.0	10-05-65 3-15-66	48.3 35.7	6.7 19.3	5001 5001
11N/01E-26N01M	66.0	10-05-65 3-16-66	51.8 47.3	14.2 18.7	5001 5001
11N/01E-26N02M	66.0	10-05-65 3-16-66	48.8 45.8	17.2 20.2	5001 5001
11N/01E-27A01M	65.0	10-05-65 3-16-66	68.7 47.0	3.7 18.0	5001 5001
11N/01E-27N01M	62.0	10-05-65 3-15-66	53.2 (6)	8.8	5001 5001
11N/01E-27N02M	63.0	3-15-66	45.0	18.0	5001
11N/01E-35J01M	58.0	10-05-65 3-16-66	58.2 36.7	-0.2 21.3	5001 5001
11N/02E-16Q02M	35.0	7-26-65 8-29-65 9-27-65 10-26-65	25.7 22.4 22.4 (6)	9.3 10.0 8.0	5050 5050 5050 5050
YOLO COUNTY 5-21.09					
11N/02E-18E01M	34.0	1-20-66 2-28-66 3-31-66 5-31-66 5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	19.0 18.5 18.4 19.0 21.2 20.6 23.3 23.0 26.0	15.0 15.2 15.6 15.0 12.8 13.4 10.7 9.0 8.0	5050 5050 5050 5050 5050 5050 5050 5001 5001
11N/02E-18F02M	40.0	10-04-65 3-15-66	33.1 33.3	6.9 16.7	5001 5001
11N/02E-23N01M	29.0	10-05-65 3-16-66	19.2 10.0	9.8 19.0	5001 5001
11N/02E-27E04M	37.0	10-05-65 3-16-66	(1) 20.7	16.3	5001 5001
11N/02E-29N01M	52.0	10-05-65 3-15-66	49.3 35.0	2.7 17.0	5001 5001
11N/02E-33N01M	43.0	10-05-65 3-15-66	24.9 24.5	18.1 18.5	5001 5001
11N/01W-01P01M	46.0	10-04-65 3-15-66	41.4 38.6	4.6 7.4	5001 5001
11N/01W-28P01M	222.0	10-08-65 3-15-66	23.3 21.8	198.7 200.2	5050 5050
11N/01W-30D01M	237.0	10-08-65 3-15-66	(1) 37.8	199.2	5050 5050
11N/01W-34P01M	195.0	10-08-65 3-15-66	(1) 18.3	176.7	5050 5050
11N/02W-23A01M	292.0	10-08-65 3-15-66	66.2 67.2	225.8 224.8	5050 5050
11N/02W-24A01M	250.0	10-08-65 3-15-66	27.4 27.7	222.6 222.3	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
YOLO COUNTY 5-21.09					
11N/02W-26A01M	275.0	10-08-65 3-15-66	76.5 71.3	198.5 203.7	5104 5104
11N/02W-26T01M	274.0	10-08-65 3-15-66	80.2 77.4	193.8 196.6	5104 5104
11N/02W-35B01M	305.0	7-15-65 10-08-65 3-15-66	121.0 128.9 112.5	184.0 176.1 192.5	5050 5104 5104
12N/01E-10H01M	25.6	10-05-65 3-16-66	DRY DRY		5001 5001
12N/01E-15O01M	20.7	10-05-65 3-16-66	17.3 8.0	3.4 12.7	5001 5001
12N/01E-25A01M	26.0	10-05-65 3-16-66	9.4 7.0	16.6 19.0	5001 5001
12N/01W-01L01M	35.3	10-04-65 3-15-66	15.3 16.8	20.0 18.5	5001 5001
12N/01W-05B01M	137.9	7-26-65 8-25-65 9-28-65 10-04-65 10-28-65 11-26-65 12-27-65	115.6 118.3 116.8 112.0 116.7 (8) (8)	22.3 19.6 21.1 25.9 21.2	5050 5050 5001 5050 5050 5050 5050
		1-27-66 2-28-66 3-15-66 4-28-66 5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	115.4 114.6 117.1 114.4 116.8 117.1 118.4 119.6 (1) 124.7	22.5 23.3 20.8 23.5 20.8 19.5 17.9 18.3 13.2	5050 5050 5001 5050 5050 5050 5050 5050 5050
12N/01W-05H01M	162.5	10-04-65 3-15-66	144.8 142.9	17.7 19.6	5001 5001
12N/01W-09B01M	110.2	10-04-65 3-15-66	97.5 82.6	12.7 27.6	5001 5001
YOLO COUNTY 5-21.09					
12N/01W-09R01M	79.2	10-04-65 3-15-66	63.1 62.2	16.1 17.0	5001 5001
12N/01W-14M01M	43.5	10-04-65 3-15-66	46.4 27.3	-2.9 16.2	5001 5001
12N/01W-22A01M	47.8	10-04-65 3-15-66	(3) (3)		5001 5001
12N/01W-22R01M	51.0	5-11-66 5-31-66 6-24-66 7-27-66 8-29-66 9-29-66	50.0 52.8 56.0 (1) 59.1 53.2	1.0 -1.8 -5.0 (1) -8.1 -2.2	5050 5050 5050 5050 5050 5050
12N/01W-24F01M	36.1	10-04-65 3-15-66	22.6 18.9	13.5 17.2	5001 5001
12N/01W-26L02M	52.0	10-04-65 3-15-66	70.5 37.8	-18.5 14.2	5001 5001
12N/01W-36K01M	40.0	10-04-65 3-15-66	53.5 31.5	-13.5 8.5	5001 5001
CAPAY VALLEY 5-21.10					
10N/02W-07A01M	280.0	10-08-65 3-15-66	18.0 15.6	262.0 264.5	5104 5104
10N/02W-18F01M	334.0	10-08-65 3-15-66	21.5 19.7	312.4 314.3	5104 5104
10N/03W-02R01M	335.0	10-08-65 3-15-66	42.0 34.2	293.0 300.8	5104 5104
10N/03W-13B01M	385.0	10-08-65 3-15-66	35.1 27.0	348.9 358.0	5104 5104
10N/03W-24B01M	430.0	10-08-65 3-15-66	19.7 22.4	410.3 407.6	5104 5104

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CAPAY VALLEY 5-21.10											
11N/03W-03101M	345.0	10-08-65 3-15-66	9.8 8.1	335.2 336.9	5104 5104	12N/04W-12R01M	446.0	10-08-65 3-15-66	23.2 23.3	422.8 422.7	5104 5104
11N/03W-04P01M *	409.0	10-08-65 3-15-66	83.5 43.3	325.5 365.7	5104 5104	SOLANO COUNTY 5-21.11					
11N/03W-09Q01M	415.0	10-08-65 3-15-66	26.6 9.3	388.4 405.7	5104 5104	4N/01E-02G01M	74.0	10-06-65	50.7	23.3	5109
11N/03W-15G01M *	339.0	10-08-65 3-15-66	23.2 19.4	306.8 310.6	5104 5104	4N/01E-12A01M	78.0	10-07-65 3-14-66	12.9 10.7	65.1 67.3	5050 5050
11N/03W-22B01M	327.0	10-08-65 3-15-66	22.8 21.9	304.2 305.1	5104 5104	4N/02E-09A01M	39.0	10-06-65	22.5	16.5	5109
11N/03W-23W01M *	317.0	10-08-65 3-15-66	20.9 20.8	296.1 296.2	5104 5104	5N/01E-02E01M	25.0	10-07-65	8.8	16.2	5109
11N/03W-26W03M *	308.0	10-08-65 3-15-66	35.3 22.3	272.7 285.7	5104 5104	5N/01E-03P01M	35.0	10-07-65 3-14-66	16.3 15.6	18.7 19.4	5050 5050
11N/03W-34C01M	370.0	10-08-65 3-15-66	41.1 39.9	328.9 330.1	5104 5104	5N/01E-06G01M	58.0	10-07-65 3-14-66	34.3 34.5	23.7 23.5	5050 5050
11N/03W-35J01M	292.0	10-08-65 3-15-66	19.7 13.0	272.3 279.0	5104 5104	5N/01E-11R01M	23.0	10-07-65 3-14-66	(1) 16.9	6.1	5050
11N/03W-36W01M	286.0	10-08-65 3-15-66	20.1 12.8	265.9 273.2	5104 5104	5N/01E-21E01M	36.0	10-07-65	11.8	24.2	5109
12N/03W-18G02M	435.0	10-08-65 3-15-66	34.9 34.3	400.1 400.7	5104 5104	5N/01E-22C01M	33.0	10-07-65	15.0	18.0	5109
12N/03W-20D01M	402.0	10-08-65 3-15-66	20.5 20.4	381.5 381.6	5104 5104	5N/01E-26M02M	19.0	10-06-65	5.2	13.8	5109
12N/03W-29K01M	400.0	10-08-65 3-15-66	15.5 11.5	384.5 388.5	5104 5104	5N/01E-36A01M	24.0	10-06-65	10.0	14.0	5109
12N/03W-32E01M	410.0	10-08-65 3-15-66	47.5 37.7	362.5 372.3	5104 5104	5N/01E-36A02M	23.0	7-29-65 8-26-65 9-28-65 10-28-65 11-18-65 12-16-65	10.0 10.4 10.3 10.6 10.7 10.7	13.0 12.6 12.7 12.4 12.3 12.3	5050 5050 5050 5050 5050 5050
12N/03W-33F01M	361.0	10-08-65 3-15-66	19.0 16.9	342.0 344.1	5104 5104			2-21-66 3-16-66 4-11-66 5-18-66	10.2 9.0 8.9 9.2	12.8 14.0 14.1 13.8	5050 5050 5050 5050



TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOLANO COUNTY 5-21.11											
6N/02E-08B01M	25.7	10-15-65	69.6	-43.9	5109	6N/01W-10R01M	100.0	10-08-65 3-15-66	44.3 37.5	55.7 62.5	5050 5050
6N/02E-14Q01M	12.0	7-29-65 8-26-65 9-28-65 10-28-65 11-18-65 12-16-65	20.3 12.9 9.7 18.5 10.8 9.6	-8.3 -0.9 2.3 -6.5 1.2 2.4	5050 5050 5050 5050 5050 5050	6N/01W-10R04M	100.0	10-08-65 3-15-66	41.4 37.1	58.6 62.9	5050 5050
		1-20-66 2-18-66 3-16-66 4-15-66 5-20-66 6-16-66 7-19-66 8-16-66 9-21-66	8.4 7.6 10.5 13.1 18.2 19.7 20.5 16.3 11.2	3.6 4.4 1.5 -1.1 -6.2 -7.7 -8.5 -4.3 0.8	5050 5050 5050 5050 5050 5050 5050 5050 5050	6N/01W-12Q01M	77.0	10-08-65 3-15-66	15.5 14.1	61.5 62.9	5050 5050
		10-08-65 3-15-66	48.1 40.3	-28.1 -20.3	5050 5050	6N/01W-13R01M	74.5	10-08-65 3-15-66	7.4 9.3	67.1 65.2	5050 5050
6N/02E-20H02M	20.0	10-08-65 3-15-66	48.1 40.3	-28.1 -20.3	5050 5050	6N/01W-15N01M	130.0	10-08-65 3-15-66	126.0 119.3	4.0 10.7	5050 5050
6N/02E-26D01M	8.0	10-07-65	8.3	-0.3	5109	6N/01W-15P01M	123.0	10-08-65 3-15-66	116.7 109.8	6.3 13.2	5050 5050
6N/02E-29N01M	19.0	10-06-65 6-16-66	28.1 28.5	-9.1 -9.5	5109 5050	6M/01W-20D01M	201.0	10-11-65	18.5	182.5	5109
6N/01W-01B01M	82.0	7-27-65 8-26-65 9-29-65 10-08-65 10-28-65 11-18-65 12-16-65	32.4 28.0 30.0 28.1 27.0 25.5 24.0	49.6 54.0 52.0 53.9 55.0 56.5 58.0	5050 5050 5109 5050 5050 5050 5050	6M/01W-21A01M	138.0	10-08-65	30.0	108.0	5109
		1-20-66 2-16-66 3-16-66 4-15-66 5-20-66 6-16-66 7-19-66 8-16-66 9-21-66	23.7 22.7 26.8 27.0 27.6 37.5 31.0 33.7	58.3 59.3 55.2 55.0 54.4 44.5 45.7 51.0 48.3	5050 5050 5050 5050 5050 5050 5050 5050 5050	6M/01W-21R01M	135.0	10-07-65	30.3	104.7	5109
		10-08-65 3-15-66	0.0	175.0	5109	6M/01W-23B01M	93.0	10-11-65	32.3	60.7	5109
6N/01W-09I02M	175.0	10-08-65	0.0	175.0	5109	6M/01W-23C01M	100.0	10-11-65	(1)		5109
						6M/01W-24N01M	88.0	10-08-65 3-15-66	42.0 44.1	46.0 43.9	5050 5050
						6M/01W-24N02M	90.0	10-08-65 3-15-66	80.4 80.6	9.6 9.4	5050 5050
						6M/01W-26F02M	88.0	10-07-65	57.2	30.8	5109
						6M/01W-29B01M	165.0	10-08-65 3-15-66	16.3 12.0	148.7 153.0	5950 5050
						7N/01E-01M02M	64.0	10-11-65 3-11-66	32.0 31.4	32.0 32.6	5001 5001
						7N/01E-03G01M	82.0	10-08-65 3-11-66	47.2 37.4	34.8 44.6	5001 5001



TABLE C-2 (Cont.)  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOLANO COUNTY 5-21.11					
7N/O1E-04F03M	89.0	10-12-65 3-11-66	25.1 27.2	63.9 61.8	5001 5001
7N/O1E-05F01M	91.7	10-12-65 3-10-66	31.2 28.1	60.5 63.6	5001 5001
7N/O1E-08F03M	86.0	10-12-65 3-14-66	21.9 19.0	64.1 67.0	5001 5001
7N/O1E-10F01M	78.5	10-12-65 3-11-66	23.7 27.4	54.8 51.1	5001 5001
7N/O1E-11M01M	75.0	10-11-65 3-11-66	32.9 35.6	42.1 39.4	5001 5001
7N/O1E-12N02M	64.0	7-27-65 8-26-65 9-28-65 10-12-65 10-28-65 11-18-65 12-16-65	37.0 35.8 35.5 34.7 34.9 34.7 34.4	27.0 28.2 28.5 29.3 29.3 29.1 29.0	5050 5050 5050 5001 5050 5050 5050
		1-20-66 2-18-66 3-14-66 3-16-66 4-15-66 5-20-66 6-16-66 7-19-66 8-16-66 9-21-66	35.0 29.0 35.2 35.2 36.4 36.2 36.4 36.4 36.9 37.0	29.6 29.0 28.8 27.6 27.8 28.0 27.1 27.1 27.0	5050 5050 5001 5050 5050 5050 5050 5050 5050 5050
7N/O1E-15F01M	70.0	10-12-65 3-14-66	35.2 28.3	34.8 41.7	5001 5001
7N/O1E-16A01M	79.0	10-12-65 3-11-66	23.9 25.0	55.1 54.0	5001 5001
7N/O1E-17F01M	77.0	10-12-65 3-14-66	12.9 13.3	64.1 63.7	5001 5001
7N/O1E-20D01M	85.0	10-12-65 3-14-66	18.0 16.0	67.0 69.0	5001 5001
SOLANO COUNTY 5-21.11					
7N/O1E-21A01M	74.0	10-12-65 3-14-66	25.5 22.6	48.5 51.4	5001 5001
7N/O1E-21A02M	74.0	10-12-65 3-14-66	17.1 17.8	55.9 56.2	5001 5001
7N/O1E-22D03M	71.0	10-12-65 3-14-66	(1) 29.5	41.5	5001 5001
7N/O1E-24N02M	55.0	10-12-65 3-15-66	50.6 (6)	4.4	5001 5001
7N/O1E-24N03M	55.0	3-15-66	43.2	11.8	5001
7N/O1E-26Q02M	55.0	10-12-65 3-14-66	52.4 33.1	2.6 21.9	5001 5001
7N/O1E-29F01M	74.0	10-12-65 3-14-66	(1) 15.1	58.9	5001 5001
7N/O1E-30D01M	89.0	10-12-65 3-15-66	(1) (0)		5001 5001
7N/O1E-30N01M	87.0	3-15-66	27.1	59.9	5001
7N/O1E-33A01M	65.0	10-12-65 3-14-66	46.2 28.3	18.8 36.7	5001 5001
7N/O1E-33R01M	60.0	7-12-65 8-16-65 9-20-65 10-28-65 11-18-65 12-16-65 1-20-66 2-18-66 3-14-66 4-15-66 5-21-66 6-17-66 7-19-66 8-16-66 9-21-66	5.4 7.0 6.5 6.8 7.1 7.5 4.9 4.8 3.7 4.9 5.1 5.1 5.1 4.8 6.6	54.6 53.0 53.0 52.9 52.9 52.5 52.5 54.3 54.3 55.2 55.1 54.9 54.3 53.4 53.4	5000 5000 5000 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050



TABLE G-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOLANO COUNTY 5-21.11					
7N/02E-02B02M	34.0	10-11-65 3-11-66	75.0 57.6	-41.0 -23.6	5001 5001
7N/02E-04A02M	50.0	10-11-65 3-11-66	97.3 71.0	-47.3 -21.0	5001 5001
7N/02E-04H03M	52.5	10-11-65 3-11-66	107.7 78.4	-55.2 -25.9	5001 5001
7N/02E-07G03M	55.0	10-11-65 3-14-66	57.8 45.5	-2.8 9.5	5001 5001
7N/02E-09F01M	51.0	3-14-66	91.6	-40.6	5001
7N/02E-12G01M	27.0	10-11-65 3-11-66	88.3 64.2	-61.3 -37.2	5001 5001
7N/02E-12G02M	28.0	10-11-65 3-11-66	(1) 61.3	-33.3	5001
7N/02E-14F02M	31.0	10-11-65 3-14-66	73.2 63.6	-42.2 -32.6	5001 5001
7N/02E-15J01M	34.0	10-11-65 3-14-66	77.9 69.4	-43.9 -35.4	5001 5001
7N/02E-19B02M	50.3	10-11-65 3-14-66	63.3 57.8	-13.0 -7.5	5001 5001
7N/02E-21F02M	46.0	10-11-65 3-14-66	96.8 73.1	-50.8 -27.1	5001 5001
7N/02E-24N01M	23.0	7-29-65 8-28-65 9-28-65 10-28-65 11-18-65 12-16-65 1-20-66 2-18-66 3-16-66 4-15-66 5-20-66 6-17-66	32.5 32.9 32.8 33.0 33.4 33.5 (9) 32.8 32.8 32.7 33.9 34.9	-9.5 -9.9 -9.8 -10.0 -10.4 -10.5 (9) -9.8 -9.8 -9.7 -10.9 -11.9	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
SOLANO COUNTY 5-21.11					
7N/02E-24N01M CONT.	23.0	7-19-66 8-16-66 9-21-66	35.3 36.0 36.2	-12.3 -13.0 -13.2	5050 5050 5050
7N/02E-26Q01M	27.5	10-11-65 3-14-66	45.4 40.0	-17.9 -12.5	5001 5001
7N/02E-26Q02M	27.5	10-11-65 3-14-66	50.4 41.8	-22.9 -14.3	5001 5001
7N/02E-30N03M	43.0	10-11-65 3-14-66	79.8 58.7	-36.8 -15.7	5001 5001
7N/02E-33D02M	33.0	10-11-65 3-14-66	79.8 59.2	-46.8 -26.2	5001 5001
7N/02E-34C02M	35.0	10-11-65 3-14-66	72.1 58.4	-37.1 -23.4	5001 5001
7N/01W-01E02M	103.0	10-08-65 3-09-66	52.7 28.8	50.3 74.2	5001 5001
7N/01W-01E03M	103.0	10-08-65 3-09-66	(1) 30.3	72.7	5001 5001
7N/01W-04D01M	145.0	10-06-65 3-08-66	55.8 47.6	89.2 97.4	5001 5001
7N/01W-05F01M	170.0	10-06-65 3-08-66	(1) 65.8	104.2	5001 5001
7N/01W-06E01M	157.0	10-06-65 3-08-66	51.2 48.6	105.8 108.4	5001 5001
7N/01W-13A01M	103.0	10-12-65 3-15-66	25.6 24.7	77.4 78.3	5001 5001
7N/01W-13H01M	105.0	10-12-65 3-15-66	27.8 26.5	77.2 78.5	5001 5001
7N/01W-15G01M	128.0	10-13-65 3-15-66	39.0 35.7	89.0 92.3	5001 5001
7N/01W-16G01M	230.0	10-13-65 3-15-66	122.4 123.1	107.6 106.9	5001 5001

TABLE C-2 (Cont.)  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOLANO COUNTY 5-21.11					
7N/O1W-17Q01M	225.0	10-13-65 3-15-66	64.3 61.4	160.7 163.6	5001 5001
7N/O1W-21G01M	154.0	10-13-65 3-15-66	55.4 51.4	98.6 102.6	5001 5001
7N/O1W-21Q01M	150.0	10-08-65 3-15-66	49.7 27.2	100.3 122.8	5001 5001
7N/O1W-28B01M	155.0	10-13-65 3-15-66	68.2 (9)	86.8	5001 5001
7N/O1W-34K01M	125.0	10-08-65	49.1	75.9	5109
7N/O1W-35F01M	91.0	10-12-65 3-15-66	24.8 24.3	66.2 66.7	5001 5001
8N/O1E-15F01M	84.0	10-07-65 3-10-66	45.1 36.4	38.9 47.6	5001 5001
8N/O1E-17K01M	100.0	10-07-65 3-10-66	41.8 37.6	58.2 62.4	5001 5001
8N/O1E-19K01M	104.0	10-07-65 3-09-66	46.5 40.8	57.5 63.2	5001 5001
8N/O1E-20G01M	98.0	10-07-65 3-10-66	46.0 39.5	52.0 58.5	5001 5001
8N/O1E-22N01M	83.0	10-07-65 3-10-66	36.5 33.3	46.5 49.7	5001 5001
8N/O1E-23C01M	84.2	10-08-65 3-10-66	60.2 42.2	24.0 42.0	5001 5001
8N/O1E-23Q01M	73.0	10-08-65 3-10-66	50.2 42.2	22.8 30.8	5001 5001
8N/O1E-24Q01M	68.0	10-08-65 (2) 3-10-66	100.5 45.1	32.5 22.9	5001 5001
8N/O1E-27G02M	80.0	10-07-65 3-10-66	42.5 35.4	37.5 44.5	5001 5001
SOLANO COUNTY 5-21.11					
8N/O1E-28G01M	92.0	10-08-65 3-10-66	42.6 38.2	49.4 53.8	5001 5001
8N/O1E-29D01M	103.0	10-07-65 3-10-66	48.8 40.5	54.2 62.5	5001 5001
8N/O1E-30G02M	110.0	10-07-65 3-10-66	53.6 42.8	56.4 67.2	5001 5001
8N/O1E-32E01M	100.0	10-08-65 3-10-66	57.2 36.1	42.8 63.9	5001 5001
8N/O1E-33A01M	84.0	10-07-65 3-10-66	33.0 31.3	51.0 52.7	5001 5001
8N/O1E-33H01M	82.0	10-07-65 3-10-66	29.6	52.4	5001
8N/O1E-33Q02M	86.0	7-12-65 8-16-65 9-20-65 10-28-65 11-18-65 12-16-65 1-20-66 2-18-66 3-16-66 4-15-66 5-20-66 6-16-66 7-19-66 8-16-66 9-21-66	(1) 26.2 25.0 27.0 27.9 28.4 29.5 30.5 31.2 (4) 31.7 29.1 26.6 (1) 27.7 26.3 24.7 27.3	59.8 61.0 59.0 58.1 57.6 56.5 55.5 54.8 54.3 56.9 58.3 59.7 61.3 58.7	5000 5000 5000 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
8N/O1E-33Q03M	85.7	10-08-65 3-10-66	24.6 28.8	61.1 56.9	5001 5001
8N/O1E-35K01M	73.0	10-08-65 3-10-66	71.4 42.5	1.6 30.5	5001 5001
8N/O2E-19F01M	70.0	10-08-65 3-10-66	66.6 63.5	3.4 6.5	5001 5001

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOLANO COUNTY 5-21.11					
8N/02E-24N01M	37.5	10-08-65 3-11-66	58.4 35.6	-20.9 1.9	5001 5001
8N/02E-25B01M	35.0	7-27-65 8-25-65 9-29-65 10-08-65 10-28-65 11-18-65 12-16-65	75.5 66.5 60.8 55.8 56.0 43.6 39.6	-40.5 -31.5 -25.8 -20.8 -21.0 -8.6 -4.6	5950 5050 5050 5001 5050 5050 5050
		1-20-66 2-18-66 3-11-66 3-16-66 4-15-66	35.5 34.1 33.8 42.9	-0.5 0.9 1.0 -7.9	5050 5001 5050 5050
		5-20-66 6-16-66 7-19-66 8-16-66 9-21-66	(7) (9) (6) 73.0 68.7 62.7	-38.0 -33.7 -27.7	5050 5050 5050 5050
8N/02E-27C01M	46.0	10-08-65 3-11-66	66.0 43.1	-20.0 2.9	5001 5001
8N/02E-27G02M	45.0	10-08-65 3-11-66	72.0 48.9	-27.0 -3.9	5001 5001
8N/02E-29K01M	55.0	10-08-65 3-10-66	62.1 46.0	-7.1 9.0	5001 5001
8N/02E-30H02M	62.0	10-08-65 3-11-66	69.7 49.1	-7.7 12.9	5001 5001
8N/02E-31D01M	65.0	10-08-65 3-10-66	80.0 49.6	-15.0 15.4	5001 5001
8N/02E-32M01M	60.3	10-11-65 3-11-66	79.9 64.7	-19.6 -4.4	5001 5001
8N/02E-35F03M	41.0	10-08-65 3-15-66	76.4 52.6	-35.4 -11.6	5001 5001
8N/02E-35G02M	35.0	10-08-65 3-11-66	64.0 51.0	-29.0 -16.0	5001 5001
SOLANO COUNTY 5-21.11					
8N/01W-22J01M	89.8	3-09-66			5001
8N/01W-22F01M	129.0	10-07-65 3-09-66		58.0 45.9	5001 5001
8N/01W-22R02M	125.5	10-07-65 3-09-66		70.4 44.2	5001 5001
8N/01W-23B01M	123.1	10-07-65 3-09-66		75.4 38.6	5001 5001
8N/01W-24F01M	117.0	10-07-65 3-09-66		67.2 45.3	5001 5001
8N/01W-25A02M	114.0	10-07-65 3-09-66		62.9 44.2	5001 5001
8N/01W-26A01M	120.0	10-07-65 3-09-66		61.1 46.1	5001 5001
8N/01W-26D05M	126.0	10-07-65 3-09-66		71.8 81.3	5001 5001
8N/01W-26R02M	116.0	10-07-65 3-09-66		67.5 76.5	5001 5001
8N/01W-27H01M	123.0	10-07-65 3-09-66		67.1 81.3	5001 5001
8N/01W-27L01M	132.0	10-07-65 3-09-66		79.5 79.2	5001 5001
8N/01W-28J01M	138.0	7-27-65 8-26-65 9-29-65 10-07-65 10-28-65 11-18-65 12-16-65		85.0 88.2 86.7 85.4 89.5 91.7 93.1	5050 5050 5050 5050 5050 5050 5050
		1-20-66 2-18-66 3-08-66 4-15-66		44.9 43.5 41.1 42.5	5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOLANO COUNTY 5-21.11					
8N/01W-28J01M	138.0	5-20-66 6-16-66	53.5 52.1	84.5 85.9	5050
CONT.		7-19-66 8-16-66 9-21-66	{4} {4}	79.0 81.8 85.0	5050 5050 5050
8N/01W-28J02M	138.0	10-07-65 3-08-66	54.3 42.3	83.7 95.7	5001
8N/01W-28K01M	105.5	10-06-65 3-09-66	7.0 3.6	98.5 101.9	5001
8N/01W-28R03M	140.0	10-07-65 3-08-66	48.9 41.9	91.1 98.1	5001
8N/01W-32H01M	140.0	10-06-65 3-08-66	44.7 37.6	95.3 102.4	5001
8N/01W-33A01M	134.7	10-06-65 3-08-66	43.8 38.8	90.9 95.9	5001
8N/01W-33B02M	136.0	10-06-65 3-08-66	48.9 41.9	87.1 94.1	5001
8N/01W-33H01M	130.8	10-07-65 3-08-66	43.1 37.6	87.7 93.2	5001
8N/01W-34A01M	120.0	10-07-65 3-09-66	56.8 43.5	63.2 76.5	5001
8N/01W-34H01M	121.0	10-08-65 3-09-66	50.3 41.5	70.7 79.5	5001
8N/01W-35G02M	111.0	10-08-65 3-09-66	44.0 38.6	67.0 72.4	5001
8N/01W-36H01M	102.0	10-08-65 3-09-66	36.0 30.5	66.0 71.5	5001
SAN JOAQUIN VALLEY 5-22.00					
MOKELUMNE RIVER AREA 5-22.01					
2M/06E-03D03M	22.0	10-22-65 3-11-66	34.0 29.5	-12.0 -7.5	5110 5110
2M/06E-04F01M	17.0	3-01-66	25.9	-8.9	5110
2M/06E-04F01M	18.0	3-01-66	25.7	-7.7	5110
2M/06E-08C02M	13.0	10-01-65 3-01-66	19.0 18.7	-6.0 -5.7	5110 5110
2M/06E-08F01M	9.6	10-22-65 3-11-66	21.8 20.7	-12.2 -11.1	5110 5110
2M/06E-09C02M	18.0	10-05-65 3-09-66	32.0 26.6	-14.0 -8.6	5050 5050
2M/06E-11E11M	23.5	10-01-65 3-01-66	17.5 29.1	6.0 -5.6	8201 8201
2M/06E-12H01M	33.4	10-21-65 3-14-66 7-14-66	44.2 44.0 28.3	-10.8 -10.6 5.1	5050 5050 5050
2M/06E-13M01M	26.7	10-20-65 3-08-66	(1) 40.3	-13.6	5110 5110
2M/06E-13R02M	30.0	10-20-65 3-08-66	48.8 49.0	-18.8 -19.0	5110 5110
2M/06E-15J01M	20.3	10-22-65 3-11-66	34.2 34.7	-13.9 -14.4	5110 5110
2M/06E-16C01M	14.0	10-04-65 3-09-66	34.6 29.8	-20.6 -15.8	5050 5050
2M/06E-16R03M	12.0	10-01-65 3-01-66	36.0 31.9	-24.0 -19.9	5110 5110
2M/06E-16L01M	11.5	10-22-65 3-11-66	37.7 31.2	-26.2 -19.7	5110 5110

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SUPPLYING AGENCY DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SUPPLYING AGENCY DATA
MOKELUMNE RIVER AREA 5-22-01									
2N/06E-17A01M	12.0	10-01-65 3-01-66	40.8 28.3	5110 5110	2N/06E-26H01M	22.8	10-20-65 3-08-66	58.8 52.8	5110 5110
2N/06E-17J01M	11.2	10-04-65 2-01-66	41.8 34.8	4203 4203	2N/06E-27B01M	16.0	10-27-65 3-29-66	63.0 (7)	4701 4701
2N/06E-20A01M	7.5	10-04-65 2-02-66	40.3 31.5	4203 4203	2N/06E-28F03M	7.2	8-25-65 9-25-65 10-25-65 11-25-65 12-25-65	36.8 34.9 33.0 29.5 28.2	5050 5050 5050 5050 5050
2N/06E-20F01M	14.8	10-04-65 2-07-66	28.1 24.1	4203 4203			1-25-66 2-23-66 3-29-66 4-28-66 5-28-66 7-22-66 8-21-66 9-26-66	27.4 30.4 37.0 37.0 40.2 41.1 40.0 37.1	5050 5050 5050 5050 5050 5050 5050 5050
2N/06E-20J01M	7.0	10-01-65 3-01-66	39.4 30.0	5110 5110					
2N/06E-20L01M	4.0	10-01-65 3-01-66	35.3 29.0	5110 5110					
2N/06E-21C01M	10.0	10-01-65 3-01-66	49.8 37.1	5110 5110					
2N/06E-21C02M	10.0	10-01-65 3-01-66	52.9 35.7	5110 5110	2N/06E-28F01M	7.0	10-04-65 3-09-66	26.5 23.2	5050 5050
2N/06E-21F01M	10.0	10-01-65 3-01-66	48.5 37.1	5110 5110	2N/06E-29N01M	1.0	10-05-65 3-09-66	10.8 9.0	5050 5050
2N/06E-21G01M	11.0	10-01-65 3-01-66	43.4 36.8	5110 5110	3N/05E-03J01M	7.0	10-06-65 3-09-66	7.1 7.5	5050 5050
2N/06E-21K01M	13.0	10-27-65 3-29-66	57.0 (7)	4701 4701	3N/05E-13L01M	12.0	10-22-65 3-11-66	15.0 12.0	5110 5110
2N/06E-21P01M	11.0	10-27-65 3-29-66	45.0 43.0	4701 4701	3N/05E-14C01M	6.7	10-22-65 3-11-66	6.5 5.7	5110 5110
2N/06E-22B01M	17.0	10-27-65 3-29-66	45.0 44.0	4701 4701	3N/05E-25D01M	4.0	10-06-65 3-09-66	3.6 5.4	5050 5050
2N/06E-22D01M	17.2	10-04-65 2-02-66	49.8 43.6	4203 4203	3N/06E-01J01M	51.8	10-01-65 3-01-66	35.8 34.7	8201 8201
2N/06E-24J02M	30.1	10-20-65 3-08-66	53.9 54.3	5110 5110	3N/06E-01N02M	46.8	10-01-65 3-01-66	36.5 35.2	8201 8201

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOKELUMNE RIVER AREA 5-22.01					
3N/06E-01R13M	53.1	10-01-65 3-01-66	42.6 40.0	10.5 13.1	8201 8201
3N/06E-03K11M	41.0	7-23-65 8-24-65 9-24-65 10-26-65 11-23-65 12-23-65 1-25-66 2-24-66 3-29-66 4-26-66 5-25-66 6-22-66 7-21-66 8-24-66 9-26-66	32.0 31.7 29.8 28.6 27.6 27.6 27.5 28.9 30.6 30.7 31.0 32.2 31.0 29.8	9.0 9.3 11.2 12.4 13.4 13.4 13.5 13.5 12.1 10.4 10.3 8.8 10.0 11.2	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
3N/06E-04C01M	35.0	10-07-65 3-09-66	20.5 21.4	14.5 13.6	5050 5050
3N/06E-07H03M	23.4	10-22-65 3-11-66	23.4 19.4	0.0 4.0	5110 5110
3N/06E-09F06M	32.0	10-22-65 3-11-66	27.0 26.0	5.0 6.0	5110 5110
3N/06E-12P01M	45.0	10-22-65 3-10-66	49.4 46.0	-4.4 -1.0	5110 5110
3N/06E-12Q32M	48.8	10-01-65 3-01-66	48.6 47.0	0.2 1.8	8201 8201
3N/06E-15L01M	28.5	10-22-65 12-03-65	(2) (0)		5110 5050
3N/06E-17D11M	23.8	10-01-65 3-01-66	31.4 25.6	-7.6 -1.8	8201 8201
3N/06E-20Q01M	18.0	10-22-65 3-11-66	43.0 48.0	-25.0 -10.0	5110 5110
3N/06E-22D01M	27.0	12-03-65 3-11-66	32.8 30.2	-5.8 -3.2	5050 5110
MOKELUMNE RIVER AREA 5-22.01					
3N/06E-24W01M	39.9	10-06-65 3-09-66	47.6 44.1	-7.7 -4.2	5050 5050
3N/06E-25H11M	41.0	10-04-65 3-01-66	54.1 48.9	-13.1 -7.9	8201 8201
3N/06E-26P02M	32.4	10-22-65 3-10-66	39.6 37.6	-7.2 -5.2	5110 5110
3N/06E-27B01M	25.3	10-22-65 3-11-66	38.5 33.7	-13.2 -8.4	5110 5110
3N/06E-29C01M	17.2	10-22-65 3-11-66	41.0 27.0	-23.8 -9.8	5110 5110
3N/06E-30H01M	12.0	10-22-65 3-11-66	28.0 21.2	-16.0 -9.2	5110 5110
3N/06E-32H01M	15.0	10-22-65 3-11-66	35.0 25.9	-20.0 -10.9	5110 5110
3N/06E-35P02M	28.4	7-22-65 8-23-65 9-23-65 10-26-65 11-22-65 12-22-65 1-24-66 2-23-66 3-29-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-26-66	42.7 33.4 30.8 32.9 31.5 32.3 32.9 34.2 34.1 38.2 36.5 33.2 31.1 29.3	-14.3 -5.0 -2.4 -4.5 -3.1 -3.9 -4.5 -4.8 -5.7 -8.8 -8.1 -4.8 -2.7 -0.9 -0.3	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
3N/06E-36R02M	38.0	10-04-65 3-01-66	52.6 47.5	-14.6 -9.5	8201 8201
3N/07E-02C02M	85.6	10-07-65 3-01-66	60.4 56.4	25.2 29.2	8201 8201



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOKELUMNE RIVER AREA 5-22.01					
2N/OTE-02G01M	84.0	7-22-65	83.4	0.6	5050
		8-23-65	83.0	1.0	5050
		9-23-65	80.0	4.0	5050
		10-25-65	77.3	6.7	5050
		11-22-65	75.8	8.2	5050
		12-22-65	74.3	9.7	5050
		1-25-66	73.2	10.8	5050
		2-24-66	72.7	11.3	5050
		3-28-66	73.2	10.8	5050
		4-26-66	78.1	5.9	5050
		5-25-66	80.6	3.4	5050
		6-21-66	82.1	1.9	5050
		7-22-66	85.3	-1.3	5050
		8-25-66	85.5	-1.5	5050
		9-27-66	81.7	2.3	5050
3N/OTE-03C01M	83.2	10-06-65	DRY		8201
		3-01-66	DRY		8201
3N/OTE-03R01M	74.8	10-22-65	70.6	4.2	5110
		3-10-66	66.1	8.7	5110
3N/OTE-06Q04M	57.0	3-10-66	44.0	13.0	5110
3N/OTE-07M01M	52.6	10-04-65	48.7	3.9	8201
		3-01-66	45.2	7.4	8201
3N/OTE-08B12M	64.4	10-04-65	56.2	8.2	8201
		3-01-66	52.1	12.3	8201
3N/OTE-08F02M	60.0	10-22-65	56.4	3.6	5110
		3-10-66	54.5	5.5	5110
3N/OTE-09C01M	68.3	10-22-65	62.8	5.5	5110
		3-10-66	61.0	7.3	5110
3N/OTE-10I04M	72.8	7-02-65	(1)		8201
		8-04-65	81.0	-8.2	8201
		9-01-65	79.5	-0.7	8201
		10-06-65	74.5	-1.7	8201
		11-01-65	72.5	-1.3	8201
		12-01-65	71.0	1.8	8201
		1-06-66	68.6	1.2	8201
		2-01-66	68.6	1.2	8201
		3-01-66	67.8	5.0	8201
MOKELUMNE RIVER AREA 5-22.01					
3N/OTE-10I04M	72.8	4-01-66	71.1	1.7	8201
		3-02-66	(7)		8201
		6-01-66	78.4	-5.6	8201
		7-05-66	80.8	-8.0	8201
		8-01-66	81.5	-8.7	8201
		9-01-66	79.0	-6.2	8201
3N/OTE-12F01M	77.0	10-06-65	86.0	-9.0	5050
		3-11-66	79.3	-2.3	5050
3N/OTE-17K02M	57.0	10-22-65	61.3	-4.3	5110
		3-10-66	57.3	-0.5	5110
3N/OTE-18N12M	47.4	10-05-65	53.1	-5.7	8201
		3-01-66	47.8	-0.4	8201
3N/OTE-20F02M	49.9	10-22-65	65.5	-15.6	5110
		3-10-66	(9)		5110
		3-24-66	59.3	-9.4	5050
3N/OTE-22G11M	66.6	10-06-65	81.8	-15.2	8201
		3-01-66	72.7	-6.1	8201
3N/OTE-23G02M	72.0	10-22-65	80.0	-8.0	5110
		3-10-66	73.0	-1.0	5110
3N/OTE-25G01M	71.2	10-21-65	81.2	-10.0	5110
		3-10-66	75.0	-3.8	5110
3N/OTE-25G01M	75.7	10-21-65	86.9	-11.2	5110
		3-10-66	80.0	-4.3	5110
3N/OTE-27F13M	61.1	10-05-65	78.7	-17.6	8201
		3-01-66	71.4	-10.3	8201
3N/OTE-31B01M	41.0	10-22-65	59.5	-18.5	5110
		3-10-66	54.8	-13.8	5110
3N/OTE-03R01M	146.0	10-21-65	90.2	55.8	5110
		3-10-66	92.7	53.3	5110
3N/OTE-04Q01M	120.6	10-07-65	114.2	6.4	8201
		1-07-66	113.0	7.6	8201



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOKELEUMVE RIVER AREA 5-22.01					
3N/08E-05B02M	108.0	10-07-65 1-07-66	107.3 99.2	0.7 8.8	8201 8201
3N/08E-05K11M	107.5	10-07-65 1-07-66	109.8 104.1	-2.3 3.4	8201 8201
3N/08E-07D02M	86.0	10-06-65 3-11-66	(1) 84.1	1.9	5050 5050
3N/08E-08B01M	95.8	10-21-65 3-10-66	(9) (1)		5110 5110
3N/08E-09Q11M	126.3	10-07-65 1-07-66	126.5 125.1	-0.2 1.2	8201 8201
3N/08E-15I01M	127.7	10-07-65 1-07-66	128.9 (6) 124.6	-1.2 3.1	8201 8201
3N/08E-19C01M	82.0	10-21-65 3-10-66	87.3 88.6	-5.3 -6.6	5110 5110
3N/08E-20K01M	92.7	10-05-65 1-06-66	101.1 99.7	-8.4 -7.0	8201 8201
3N/08E-22A01M	133.0	10-21-65 3-10-66	(1) 134.5	-1.5	5110 5110
3N/08E-29F01M	93.0	7-22-65 8-23-65 9-22-65 10-21-65 10-25-65 11-22-65 12-22-65 1-25-66 2-23-66 3-10-66 3-28-66 4-26-66 5-25-66 6-21-66 7-22-66 8-25-66 9-27-66	(4) 104.5 103.0 102.5 106.4 98.9 97.7 96.3 96.8 96.0 100.0 101.5 103.9 (3) (3)	-11.5 -10.0 -9.5 -7.4 -5.9 -4.7 -3.3 -3.8 -3.0 -3.0 -7.0 -8.5 -10.9	5050 5050 5050 5110 5050 5050 5050 5050 5050 5110 5050 5050 5050 5050 5050 5050 5050 5050
MOKELEUMVE RIVER AREA 5-22.01					
3N/08E-30H01M	84.9	10-21-65 3-10-66	85.5 88.6	-10.6 -3.7	5110 5110
4N/05E-01H11M	19.9	10-07-65 3-11-66	(9) 17.5		5050 5050
4N/05E-03D02M	7.8	10-21-65 3-11-66	12.0 6.0	-4.2 1.8	5110 5110
4N/05E-05C02M	5.0	10-21-65 3-11-66	(9) (9)		5110 5110
4N/05E-05H01M	4.0	10-21-65 3-11-66	6.5 4.0	-2.5 0.0	5110 5110
4N/05E-09D01M	0.0	10-21-65 3-11-66	2.8 1.3	-2.8 -1.3	5110 5110
4N/05E-10K01M	6.3	10-21-65 3-11-66	(2) 3.8		5110 5110
4N/05E-13H01M	16.6	10-21-65 3-11-66	19.0 13.0	-2.4 3.6	5110 5110
4N/05E-16K01M	2.0	10-06-65 3-09-66	4.9 5.0	-2.9 -3.0	5050 5050
4N/05E-22A01M	8.2	10-21-65 3-11-66	(8) 2.6		5110 5110
4N/05E-24C02M	14.0	10-21-65 3-11-66	9.0 6.5	5.0 7.5	5110 5110
4N/05E-26K02M	13.0	7-23-65 8-24-65 9-24-65 10-21-65 10-26-65 11-23-65 12-23-65 1-25-66 2-24-66 3-11-66 3-29-66	6.4 5.2 6.6 6.5 7.1 6.7 7.0 6.0 6.0 5.0 5.3	6.6 7.8 6.4 6.5 5.9 6.3 6.0 7.0 7.0 8.0 7.7	5050 5050 5050 5110 5050 5050 5050 5050 5050 5110 5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOKELAPNE RIVER AREA 5-22.01											
4N/07E-01BQ1M	105.0	10-07-65 3-09-66	112.9 103.2	-7.9 1.8	5001 5001	4N/07E-18M01M CONT.	57.8	5-25-66 6-21-66	64.8 69.8	-7.0 -12.0	5050 5050
4N/07E-03BQ1M	93.2	10-07-65 3-09-66	103.8 87.0	-10.6 6.2	5001 5001			7-22-66 8-24-66	75.0 70.0	-17.2 -15.1	5050 5050
4N/07E-04B12M	85.0	10-21-65 3-12-66	94.7 84.7	-9.7 0.3	5110 5110	4N/07E-18F30M	61.4	10-04-65 3-01-66	66.2 59.7	-4.8 1.7	8201 8201
4N/07E-04Q12M	83.4	10-06-65 1-06-66	93.6 83.7	-10.2 -0.3	8201 8201	4N/07E-19K01M	62.4	10-21-65 3-10-66	64.0 57.0	-1.6 5.4	5110 5110
4N/07E-07A01M	68.0	10-21-65 3-10-66	81.5 (9)	-13.5	5110 5110	4N/07E-21F01M	78.2	10-22-65 3-11-66	75.5 68.5	2.7 9.7	5110 5110
4N/07E-07H02M	67.9	10-04-65 1-04-66	80.8 76.5	-12.9 -8.6	8201 8201	4N/07E-22C05M	83.8	10-06-65 3-01-66	74.7 67.9	9.1 15.9	8201 8201
4N/07E-09D12M	77.4	10-06-65 1-06-66	87.9 81.0	-10.5 -3.6	8201 8201	4N/07E-25G15M	88.8	10-06-65 3-01-66	78.0 70.2	10.8 18.6	8201 8201
4N/07E-12E01M	105.7	10-22-65 3-11-66	(1) 95.0	10.7	5110 5110	4N/07E-27F01M	81.5	10-06-65 3-01-66	41.1 40.0	40.4 41.5	8201 8201
4N/07E-14E01M	93.1	10-22-65 3-11-66	83.0 80.2	10.1 12.9	5110 5110	4N/07E-28J02M	74.8	10-22-65 3-11-66	65.0 60.5	9.8 14.3	5110 5110
4N/07E-14Q02M	95.0	5-12-66	92.5	2.5	5050	4N/07E-29H01M	70.6	10-06-65 3-01-66	68.5 57.1	2.1 13.5	8201 8201
4N/07E-15B11M	91.2	10-06-65 3-01-66	91.3 86.9	-0.1 4.3	8201 8201	4N/07E-34E04M	57.2	10-04-65 3-01-66	49.3 45.1	7.9 12.1	8201 8201
4N/07E-17N01M	67.0	10-21-65 3-10-66	73.8 70.3	-6.8 -3.3	5110 5110	4N/07E-31M13M	55.2	10-04-65 3-01-66	32.9 31.2	22.3 24.0	8201 8201
4N/07E-18M01M	57.8	7-22-65 8-23-65	71.3 62.4	-13.5 -14.5	5050 5050	4N/07E-31N11M	45.9	10-04-65 3-01-66	13.5 15.6	32.4 30.3	8201 8201
		9-23-65 10-25-65	61.8 64.5	-8.1 -9.7	5050 5050	4N/07E-33H01M	73.4	10-22-65 3-11-66	36.3 (1)	37.1 (1)	5110 5050
		11-26-65 1-24-66	61.5 60.3	-5.1 -3.7	5050 5050	4N/07E-34F11M	61.6	3-24-66	16.3 16.2	45.3 45.4	8201 8201
		2-23-66 3-28-66	59.7 53.1	-2.5 -5.3	5050 5050			10-06-65 3-01-66			

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOKELMUNE RIVER AREA 5-22.01											
4N/07E-36L01M	85.0	10-21-65 3-11-66	(1) 75.5	9.5	5110 5110	4N/08E-21M01M	114.0	10-21-65 3-11-66	(2) 94.6	19.4	5110 5110
4N/08E-01K01M	170.7	10-11-65 1-11-66	99.5 99.7	71.2 71.0	8201 8201	4N/08E-22C01M	126.0	10-21-65 3-11-66	58.6 58.2	67.4 67.8	5110 5110
4N/08E-04N01M	140.0	10-21-65 3-11-66	131.5 125.9	8.5 14.1	5110 5110	4N/08E-24J02M	166.9	10-14-65 1-12-66	119.6 120.0	47.3 46.9	8201 8201
4N/08E-04P13M	139.5	10-11-65 1-11-66	118.9 115.8	20.6 23.7	8201 8201	4N/08E-25L01M	192.9	10-14-65 1-10-66	151.6 153.1	41.3 39.8	8201 8201
4N/08E-06G01M	105.0	7-22-65 8-23-65 9-22-65 10-25-65 11-22-65 12-22-65	DRY DRY DRY DRY 95.5		5950 5950 5950 5950 5950	4N/08E-26A12M	159.3	10-14-65 1-10-66	120.9 120.2	38.4 39.1	8201 8201
		1-25-66 2-24-66 3-28-66 4-26-66 5-25-66 6-22-66	91.5 90.5 89.4 94.7 (2) 98.8 DRY	9.5 11.5 13.5 14.5 15.6 6.2	5950 5950 5950 5950 5950 5950	4N/08E-26F01M	172.9	10-14-65 1-10-66	139.2 138.6	33.7 34.3	8201 8201
		5-20-66 5-25-66 6-22-66 7-22-66 8-25-66 9-27-66	98.5 (4) 98.4 102.9 105.1 106.9 106.1	6.5 6.6 2.1 -0.1 -1.9 -1.1	5950 5950 5950 5950 5950 5950	4N/08E-27J11M	195.4	10-08-65 1-10-66	168.2 166.1	27.2 29.3	8201 8201
4N/08E-06C02M	105.0	5-20-66 5-25-66 6-22-66 7-22-66 8-25-66 9-27-66	98.5 (4) 98.4 102.9 105.1 106.9 106.1	6.5 6.6 2.1 -0.1 -1.9 -1.1	5950 5950 5950 5950 5950 5950	4N/08E-28H11M	131.2	10-18-65 1-10-66	113.8 108.9	17.4 22.3	8201 8201
		10-21-65 3-11-66	119.2 105.0	-3.2 11.0	5110 5110	4N/08E-30A11M	70.3	10-07-65 1-10-66	15.3 15.8	55.0 54.5	8201 8201
4N/08E-06N02M	116.0	10-21-65 3-11-66	110.2 106.4	29.8 43.6	5110 5110	4N/08E-32N01M	105.0	10-21-65 3-11-66	104.0 97.0	1.0 8.0	5110 5110
4N/08E-14K01M	150.0	10-21-65 3-11-66	110.2 106.4	29.8 43.6	5110 5110	4N/08E-34F01M	158.7	10-08-65 1-10-66	141.1 138.2	17.6 20.5	8201 8201
4N/08E-17J01M	130.0	10-21-65 3-11-66 3-24-66	118.0 (1) 109.6	12.0 20.4	5110 5110 5050	4N/08E-34Q11M	162.6	10-08-65 1-10-66	138.6 138.9	24.0 23.7	8201 8201
		10-11-65 1-11-66	115.5 107.9	6.9 14.5	8201 8201	4N/08E-35F01M	196.0	10-21-65 3-11-66	91.4 90.9	104.6 105.1	5110 5110
4N/08E-18L12M	122.4	10-11-65 1-11-66	115.5 107.9	6.9 14.5	8201 8201	4N/08E-36F01M	209.0	7-22-65 8-25-65 9-23-65 10-25-65 11-22-65	192.0 192.0 193.0 193.3 192.8	17.0 16.1 16.0 15.7 16.2	5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACTOR SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SURVEYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACTOR SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SURVEYING DATA
MOKELUMNE RIVER AREA 5-22.01											
4N/08E-36P01M CONT.	209.0	12-22-65	193.1	15.9	5050	5N/07E-31J01M CONT.	71.5	3-09-66	77.3	-5.8	5001
		1-20-66	197.9	15.1	5050			3-10-66	(2)	-7.0	5110
		2-28-66	192.7		5050			10-22-65	97.3	8.5	5110
		1-26-66	194.9	16.1	5050	5N/07E-34G01M	88.8	3-11-66	83.7	5.1	5110
		5-23-66	184.0	12.0	5050			2-21-66	91.8	33.2	5050
		2-23-66	184.3	11.7	5050	5N/08E-16Q01M	125.0	10-12-65	169.6	87.6	8201
		7-22-66	184.2	14.4	5050	5N/08E-24Q11M	257.2	3-02-66	170.3	86.9	8201
		8-25-66	185.1	13.9	5050			1-12-65	195.8	69.9	8201
		9-27-66	195.1	13.9	5050	5N/08E-25F11M	265.7	1-11-66	196.4	69.3	8201
4N/09E-06L11M	125.6	10-11-65	8.2	117.4	8201			10-22-65	129.9	7.1	5110
		1-11-66	10.0	115.6	8201	5N/08E-31R01M	137.0	3-11-66	120.9	16.1	5110
4N/09E-07K02M	172.7	10-08-65	(6)	136.2	8201			1-11-66	148.8	13.3	8201
		1-13-66	36.5	136.6	8201	5N/08E-32R11M	162.1	1-11-66	142.5	19.6	8201
4N/09E-15M11M	191.6	10-13-65	38.0	153.6	8201			10-12-65	136.2	52.4	8201
		1-12-66	36.8	154.8	8201	5N/08E-35K12M	188.6	1-11-66	136.8	51.8	8201
4N/09E-16C01M	215.0	10-21-65	17.8	197.2	5110	CALAVERAS RIVER AREA 5-22.02					
		3-11-66	22.8	192.2	5110			10-27-65	90.0	-68.0	4701
4N/09E-20M01M	238.8	1-12-66	143.3	95.5	8201	1N/06E-01J01M	22.0	3-29-66	(7)		4701
		1-12-66	142.3	96.5	8201			10-27-65	76.0	-60.0	4701
4N/09E-21A01M	216.4	10-13-65	60.6	155.8	8201	1N/06E-02M01M	16.0	3-29-66	62.0	-46.0	4701
		1-12-66	60.3	156.1	8201			10-27-65	84.0	-68.0	4701
4N/09E-28C02M	313.4	10-13-65	135.8	177.6	8201	1N/06E-02Q01M	16.0	3-29-66	(7)		4701
		1-12-66	136.0	177.4	8201			10-27-65	65.0	-55.0	4701
4N/09E-31M01M	250.0	10-21-65	215.7	34.3	5110	1N/06E-03C01M	10.0	3-29-66	52.0	-42.0	4701
		3-11-66	215.9	34.1	5110			10-11-65	62.0	-53.0	4203
5N/05E-28L03M	6.0	10-21-65	8.0	-2.0	5110	1N/06E-03C03M	9.0	2-16-66	45.2	-36.2	4203
		3-11-66	5.0	1.0	5110			10-27-65	64.0	-51.0	4701
5N/05E-32M01M	1.5	10-21-65	(1)		5110	1N/06E-03J01M	13.0	3-29-66	53.0	-40.0	4701
		3-11-66	(1)		5110						
5N/06E-36R01M	63.1	10-21-65	80.4	-17.3	5110						
		3-10-66	77.9	-14.8	5110						
5N/07E-31J01M	71.5	10-07-65	84.6	-13.1	5001						
		10-21-65	(1)		5110						

TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CALAVERAS RIVER AREA 5-22-02					
1N/06E-04B01M	6.0	10-27-65 3-29-66	58.0 45.0	-52.0 -39.0	4701 4701
1N/06E-04D01M	4.0	10-27-65 3-29-66	49.0 37.0	-45.0 -33.0	4701 4701
1N/06E-04J01M	8.4	10-05-65 2-03-66	40.8 33.1	-32.4 -24.7	4203 4203
1N/06E-05G04M	2.0	10-05-65 3-09-66	21.1 16.6	-19.1 -14.6	5050 5050
1N/06E-11K01M	17.0	10-27-65 3-29-66	88.0 74.0	-71.0 -57.0	4701 4701
1N/06E-12A01M	23.0	10-27-65 3-29-66	103.0 (7)	-80.0	4701 4701
1N/06E-12C03M	21.0	10-27-65 3-29-66	86.0 (7)	-65.0	4701 4701
1N/06E-12G01M	21.2	10-04-65 2-04-66	105.9 76.5	-84.7 -55.3	4203 4203
1N/06E-12J01M	22.5	7-22-65 9-23-65 10-25-65 11-22-65 12-22-65 1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-26-66	85.0 84.6 87.2 89.3 86.2 83.9 80.1 78.3 79.8 80.7 80.8 82.4 84.4 88.2 89.8	-62.5 -62.1 -64.7 -66.8 -63.7 -61.4 -57.6 -55.8 -57.3 -58.2 -58.3 -59.9 -61.9 -65.7 -67.3	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
1N/06E-12N01M	19.0	10-27-65 3-29-66	97.0 (7)	-78.0	4701 4701
1N/06E-13J01M	20.0	10-27-65 3-29-66	90.0 (7)	-70.0	4701 4701
CALAVERAS RIVER AREA 5-22-02					
1N/06E-14C01M	13.0	10-27-65	(0)		4701
1N/06E-14Q03M	14.3	7-25-65 8-25-65 9-25-65 10-25-65 11-25-65 12-25-65 1-24-66 2-23-66 3-29-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-29-66	56.8 58.9 59.5 58.5 55.2 53.9 52.4 51.6 52.1 53.7 55.8 57.2 57.7 60.9 60.3	-42.5 -44.6 -45.2 -44.2 -40.9 -39.6 -38.1 -37.3 -37.8 -39.4 -41.5 -42.9 -43.4 -46.6 -46.0	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
1N/06E-15N02M	5.0	10-13-65 3-10-66	28.4 24.0	-23.4 -19.0	5050 5050
1N/06E-16H01M	4.0	10-07-65 3-14-66	42.0 29.6	-38.0 -25.6	5050 5050
1N/06E-17A01M	4.0	3-11-66	11.2	-7.2	5050
1N/06E-23D01M	9.0	10-13-65 3-17-66	39.5 35.9	-30.5 -26.9	5050 5050
1N/07E-01M01M	54.2	10-19-65 3-09-66 3-24-66	84.4 (9) 78.0	-30.2 -23.8	5110 5110 5050
1N/07E-04P03M	35.4	10-19-65 3-09-66	79.4 72.4	-44.0 -37.0	5110 5110
1N/07E-05A01M	33.0	10-27-65 3-29-66	68.0 68.0	-36.0 -35.0	4701 4701
1N/07E-05N01M	28.0	10-27-65 3-29-66	82.0 (7)	-54.0	4701 4701
1N/07E-07E01M	25.0	10-27-65 3-29-66	91.0 (7)	-66.0	4701 4701



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

CALAVERAS RIVER AREA 5-22.02		CALAVERAS RIVER AREA 5-22.02									
STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
1N/07E-07F01M	25.8	10-05-65 2-03-66	94.0 80.9	-68.8 -55.1	4203 4203	2N/06E-3H101M	15.8	10-06-65 2-01-66	70.8 53.2	-55.0 -37.4	4203 4203
1N/07E-08R02M	31.5	10-19-65 3-03-66	83.5 77.0	-52.0 -45.5	5110 5110	2N/06E-35D02M	17.5	10-06-65 2-02-66	65.3 55.1	-47.8 -38.6	4203 4203
1N/07E-11E01M	48.6	10-18-65 3-08-66	88.5 83.0	-39.9 -34.4	5110 5110	2N/06E-36A01M	26.0	10-27-65 3-29-66	64.0 (7)	-38.0	4701 4701
1N/07E-18B01M	26.0	10-27-65 3-29-66	90.0 (7)	-64.0	4701 4701	2N/06E-36D01M	22.0	10-27-65 3-29-66	67.0 (7)	-45.0	4701 4701
1N/07E-18B05M	26.0	3-01-66	79.3	-53.3	5110	2N/06E-36N02M	20.4	10-04-65 2-02-66	83.3 73.8	-62.9 -53.4	4203 4203
1N/08E-02J01M	86.0	10-05-65 3-10-66	93.2 (1)	-7.2	5050 5050	2N/06E-36R03M	24.0	10-27-65 3-29-66	79.0 (7)	-55.0	4701 4701
1N/08E-03P01M	80.0	10-18-65 3-08-66	102.2 92.1	-22.2 -12.1	5110 5110	2N/07E-03N03M	55.2	10-20-65 3-09-66	65.4 65.0	-10.2 -9.8	5110 5110
1N/08E-05J01M	71.0	10-18-65 3-08-66	97.8 90.4	-26.8 -19.4	5110 5110	2N/07E-05E01M	41.1	10-22-65 3-10-66	60.1 53.6	-19.0 -12.5	5110 5110
1N/09E-01C01M	191.0	10-18-65 3-07-66	136.2 (1)	54.8	5110 5110	2N/07E-05R01M	46.0	10-20-65 3-09-66	68.9 62.4	-22.9 -16.4	5110 5110
1N/09E-02D01M	156.0	10-06-65 3-10-66	107.8 108.9	48.2 47.1	5050 5050	2N/07E-06L03M	37.0	10-01-65 3-01-66	54.9 48.8	-17.9 -11.8	5110 5110
1N/09E-05B01M	140.0	10-06-65 3-10-66	126.1 124.4	13.9 15.6	5050 5050	2N/07E-06P02M	36.0	10-01-65 3-01-66	53.3 47.1	-17.3 -11.1	5110 5110
1N/09E-05J01M	153.0	10-18-65 3-07-66	113.0 (9)	40.0	5110 5110	2N/07E-07C03M	36.0	10-01-65 3-01-66	54.5 48.8	-18.5 -12.8	5110 5110
1N/09E-06B01M	136.0	10-06-65 3-10-66	128.6 (1)	7.4	5050 5050	2N/07E-07J05M	37.0	10-01-65 3-01-66	65.2 56.3	-28.2 -19.3	5110 5110
1N/09E-06N01M	115.5	10-18-65 3-07-66	127.5 117.5	-12.0 -2.0	5110 5110	2N/07E-07K04M	36.0	10-01-65 3-01-66	61.4 54.3	-25.4 -18.3	5110 5110
2N/06E-33N01M	4.0	10-27-65 3-29-66	46.0 (7)	-42.0	4701 4701	2N/07E-07R05M	37.0	3-09-66	54.5	-17.5	5110
2N/06E-34K02M	12.0	10-27-65 3-29-66	65.0 54.0	-53.0 -42.0	4701 4701	2N/07E-08D01M	42.0	10-20-65 3-09-66	64.2 57.2	-22.2 -15.2	5110 5110



TABLE C-2 (Cont.)  
**GROUND WATER LEVELS AT WELLS**

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CALAVERAS RIVER AREA 5-22.02											
2N/07E-08K03M	44.5	10-20-65 3-09-66	69.6 62.0	-25.1 -17.5	5110 5110	2N/07E-14P01M	57.3	10-19-65 3-09-66	(3) 81.8	-24.5	5110 5110
2N/07E-08R01M	46.0	7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65	71.1 72.8 67.2 66.9 66.3 65.3	-25.1 -26.8 -21.2 -20.9 -20.3 -19.3	5050 5050 5050 5050 5050 5050	2N/07E-15C01M	51.7	10-20-65 3-10-66	83.6 71.2	-31.9 -19.5	5110 5110
		1-24-66 2-23-66 3-29-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-29-66	64.6 63.8 69.6 68.0 70.7 70.6 74.3 72.3	-18.6 -17.8 -23.6 -22.0 -24.7 -24.6 -28.3 -26.3	5050 5050 5050 5050 5050 5050 5050 5050	2N/07E-16L01M	46.2	10-20-65 3-10-66	72.5 68.0	-26.3 -21.8	5110 5110
		10-20-65 3-09-66	72.8 68.4	-18.8 -14.4	5110 5110	2N/07E-18B01M	34.0	10-01-65 3-01-66	57.8 52.8	-33.8 -18.8	5110 5110
2N/07E-09B02M	54.0	10-20-65 3-09-66	72.8 68.4	-18.8 -14.4	5110 5110	2N/07E-18H02M	36.0	10-01-65 3-01-66	64.0 57.6	-28.0 -21.6	5110 5110
2N/07E-11F01M	58.0	10-20-65 3-09-66	76.7 71.0	-18.7 -13.0	5110 5110	2N/07E-18K01M	36.5	10-20-65 3-08-66	52.7 52.9	-16.2 -16.4	5110 5110
2N/07E-12A01M	72.2	10-20-65 3-09-66	87.5 80.7	-15.3 -8.5	5110 5110	2N/07E-20N02M	35.0	10-20-65 3-10-66	63.5 60.8	-28.5 -25.8	5110 5110
2N/07E-12A03M	72.2	7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65	102.5 103.5 92.3 93.2 85.0 83.4	-30.3 -31.3 -20.1 -21.0 -12.8 -11.2	5050 5050 5050 5050 5050 5050	2N/07E-23J02M	59.6	10-19-65 3-09-66	93.2 85.7	-33.6 -26.1	5110 5110
		1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-22-66 8-24-66 9-27-66	81.9 80.6 80.6 94.7 94.8 100.5 101.2 91.2	-9.7 -8.4 -8.4 -22.5 -22.6 -28.3 -28.1 -19.0	5050 5050 5050 5050 5050 5050 5050 5050	2N/07E-24B01M	65.4	10-19-65 3-09-66	90.5 80.0	-25.1 -14.6	5110 5110
		10-20-65 3-09-66	54.0 50.3	-15.3 -8.5	5110 5110	2N/07E-26N01M	50.3	10-20-65 3-09-66	87.5 83.5	-37.2 -31.2	5110 5110
		7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65	103.5 92.3 93.2 85.0 83.4 81.9	-30.3 -31.3 -20.1 -21.0 -12.8 -11.2	5050 5050 5050 5050 5050 5050	2N/07E-27D01M	46.7	10-20-65 3-09-66	88.7 76.2	-42.0 -29.5	5110 5110
		1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-22-66 8-24-66 9-27-66	81.9 80.6 80.6 94.7 94.8 100.5 101.2 91.2	-9.7 -8.4 -8.4 -22.5 -22.6 -28.3 -28.1 -19.0	5050 5050 5050 5050 5050 5050 5050 5050	2N/07E-28N04M	39.0	10-20-65 3-09-66	73.5 67.5	-34.5 -28.5	5110 5110
		10-20-65 3-09-66	54.0 50.3	-15.3 -8.5	5110 5110	2N/07E-30E01M	28.0	10-20-65 3-08-66	60.5 57.5	-32.5 -29.5	5110 5110
		7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65	103.5 92.3 93.2 85.0 83.4 81.9	-30.3 -31.3 -20.1 -21.0 -12.8 -11.2	5050 5050 5050 5050 5050 5050	2N/07E-32R01M	32.0	10-20-65 3-09-66	65.6 (9)	-33.6	5110
		1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-22-66 8-24-66 9-27-66	81.9 80.6 80.6 94.7 94.8 100.5 101.2 91.2	-9.7 -8.4 -8.4 -22.5 -22.6 -28.3 -28.1 -19.0	5050 5050 5050 5050 5050 5050 5050 5050	2N/07E-33H01M	41.0	10-20-65 3-09-66	77.5 81.0	-36.5 -40.0	5110 5110

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO PACKED INTERVAL SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CALAVERAS RIVER AREA 5-22.02					
2N/07E-35101M	49.8	10-19-65 3-09-66	91.9 77.9	-42.1 -26.1	5110 5110
2N/07E-36101M	58.7	10-19-65 3-09-66	84.7 81.2	-36.0 -22.5	5110 5110
2N/07E-36502M	54.0	7-22-65 10-23-65 10-25-65 10-28-65 11-22-65 11-22-65 12-24-65 1-23-66 2-28-66 3-25-66 5-25-66 7-21-66 7-22-66 8-24-66 9-26-66	86.8 (1) 94.2 95.5 82.0 81.1 80.4 78.8 77.8 81.3 85.4 87.0 90.8 93.2 92.9	-32.8 -36.2 -41.5 -28.0 -27.1 -26.4 -24.8 -23.8 -27.3 -31.4 -33.0 -36.8 -39.2 -38.9	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
2N/08E-03602M	108.8	10-21-65 3-10-66	114.7 108.9	-5.9 -0.1	5110 5110
2N/08E-04001M	92.0	10-21-65 3-10-66	103.5 97.0	-11.5 -5.0	5110 5110
2N/08E-08N01M	76.7	10-20-65 3-09-66	92.7 87.2	-16.0 -10.5	5110 5110
2N/08E-09602M	87.0	10-20-65 3-09-66	101.7 94.0	-14.7 -7.0	5110 5110
2N/08E-10H01M	105.4	10-20-65 3-09-66	113.5 106.4	-8.1 -1.0	5110 5110
2N/08E-11B01M	106.0	10-20-65 3-09-66	105.1 99.6	0.9 6.4	5110 5110
2N/08E-12C02M	109.3	10-20-65 3-09-66	102.5 97.0	6.8 12.3	5110 5110
2N/08E-13K01M	105.6	10-20-65 3-24-66	107.2 100.3	-1.6 5.3	5110 5050
CALAVERAS RIVER AREA 5-22.02					
2N/08E-14C01M	94.4	10-20-65 3-09-66	103.4 94.4	-9.0 0.0	5110 5110
2N/08E-15M02M	84.9	10-20-65 3-09-66	100.3 95.8	-15.4 -10.9	5110 5110
2N/08E-16D01M	80.5	10-20-65 3-09-66	94.8 (1)	-14.3	5110 5110
2N/08E-18G01M	68.9	10-20-65 3-09-66	86.9 78.6	-18.0 -9.7	5110 5110
2N/08E-19C03M	67.3	10-19-65 3-09-66	89.9 83.4	-22.6 -16.1	5110 5110
2N/08E-19F02M	69.2	10-19-65 3-09-66	96.5 92.5	-27.3 -23.3	5110 5110
2N/08E-20F01M	73.0	10-19-65 3-09-66	96.3 98.8	-23.3 -25.8	5110 5110
2N/08E-21R01M	79.9	10-19-65 3-09-66	99.1 95.1	-19.2 -15.2	5110 5110
2N/08E-24P01M	126.0	10-20-65 3-10-66	132.4 124.4	-6.4 1.6	5110 5110
2N/08E-25P01M	101.0	10-18-65 3-07-66	112.3 103.5	-11.3 -2.5	5110 5110
2N/08E-30H01M	69.4	10-19-65 3-09-66	(3) 92.9	-23.5	5110 5110
2N/08E-32L02M	69.5	10-19-65 3-09-66	96.7 87.7	-27.2 -18.2	5110 5110
2N/08E-33E01M	75.0	10-19-65 3-09-66	(3) 83.0	-8.0	5110 5110
2N/08E-34E01M	82.6	10-18-65 3-07-66	102.9 94.1	-20.3 -11.5	5110 5110

# GROUND WATER LEVELS AT WELLS

TABLE C-2 (Cont.)

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CALAVERAS RIVER AREA 5-22-02					
2N/08E-36101M	97.2	7-22-65	106.7	-9.5	5050
		8-23-65	108.7	-11.5	5050
		9-22-65	108.7	-12.7	5050
		10-18-65	108.7	-11.5	5110
		10-23-65	108.7	-11.4	5050
		11-22-65	104.2	-7.4	5050
		12-22-65	103.0	-5.8	5050
		1-24-66	103.8	-3.6	5050
		2-23-66	100.5	-3.3	5110
		3-07-66	100.5	-2.8	5050
		3-28-66	101.9	-4.7	5050
		4-23-66	104.8	-7.6	5050
		5-23-66	107.3	-10.1	5050
		7-21-66	110.0	-12.8	5050
		8-24-66	112.6	-15.4	5050
		9-20-66	112.6	-15.4	5050
2N/09E-03A01M	150.0	10-20-65	56.4	93.6	5110
		3-10-66	54.9	95.1	5110
2N/09E-04H01M	158.1	10-20-65	76.5	81.6	5110
		3-10-66	(9)		5110
2N/09E-05H01M	132.2	7-22-65	98.5	33.7	5050
		8-23-65	(11)		5050
		9-23-65	99.1	33.1	5050
		10-20-65	99.0	33.2	5110
		10-28-65	101.7	30.5	5050
		11-22-65	98.4	33.8	5050
		12-22-65	98.1	34.1	5050
		1-24-66	97.7	34.5	5050
		2-23-66	97.5	34.7	5050
		3-10-66	107.0	25.2	5110
		3-28-66	97.1	35.1	5050
		4-25-66	97.3	34.9	5050
		5-25-66	98.6	33.6	5050
		6-21-66	99.4	32.8	5050
		7-22-66	99.1	33.1	5050
		8-24-66	(3)		5050
		9-27-66	(3)		5050
2N/09E-05I02M	130.0	10-20-65	106.0	24.0	5110
		3-09-66	102.5	27.5	5110
		9-27-66	106.1	23.9	5050

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CALAVERAS RIVER AREA 5-22-02					
2N/09E-05N01M	126.1	10-20-65	103.1	23.0	5110
		3-09-66	106.6	19.5	5110
2N/09E-07G02M	115.5	10-20-65	104.0	11.5	5110
		3-10-66	(9)		5110
		3-24-66	102.3	13.2	5050
2N/09E-08N01M	145.0	10-20-65	126.5	18.5	5110
		3-10-66	124.0	21.0	5110
2N/09E-09D01M	132.8	10-20-65	108.1	29.7	5110
		3-10-66	103.1	24.7	5110
2N/09E-11A01M	250.0	10-20-65	182.5	87.5	5110
		3-10-66	163.0	87.0	5110
2N/09E-17C01M	192.0	10-20-65	171.4	20.6	5110
		3-10-66	(3)		5110
		3-24-66	169.4	22.6	5050
2N/09E-18Q01M	114.7	10-20-65	108.2	6.5	5110
		3-10-66	107.2	7.5	5110
2N/09E-22B01M	171.0	10-06-65	116.9	54.1	5050
		3-10-66	117.7	53.3	5050
2N/09E-28N01M	175.0	10-18-65	152.7	22.3	5110
		3-07-66	152.2	22.8	5110
2N/09E-32D01M	150.0	10-06-65	142.8	7.2	5050
		3-10-66	146.7	9.3	5050
3N/07E-33G01M	52.0	10-20-65	72.0	-20.0	5110
		3-09-66	64.5	-12.5	5110
3N/07E-35G02M	61.2	10-21-65	72.5	-11.3	5110
		3-10-66	66.5	-5.3	5110
3N/07E-35I01M	64.0	10-21-65	77.0	-13.0	5110
		3-10-66	70.7	-6.7	5110
3N/07E-36D01M	67.7	10-21-65	77.0	-9.3	5110
		3-10-66	(1)		5110
		3-24-66	70.7	-3.0	5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CALAVEAS RIVER AREA 5-22.02					
3N/07E-36K02M	74.5	10-21-65 3-10-66	81.1 75.3	-6.6 -0.8	5110 5110
3N/08E-11M01M	137.5	10-08-65 1-13-66	DRY 66.6	70.9	8201 8201
3N/08E-11M11M	139.9	10-08-65 1-13-66	125.5 124.9	14.4 15.0	8201 8201
3N/08E-11N02M	156.0	10-21-65 3-10-66 3-24-66	(1) 175.0 164.7	-19.0 -8.7	5110 5110 5050
3N/08E-12P11M	181.7	10-07-65 1-07-66	161.0 161.1	20.7 20.6	8201 8201
3N/08E-23F11M	173.1	10-07-65 1-07-66	167.3 166.1	5.8 7.0	8201 8201
3N/08E-26Q01M	130.0	7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65 1-24-66 2-23-66 3-28-66 4-25-66 5-25-66 7-22-66 8-24-66 9-26-66	126.7 127.5 127.9 127.0 126.6 125.7 125.0 124.4 124.2 125.9 125.9 127.0 128.2 189.3 189.7	3.3 2.5 2.1 3.0 3.4 4.3 5.0 5.6 5.8 4.1 3.0 1.8 0.7 0.3	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
3N/08E-27R01M	124.0	10-21-65 3-10-66	(1) 131.0	-7.0	5110 5110
3N/08E-32P01M	85.0	10-21-65 3-10-66	96.8 91.4	-11.8 -6.4	5110 5110
3N/09E-05D01M	280.0	10-21-65 3-11-66	242.0 242.4	38.0 37.6	5110 5110
CALAVEAS RIVER AREA 5-22.02					
3N/09E-25R01M	169.8	10-20-65 3-10-66	49.3 48.8	120.5 121.0	5110 5110
3N/09E-31C01M	192.0	10-21-65 3-09-66	(9)	(9)	5110 5110
3N/09E-33J01M	140.0	10-20-65 3-09-66	78.4	61.6 63.6	5110 5110
3N/09E-36G01M	180.4	10-20-65 3-10-66	69.2 72.2	111.2 108.2	5110 5110
FARMINGTON-COLLEGEVILLE AREA 5-22.03					
1N/06E-23J01M	17.5	10-18-65 3-08-66	43.5 36.5	-26.0 -19.0	5110 5110
1N/06E-24B01M	17.0	10-13-65 3-08-66	63.7 58.3	-46.7 -41.3	5050 5050
1N/06E-25H02M	19.0	10-11-65 3-17-66	55.8 52.6	-36.8 -33.6	5050 5050
1N/06E-26A02M	13.0	10-11-65 1-20-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-26-66	40.2 38.0 36.9 37.8 39.0 39.2 41.1 41.9 42.6 42.7	-27.2 -25.0 -23.9 -24.8 -26.0 -26.2 -28.1 -28.9 -29.6 -29.7	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
1N/06E-35A02M	16.0	10-18-65 3-08-66	30.0 31.5	-14.0 -15.5	5110 5110
1N/07E-12Q01M	54.4	10-18-65 3-08-66	88.4 83.5	-34.0 -29.1	5110 5110

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FARMINGTON-COLLEGEVILLE AREA 5-22-03					
1N/07E-13E01M	51.0	7-22-65	83.0	-32.0	5050
		8-23-65	DRY		5050
		9-23-65	DRY		5110
		10-19-65	DRY		5050
		10-25-65	DRY		5050
		11-22-65	DRY		5050
		12-22-65	DRY		5050
		1-24-66	DRY		5050
		2-23-66	81.1	-30.1	5110
		3-08-66	80.1	-28.1	5050
		3-28-66	79.6	-28.6	5050
		4-25-66	80.9	-29.9	5050
		5-25-66	DRY		5050
1N/07E-14I01M	47.0	10-06-65	83.8	-36.8	5050
		3-11-66	76.8	-29.8	5050
1N/07E-19R01M	24.0	7-22-65	(3)		5050
		8-23-65	(3)		5050
		9-23-65	(3)		5110
		10-19-65	(3)		5050
		10-25-65	(3)		5110
		3-08-66	56.3	-32.3	5110
1N/07E-21R01M	37.0	10-19-65	75.0	-38.0	5110
		3-08-66	67.5	-30.5	5110
1N/07E-23H02M	51.0	5-25-66	(6)	-41.7	5050
		6-21-66	85.2	-34.2	5050
		7-21-66	88.5	-37.5	5050
		8-24-66	(3)		5050
		9-26-66	91.8	-40.8	5050
1N/07E-24R01M	57.0	10-19-65	92.5	-35.5	5110
		3-08-66	102.8	-45.8	5110
1N/07E-27H02M	44.0	10-19-65	77.0	-33.0	5110
		3-08-66	71.5	-27.5	5110
1N/07E-28R01M	36.0	10-06-65	69.8	-33.8	5050
		3-11-66	60.8	-24.8	5050
1N/07E-31I01M	21.0	10-11-65	35.3	-14.3	5050
		3-10-66	33.8	-12.8	5050

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO FACE TO SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FARMINGTON-COLLEGEVILLE AREA 5-22-03					
1N/07E-35H01M	49.1	10-19-65	78.6	-29.5	5110
		3-08-66	78.6	-29.5	5110
1N/08E-13J01M	94.8	10-19-65	106.3	-11.5	5110
		3-07-66	92.5	2.3	5110
1N/08E-13P02M	90.5	7-22-65	117.2	-26.7	5050
		8-23-65	116.9	-26.4	5050
		9-23-65	113.7	-23.5	5110
		10-19-65	105.3	-14.8	5050
		10-25-65	104.7	-14.2	5050
		11-22-65	100.5	-10.0	5050
		12-22-65	97.5	-7.0	5050
		1-24-66	94.9	-4.2	5050
		2-23-66	92.7	-2.4	5110
		3-07-66	86.9	-8.3	5050
		3-28-66	86.3	-8.9	5050
		4-25-66	108.9	-18.2	5050
		5-25-66	108.7	-18.2	5050
		7-22-66	(4)		5050
		8-24-66	124.8	-24.3	5050
		9-26-66	124.8	-24.3	5050
1N/08E-17D01M	68.7	10-18-65	97.8	-29.1	5110
		3-08-66	90.3	-21.6	5110
		3-11-66	90.3	-21.6	5050
1N/08E-19B01M	62.2	10-19-65	(9)		5110
		3-08-66	(3)		5050
		3-24-66	85.0	-22.8	5050
1N/08E-21M01M	71.0	10-06-65	(1)		5050
		3-11-66	90.1	-19.1	5050
1N/08E-22B01M	80.5	10-18-65	105.3	-24.8	5110
		3-08-66	92.8	-12.3	5110
1N/08E-23J01M	88.7	10-19-65	104.9	-16.2	5110
		3-08-66	94.1	-5.4	5110
1N/08E-26A02M	88.7	10-19-65	104.1	-15.4	5110
		3-08-66	90.2	-1.5	5110

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FARMINGTON-COLLEGEVILLE AREA 5-22-03					
1N/08E-27R02M	78.0	10-19-65 3-08-66	98.3 85.3	-20.3 -7.3	5110 5110
1N/08E-28K01M	71.0	10-06-65 3-11-66	97.0 83.8	-26.0 -12.8	5050 5050
1N/08E-29M02M	64.1	10-19-65 3-08-66	90.6 82.1	-26.5 -18.0	5110 5110
1N/08E-30W01M	57.0	10-06-65 3-11-66	87.3 80.0	-30.3 -23.0	5050 5050
1N/08E-33H01M	71.6	10-19-65 3-08-66	92.5 81.0	-20.9 -9.4	5110 5110
1N/08E-33J01M	72.0	10-19-65 3-08-66	93.3 81.0	-21.3 -9.0	5110 5110
1N/08E-35R02M	81.0	10-19-65 3-08-66	89.6 78.2	-8.6 2.8	5110 5110
1N/08E-36F01M	87.0	10-19-65 3-08-66	92.4 82.2	-5.4 4.8	5110 5110
1N/09E-13D01M	141.0	10-18-65 3-07-66	89.2 88.7	51.8 52.3	5110 5110
1N/09E-15B02M	120.0	10-18-65 3-07-66	88.1 86.1	31.9 33.9	5110 5110
1N/09E-17D01M	103.0	10-18-65 3-07-66	102.0 91.7	1.0 11.3	5110 5110
1N/09E-17W01M	102.2	10-18-65 3-07-66	(3) 90.7	11.5	5110 5110
1N/09E-19C01M	97.0	10-18-65 3-07-66	106.5 91.5	-9.5 5.5	5110 5110
1N/09E-22G02M	118.0	10-18-65 3-07-66	88.9 84.4	29.1 33.6	5110 5110
FARMINGTON-COLLEGEVILLE AREA 5-22-03					
1M/09E-23Q01M	125.0	7-22-65 8-23-65 9-23-65 10-18-65 11-22-65 12-22-65 1-24-66 2-23-66 3-07-66 4-25-66 5-25-66 6-21-66 7-22-66 8-24-66 9-26-66	82.5 83.6 85.0 82.3 88.5 (8) 80.4 79.8 79.9 78.8 78.6 83.5 84.3 83.8 86.7 88.9 89.3	42.5 41.4 40.0 42.7 36.5 44.6 45.2 45.1 46.2 46.4 41.5 40.7 41.2 38.3 36.1 35.7	5050 5050 5050 5110 5050 5050 5050 5050 5110 5050 5050 5050 5050 5050 5050 5050
1M/09E-29A01M	106.5	10-19-65 3-08-66	98.0 84.5	8.0 22.0	5110 5110
1M/09E-30C05M	96.0	10-19-65 3-08-66	99.5 85.9	-3.5 10.1	5110 5110
1M/09E-32J01M	107.5	10-19-65 3-08-66	78.1 (1)	29.4	5110 5110
1M/09E-33F01M	117.3	10-19-65 3-08-66	92.4 81.5	24.9 35.8	5110 5110
1M/09E-36F01M	147.2	10-19-65 3-08-66	97.4 92.8	49.8 54.4	5110 5110
1S/07E-01J01M	52.4	10-19-65 3-08-66	(3) (3)		5110 5110
1S/07E-03A01M	43.1	10-19-65 3-08-66	59.0 (1)	-15.9	5110 5110
1S/07E-05A01M	28.9	10-18-65 3-08-66	46.4 38.4	-17.5 -9.5	5110 5110



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE WATER ELEVATION IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FARMINGTON-COLLEGEVILLE AREA 5-22-03					
1S/07E-06M02M	23.5	10-18-65 3-08-66	23.5 22.5	0.0 1.0	5110 5110
1S/07E-06J02M	30.0	10-18-65 3-08-66	22.7	7.3 7.3	5110 5110
1S/07E-10A01M	41.0	7-22-65 9-23-65 10-19-65 10-25-65 11-22-65 12-22-65	(1) 51.2 47.9 47.7 46.1 44.7	-10.2 -6.9 -6.7 -5.1 -3.7	5050 5050 5110 5050 5050 5050
		1-24-66 2-23-66 3-08-66 4-25-66 7-21-66 8-29-66 9-29-66	42.5 42.5 47.9 46.7 46.9 46.7	-2.5 -1.5 -6.9 -5.7	5050 5110 5110 5110 5050 5050 5050
		10-19-65 3-08-66	51.0 60.3	-12.3 -9.3	5110 5110
1S/07E-12H01M	51.0	10-19-65 3-08-66	63.3 60.3	-12.3 -9.3	5110 5110
1S/07E-13J01M	48.0	10-19-65 3-08-66	38.5 37.5	9.5 10.5	5110 5110
1S/07E-14P02M	44.5	10-19-65 3-08-66	24.0 23.5	20.5 21.0	5110 5110
1S/07E-15F01M	40.0	10-19-65 3-08-66	21.5 23.5	18.5 16.5	5110 5110
1S/08E-06D01M	55.4	10-19-65 3-08-66	(1) 72.5	-17.1	5110
1S/08E-08J01M	62.7	7-25-65 8-25-65 9-25-65 10-20-65 11-25-65 12-25-65	67.1 69.3 71.0 70.7 69.6 68.3	-4.4 -6.6 -8.3 -8.0 -6.9 -5.6	5050 5050 5050 5050 5050 5050
FARMINGTON-COLLEGEVILLE AREA 5-22-03					
1S/08E-08J01M	62.7	1-24-66 2-23-66 3-14-66 3-28-66 4-25-66 5-23-66 7-21-66 8-29-66 9-29-66	67.0 67.7 64.4 65.2 69.2 73.7 72.9 73.7 70.7	-4.3 -3.0 -2.2 -1.5 -2.0 -7.9 -13.0 -14.0	5050 5050 5050 5050 5050 5050 5050 5050 5050
1S/08E-09A01M	71.0	10-19-65 3-08-66	79.5 72.0	-8.5 -1.0	5110 5110
1S/08E-11F01M	80.0	10-19-65 3-08-66	81.4 71.7	-1.4 8.3	5110 5110
1S/08E-15A01M	73.5	7-22-65 8-23-65 9-23-65 10-19-65 10-29-65 11-22-65 12-22-65 1-24-66 2-23-66 3-08-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-26-66	70.2 72.2 73.7 72.5 72.2 70.8 69.3 67.4 65.9 64.5 64.5 65.8 67.2 69.2 77.8 76.4 76.3	3.3 0.9 -0.2 1.0 1.3 2.7 4.2 6.1 7.6 9.0 6.5 7.7 4.3 2.6 -0.3 -2.8	5050 5050 5050 5110 5050 5050 5050 5050 5050 5110 5050 5050 5050 5050 5050 5050 5050
1S/08E-21A01M	66.8	10-19-65 3-08-66	54.5 50.0	12.3 16.8	5110 5110
1S/08E-29H01M	61.5	10-19-65 3-08-66	29.8 27.8	31.7 33.7	5110 5110
1S/08E-30C01M	52.0	10-19-65 3-08-66	22.0 26.0	30.0 26.0	5110 5110



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND WATER ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FARMINGTON COLLEEVILLE AREA 5-22-03					
1S/09E-02D01M	146.0	10-19-65 3-08-66	100.3 94.5	45.7 51.5	5110 5110
1S/09E-02F01M	162.0	10-19-65 3-08-66	(1) 96.9	65.1	5110 5110
1S/09E-05F01M	105.7	10-19-65 3-08-66	74.5 70.9	31.2 34.8	5110 5110
1S/09E-07N01M	96.2	10-19-65 3-08-66	78.3 68.0	17.9 28.2	5110 5110
1S/09E-09F01M	127.6	10-19-65 3-08-66	80.2 75.2	47.4 52.4	5110 5110
1S/09E-18R03M	103.8	10-19-65 3-08-66	73.3 63.7	30.5 40.1	5110 5110
1S/09E-19Q01M	97.5	10-19-65 3-08-66	(1) 51.2	46.3	5110 5110
SOUTH SAN JOAQUIN IRRIGATION DISTRICT 5-22-05					
1S/06E-24H02M	23.0	10-08-65 3-10-66 3-28-66	(1) (1) (2) 13.6	9.4	5050 5050 5050
1S/07E-17N02M	30.0	10-05-65 3-10-66	7.6 12.3	22.4 17.7	5050 5050
1S/07E-23N01M	45.0	10-05-65 3-10-66	11.9 16.8	33.1 28.4	5050 5050
1S/07E-25F01M	56.0	10-05-65 3-10-66	16.1 20.2	39.8 35.8	5050 5050
1S/07E-28D01M	34.0	7-22-65 8-23-65 9-23-65 10-25-65 11-22-65 12-22-65 1-24-66	6.2 7.0 7.6 7.9 6.8 7.0 7.2	27.8 27.0 28.4 26.2 27.1 27.0 26.8	5050 5050 5050 5050 5050 5050 5050
SOUTH SAN JOAQUIN IRRIGATION DISTRICT 5-22-05					
1S/07E-28D01M CONT.	34.0	2-23-66 3-28-66 4-29-66 5-29-66 6-21-66 7-21-66 8-24-66 9-26-66	7.1 7.8 7.3 6.8 6.5 7.1 6.8 6.8	26.9 26.2 27.7 27.2 26.9 27.2 27.2	5050 5050 5050 5050 5050 5050 5050
1S/07E-29N02M	30.0	10-05-65 3-10-66	8.9 8.3	21.1 21.7	5050 5050
1S/07E-35Q01M	49.0	10-05-65 3-10-66	7.1 7.7	41.9 41.3	5050 5050
1S/08E-25Q01M	90.5	10-19-65 3-08-66	39.2	51.0 50.9	5110 5110
1S/08E-27A01M	75.0	10-05-65 3-10-66	45.9 43.0	29.1 32.0	5050 5050
1S/08E-33N01M	67.0	7-25-65 8-23-65 9-23-65 10-23-65 11-25-65 12-26-65 1-26-66 2-26-66 3-28-66 4-28-66 5-28-66 6-21-66 7-21-66 8-21-66 9-26-66	24.4 27.6 25.4 27.0 24.2 24.2 24.7 25.0 25.0 25.0 25.0 26.6 26.6 27.2	42.6 43.4 43.2 41.9 42.1 42.2 42.3 41.7 41.8 41.7 41.3 40.4 40.4 39.8	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
1S/08E-35R02M	88.0	10-05-65 3-10-66	32.5 33.3	55.5 54.7	5050 5050
2S/06E-13G01M	22.0	10-05-65 3-10-66	5.6 7.3	16.4 14.7	5050 5050
2S/07E-07Q01M	28.0	10-05-65 3-10-66	5.7 6.6	22.3 21.4	5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOUTH SAN JOAQUIN IRRIGATION DISTRICT 5-22-05											
2S/07E-08R01M	36.9	7-25-65	10.5	26.4	5050	2S/07E-12R02M CONT.	55.0	1-24-66	12.4	42.6	5050
		8-25-65	10.6	26.3	5050			2-23-66	12.0	43.0	5050
		9-25-65	9.7	27.2	5050			3-28-66	11.8	42.8	5050
		10-05-65	10.0	26.9	5050			4-25-66	11.8	43.2	5050
		10-25-65	10.4	26.5	5050			5-25-66	12.6	42.2	5050
		11-25-65	10.9	26.0	5050			6-21-66	12.6	42.4	5050
		12-25-65	11.0	25.9	5050			7-21-66	13.0	42.0	5050
		1-24-66	10.7	26.2	5050			8-24-66	13.2	41.8	5050
		2-23-66	10.3	26.6	5050			9-26-66	13.4	41.6	5050
		3-10-66	10.3	26.6	5050	2S/07E-20N01M	29.0	10-05-65	6.9	22.1	5050
		3-28-66	10.4	26.5	5050			3-10-66	7.2	21.8	5050
		4-25-66	10.3	26.6	5050			10-05-65	9.8	34.2	5050
		5-25-66	9.9	27.0	5050			3-10-66	7.9	36.1	5050
		6-21-66	10.3	26.6	5050			7-22-65	14.0	42.0	5050
		7-21-66	10.7	26.2	5050			8-23-65	14.5	41.5	5050
		8-24-66	10.8	26.1	5050			9-23-65	15.1	40.9	5050
		9-26-66	10.8	26.1	5050			10-25-65	15.6	40.4	5050
2S/07E-10R01M	46.0	10-05-65	12.9	33.1	5050			11-22-65	16.0	40.0	5050
		3-10-66	12.3	33.7	5050			12-22-65	16.0	40.0	5050
2S/07E-12G01M	56.0	10-05-65	11.6	44.4	5050			1-24-66	15.6	40.4	5050
		3-10-66	11.4	44.6	5050			2-23-66	15.6	40.4	5050
2S/07E-12R01M	55.0	7-22-65	15.0	40.0	5050			3-28-66	15.9	40.1	5050
		8-23-65	14.5	40.5	5050			4-25-66	14.8	41.2	5050
		9-23-65	14.5	40.5	5050			5-25-66	15.2	40.8	5050
		10-25-65	14.9	40.1	5050			6-21-66	15.6	40.9	5050
		11-22-65	14.7	40.3	5050			7-21-66	16.6	39.4	5050
		12-22-65	14.7	40.3	5050			8-24-66	17.8	38.2	5050
		1-24-66	14.7	40.3	5050			10-05-65	12.5	32.5	5050
		2-23-66	14.5	40.5	5050			3-10-66	12.5	32.6	5050
		3-28-66	15.3	39.7	5050			10-05-65	16.1	62.9	5050
		4-25-66	14.8	40.1	5050			3-10-66	21.3	57.7	5050
		5-25-66	15.8	39.2	5050			10-05-65	17.5	46.5	5050
		6-21-66	16.0	39.0	5050			3-10-66	19.4	45.6	5050
		8-24-66	16.6	38.4	5050			7-22-65	36.1	98.4	5050
		9-26-66	17.1	37.9	5050			8-23-65	36.1	98.9	5050
		10-05-65	16.7	38.3	5050			9-23-65	36.2	99.1	5050
		11-22-65	16.7	38.3	5050			10-10-65	35.2	99.8	5050
		12-22-65	12.0	42.4	5050			10-25-65	35.3	99.7	5050
SOUTH SAN JOAQUIN IRRIGATION DISTRICT 5-22-05											
2S/07E-12R02M	55.0	7-22-65	11.8	43.2	5050	2S/09E-02E01M	135.0	8-22-65	36.1	98.4	5050
		8-23-65	12.0	43.0	5050			9-23-65	36.1	98.9	5050
		9-23-65	12.1	42.9	5050			10-10-65	36.2	99.1	5050
		10-25-65	12.3	42.7	5050			10-10-65	36.2	99.1	5050
		11-22-65	12.4	42.4	5050			10-25-65	35.3	99.7	5050
		12-22-65	12.0	42.4	5050						



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DELTA AREA 5-22-52					
1S/06E-36G01M	23.0	10-06-65 3-10-66	11.0 9.5	12.0 13.5	5050 5050
2S/06E-02H01M	20.0	10-05-65 3-10-66	13.4 8.9	6.6 11.1	5050 5050
2S/06E-11J01M	20.0	1-20-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-29-66	8.7 8.2 (1) 11.6 22.5 (1) 14.8 14.4 14.1	11.3 8.4 -2.5 (1) 5.2 5.6 5.9	5050 5050 5050 5050 5050 5050 5050 5050 5050
2S/06E-25R01M	23.0	10-05-65 3-10-66	7.6 8.1	15.4 14.9	5050 5050
3S/07E-05J01M	34.0	10-05-65 3-10-66	6.6 10.1	27.4 23.9	5050 5050
3S/07E-06Q01M	26.0	1-20-66 2-23-66 3-28-66 4-25-66 5-25-66 6-21-66 7-21-66 8-24-66 9-26-66	7.8 8.0 7.7 6.1 6.0 4.5 4.9 4.8 5.2	18.2 18.0 18.3 19.9 20.0 21.5 21.1 20.8 20.8	5050 5050 5050 5050 5050 5050 5050 5050 5050
LAHONTAN REGION 6-00-00					
SURPRISE VALLEY 6-01-00					
40N/16E-36G01M	4625.2	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65	(1) (1) (1) 62.0 60.5 60.1	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65	5050 5050 5050 5050 5050 5050
41N/16E-27Q01M	4657.2	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65	16.8 21.6 21.3 26.7 26.5 24.3	4640.4 4635.6 4635.9 4630.5 4630.7 4632.9	5050 5050 5050 5050 5050 5050
41N/16E-35D02M	4621.5	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65 1-19-66 2-24-66 3-23-66 4-19-66 5-17-66 6-21-66 7-20-66 8-15-66 9-20-66	30.5 30.7 31.3 32.5 32.8 34.8 34.8 35.0 32.7	4521.8 4520.8 4520.2 4520.0 4520.1 4520.2 4520.2 4520.2 4520.2 4520.2 4520.2 4520.2 4520.2 4520.2 4520.2	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SURPRISE VALLEY 6-01.00					
41N/16E-35D02M CONT.	4621.5	5-17-66 6-21-66 7-20-66 8-15-66 9-20-66	(1) (1) (1) (1) (1)	4633.0 4631.8 4631.2 4630.2 4629.6 4629.1 4628.6 4628.2 4628.0 4628.0 4628.2 4627.3 4626.7 4621.9 4620.9	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
42N/16E-17K01M	4651.6	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65 1-19-66 2-24-66 3-23-66 4-19-66 5-17-66 6-21-66 7-20-66 8-15-66 9-20-66	18.6 19.8 20.4 21.4 22.0 22.5 23.0 23.4 23.6 23.4 23.4 24.3 24.9 (4) 30.7	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050	
43N/16E-17D01M	4687.4	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65 1-19-66 2-24-66 3-23-66 4-19-66 5-17-66 6-21-66 7-20-66 8-15-66 9-20-66	32.8 32.8 35.7 31.5 31.6 31.9 32.2 32.5 33.0 33.1 33.3 33.5 33.8 34.0 34.4	4655.3 4654.4 4651.7 4655.9 4655.8 4655.5 4655.2 4654.9 4654.4 4654.3 4654.1 4653.9 4653.6 4653.4 4653.0	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
46N/16E-09I01M	4534.3	7-20-65 8-17-65 9-21-65 10-19-65 11-16-65 12-14-65 1-19-66 2-24-66 3-23-66 4-19-66 5-17-66 6-21-66 7-20-66 8-15-66 9-21-66	13.4 11.1 14.5 17.4 17.5 17.7 17.8 18.3 18.3 18.3 18.3 18.3 18.3 18.3	4520.9 4523.2 4519.8 4516.9 4516.8 4516.6 4516.5 4516.0 4516.0 4516.0 4516.0 4516.0 4516.0	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
SURPRISE VALLEY 6-01.00					
46N/16E-09I01M CONT.	4534.3	3-23-66 4-19-66 5-17-66 6-21-66 7-20-66 8-15-66 8-20-66	17.5 16.4 16.1 17.5 18.2 19.8 21.0	4516.8 4517.9 4518.2 4516.8 4516.1 4514.5 4513.3	5050 5050 5050 5050 5050 5050 5050
MADELINE PLAIN 6-02.00					
34N/14E-26B01M	5301.3	7-21-65 8-18-65 9-20-65 10-20-65 11-17-65 12-14-65 1-19-66 3-01-66 3-24-66 4-19-66	30.9 30.7 33.5 30.8 30.5 30.4 30.4 30.7 30.4 (0)	5270.4 5270.6 5267.8 5270.5 5270.8 5270.9 5270.6 5270.9 5270.9 5270.9	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050
34N/14E-26H01M	5302.0	7-20-66 8-16-66 9-21-66	31.4 30.5 30.4	5270.6 5271.5 5271.6	5050 5050 5050
35N/13E-26J02M	5296.0	7-20-66 8-16-66 9-21-66	53.0 (1) 53.3	5243.0 (1) 5242.7	5050 5050 5050
37N/13E-09J01M	5342.4	1-19-66 3-01-66 3-24-66 4-19-66 5-17-66 6-22-66 7-20-66 8-16-66 9-21-66	15.7 16.1 16.4 16.7 15.1 13.2 12.4 12.4 14.2	5326.7 5326.3 5326.0 5325.7 5327.3 5329.2 5330.0 5330.0 5328.2	5050 5050 5050 5050 5050 5050 5050 5050 5050

TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MADELINE PLAIN 6-02.00					
37N/13E-32A01M	5287.9	7-21-65	5.6	5282.3	5050
		8-18-65	7.7	5280.2	5050
		9-20-65	6.8	5281.1	5050
		10-20-65	8.6	5279.3	5050
		11-17-65	7.8	5280.1	5050
		12-14-65	(1)		5050
		1-19-66	9.0	5278.9	5050
		3-01-66	8.6	5279.3	5050
		3-24-66	8.9	5279.0	5050
		4-19-66	8.5	5279.4	5050
		5-17-66	8.8	5279.1	5050
		6-22-66	9.1	5278.8	5050
		7-20-66	9.6	5278.3	5050
		8-16-66	10.2	5277.7	5050
		9-21-66	10.4	5277.5	5050
HONEY LAKE VALLEY 6-04.00					
26N/16E-15E03M	4106.1	7-21-65	52.7	4053.4	5050
		8-18-65	51.6	4054.5	5050
		9-20-65	53.0	4053.1	5050
		10-20-65	50.6	4055.5	5050
		11-17-65	50.5	4055.6	5050
		12-16-65	52.8	4053.3	5050
		1-17-66	52.5	4053.6	5050
		2-23-66	53.2	4052.9	5050
		3-23-66	54.0	4052.1	5050
		4-20-66	54.2	4051.9	5050
		5-20-66	56.2	4049.9	5050
		6-20-66	54.4	4051.7	5050
		7-20-66	53.5	4052.6	5050
		8-17-66	53.1	4053.0	5050
		9-19-66	51.7	4054.4	5050
		7-21-65	18.3	4192.1	5050
		8-18-65	19.8	4190.6	5050
		9-20-65	20.8	4189.6	5050
		10-20-65	21.8	4188.6	5050
		11-17-65	22.2	4188.2	5050
		12-16-65	23.2	4187.2	5050
		1-17-66	23.4	4187.0	5050
		2-23-66	23.1	4187.3	5050
		3-23-66	22.3	4188.1	5050
		4-20-66	30.3	4180.1	5050
HONEY LAKE VALLEY 6-04.00					
26N/16E-15E03M	4106.1	7-21-65	52.7	4053.4	5050
		8-18-65	51.6	4054.5	5050
		9-20-65	53.0	4053.1	5050
		10-20-65	50.6	4055.5	5050
		11-17-65	50.5	4055.6	5050
		12-16-65	52.8	4053.3	5050
		1-17-66	52.5	4053.6	5050
		2-23-66	53.2	4052.9	5050
		3-23-66	54.0	4052.1	5050
		4-20-66	54.2	4051.9	5050
		5-20-66	56.2	4049.9	5050
		6-20-66	54.4	4051.7	5050
		7-20-66	53.5	4052.6	5050
		8-17-66	53.1	4053.0	5050
		9-19-66	51.7	4054.4	5050
HONEY LAKE VALLEY 6-04.00					
27N/14E-26D01M	4210.4	7-21-65	28.8	4181.6	5050
		8-18-65	32.7	4177.6	5050
		9-20-65	31.6	4172.7	5050
		8-17-66	20.2	4184.2	5050
		9-19-66	27.0	4183.4	5050
HONEY LAKE VALLEY 6-04.00					
28N/13E-09M02M	4279.5	7-21-65	19.6	4259.9	5050
		8-18-65	21.7	4257.8	5050
		9-20-65	21.6	4259.9	5050
		10-20-65	20.3	4253.2	5050
		11-17-65	29.1	4252.4	5050
		12-16-65	28.7	4250.8	5050
		1-01-66	(0)		5050
HONEY LAKE VALLEY 6-04.00					
28N/13E-11F01M	4068.6	7-21-65	62.5	4006.1	5050
		8-18-65	47.3	4021.3	5050
		9-20-65	22.2	4046.4	5050
		10-20-65	18.9	4049.7	5050
		11-17-65	18.0	4050.6	5050
		12-16-65	17.5	4051.1	5050
		1-17-66	16.8	4051.8	5050
		2-23-66	16.3	4052.3	5050
		3-23-66	16.2	4052.4	5050
		4-20-66	24.9	4043.7	5050
		5-20-66	(1)		5050
		6-20-66	(1)		5050
		7-20-66	(4)	4020.4	5050
		8-17-66	(1)		5050
		9-19-66	(4)	4013.1	5050
HONEY LAKE VALLEY 6-04.00					
29N/12E-05J01M	4172.3	7-21-65	12.2	4160.1	5050
		8-18-65	13.3	4159.0	5050
		9-20-65	14.4	4157.9	5050
		10-20-65	14.2	4157.4	5050
		11-17-65	14.9	4158.1	5050
		12-14-65	13.4	4158.9	5050
		1-10-66	13.1	4159.2	5050
		3-01-66	12.6	4159.7	5050
		3-24-66	12.9	4159.4	5050
		4-19-66	12.9	4159.4	5050
		5-18-66	13.7	4158.6	5050
		6-22-66	13.7	4158.6	5050
		7-20-66	13.3	4159.0	5050
		8-17-66	15.4	4156.9	5050
		9-19-66	15.3	4157.0	5050



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
HONEY LAKE VALLEY 6-04.00					
29N/14E-17R02M	4046.9	7-21-65	5.7	4041.2	5050
		8-18-65	4.9	4042.0	5050
		9-20-65	5.7	4041.2	5050
		10-20-65	7.2	4039.7	5050
		11-17-65	7.1	4039.8	5050
		12-14-65	7.2	4039.7	5050
		1-19-66	6.8	4040.1	5050
		3-01-66	7.0	4039.9	5050
		3-24-66	7.2	4039.7	5050
		4-19-66	7.6	4039.3	5050
		5-17-66	6.2	4040.7	5050
		6-22-66	6.8	4040.1	5050
		7-20-66	10.7	4036.2	5050
		8-17-66	(1)		5050
		9-19-66	11.5	4035.4	5050
TAHOE VALLEY 6-05.00					
SOUTH TAHOE VALLEY 6-05.01					
11N/18E-05N01M	6396.1	8-17-65	(8)		5050
		10-08-65	15.1	6381.0	5050
		4-14-66	12.3	6383.8	5050
		6-15-66	12.2	6383.9	5050
		8-08-66	(1) 24.8	6371.3	5050
11N/18E-08N01M	6435.5	8-17-65	7.1	6428.4	5050
		10-08-65	9.2	6426.3	5050
		4-14-66	6.0	6429.5	5050
		6-15-66	8.0	6427.5	5050
		8-08-66	9.6	6425.9	5050
12N/18E-01D04M	7280.0	8-18-65	25.0	7255.0	5050
		10-07-65	26.6	7253.4	5050
		4-14-66	31.2	7248.8	5050
		6-14-66	29.0	7251.0	5050
		8-08-66	30.0	7250.0	5050
12N/18E-02B01M	6273.8	8-18-65	(2)		5050
		10-07-65	(2)		5050
		4-14-66	(2)		5050
		6-15-66	(2)		5050
		8-09-66	(2)		5050
SOUTH TAHOE VALLEY 6-05.01					
12N/18E-02C01M	6274.3	8-18-65		6239.0	5050
		10-07-65		6239.5	5050
		4-14-66		6240.4	5050
		6-15-66		6239.3	5050
		8-08-66		6239.8	5050
12N/18E-02C09M	6291.1	8-18-65		6249.1	5050
		10-07-65	(1) 43.0	6248.1	5050
		4-14-66	(9)		5050
		6-15-66	(1) 45.8	6245.3	5050
		8-08-66	46.0	6245.1	5050
12N/18E-03A01M	6270.4	8-17-65		6247.6	5050
		10-07-65		6248.0	5050
		4-14-66		6248.4	5050
		6-14-66		6248.2	5050
		8-09-66		6247.0	5050
12N/18E-03C10M	6263.2	8-18-65		6238.4	5050
		10-07-65		6229.6	5050
		4-14-66		6241.0	5050
		6-15-66		6239.2	5050
		8-09-66		6236.6	5050
12N/18E-03D05M	6253.4	8-17-65		6234.7	5050
		10-07-65		6233.1	5050
		4-14-66	(8)		5050
		6-14-66		6231.1	5050
		8-09-66		6233.0	5050
12N/18E-03D08M	6261.9	8-18-65		6229.8	5050
		10-07-65		6229.8	5050
		4-14-66		6231.1	5050
		6-14-66		6231.3	5050
		8-09-66		6229.4	5050
12N/18E-04A05M	6254.4	8-17-65		6233.7	5050
		10-07-65		6232.6	5050
		4-14-66		6233.5	5050
		6-14-66		6231.4	5050
		8-09-66		6229.7	5050
12N/18E-04B03M	6236.7	8-18-65		6228.5	5050
		10-07-65		6228.0	5050
		4-14-66		6229.3	5050
		6-14-66		6227.7	5050
		8-09-66		6226.9	5050




TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOUTH TAHOE VALLEY 6-05.01					
12N/18E-04T01M	6264.0	8-17-65 10-07-65 4-14-66 6-15-66 8-09-66	(1) 25.7 28.4 25.9 (2) 29.2	6238.3 6235.6 6238.1 6234.8 6234.8	5050 5050 5050 5050 5050
12N/18E-05A02M	6239.7	8-17-65 10-07-65 4-14-66 6-14-66 8-08-66	4.9 6.1 3.5 6.7 8.3	6233.8 6233.6 6234.2 6233.0 6231.4	5050 5050 5050 5050 5050
12N/18E-05C02M	6257.6	8-17-65 10-07-65 4-14-66 6-14-66 8-08-66	21.6 29.6 22.0 26.7 23.4	6236.0 6228.0 6235.6 6230.9 6234.2	5050 5050 5050 5050 5050
12N/18E-05R01M	6256.3	8-17-65 10-07-65 4-15-66 6-14-66 8-08-66	14.2 14.9 14.1 16.3 18.6	6242.1 6241.4 6242.2 6240.0 6237.7	5050 5050 5050 5050 5050
12N/18E-05R01M	6271.0	8-17-65 10-07-65 4-14-66 6-14-66 8-08-66	30.5 31.2 31.1 32.1 35.9	6240.5 6239.8 6239.9 6238.9 6235.1	5050 5050 5050 5050 5050
12N/18E-05R01M	6277.5	8-17-65 10-07-65 4-14-66 6-14-66 8-08-66	33.1 33.5 (2) (2) (2)	6244.4 6244.0 (2) (2) (2)	5050 5050 5050 5050 5050
12N/18E-06R01M	6670.0	8-17-65 10-07-65 4-14-66 6-14-66 8-08-66	(1) 85.8 (1) (1) (1) (1)	6584.2 (1) (1) (1) (1)	5050 5050 5050 5050 5050
SOUTH TAHOE VALLEY 6-05.01					
12N/18E-09D03M	6298.0	8-17-65 10-07-65 4-14-66 6-15-66 8-08-66	58.7 59.3 58.4 (1) 63.4 63.4	6239.3 6238.7 6239.6 6238.2 6234.6	5050 5050 5050 5050 5050
12N/18E-16M01M	6297.9	8-17-65 10-08-65 4-14-66 6-15-66 8-08-66	20.6 20.1 12.0 16.2 29.6	6277.3 6277.8 6285.9 6281.0 6288.3	5050 5050 5050 5050 5050
12N/18E-21D01M	6283.0	8-17-65 10-08-65 4-14-66 6-15-66 8-08-66	(1) 18.1 3.2 4.2 4.2 5.6	6284.9 6278.7 6278.6 6270.8 6277.4	5050 5050 5050 5050 5050
12N/18E-29N01M	6337.7	8-17-65 10-08-65 4-14-66 6-15-66 8-08-66	27.9 29.2 29.7 30.3 32.0	6309.8 6308.5 6301.5 6307.4 6305.7	5050 5050 5050 5050 5050
13N/17E-35G01M	6278.6	8-17-65 10-07-65 4-14-66 6-15-66 8-08-66	29.8 30.8 31.1 31.2 32.3	6248.7 6247.8 6247.5 6247.4 6246.3	5050 5050 5050 5050 5050
13N/18E-27K01M	6276.7	8-18-65 10-07-65 4-14-66 6-15-66 8-08-66	39.8 40.6 38.5 39.1 41.2	6236.9 6236.1 6238.2 6237.6 6235.5	5050 5050 5050 5050 5050
13N/18E-27T01M	6246.3	8-18-65 10-07-65 4-14-66 6-15-66 8-08-66	15.8 16.1 15.5 16.3 (6)	6230.5 6230.2 6230.8 6230.0 (6)	5050 5050 5050 5050 5050

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOUTH TAHOE VALLEY 6-05 .01											
13N/18E-33R01M	6242.0	8-18-65	14.2	6227.8	5050						
		10-07-65	13.0	6229.0	5050						
		4-15-66	12.8	6229.2	5050						
		6-15-66	{1}	6221.8	5050						
		8-09-66	{1}	6219.8	5050						
13N/18E-33R01M	6253.1	8-18-65	25.6	6227.5	5050						
		10-07-65	26.0	6227.1	5050						
		4-14-66	25.4	6227.7	5050						
		8-14-66	26.6	6226.5	5050						
		8-09-66	26.0	6225.1	5050						
13N/18E-33R05M	6265.6	8-18-65	32.0	6233.6	5050						
		10-07-65	29.3	6236.3	5050						
		4-15-66	29.0	6236.6	5050						
		8-15-66	32.7	6232.9	5050						
		8-08-66	30.7	6234.9	5050						
13N/18E-34R02M	6262.8	8-18-65	26.0	6236.8	5050						
		10-07-65	26.0	6236.8	5050						
		4-14-66	26.0	6237.2	5050						
		6-15-66	26.4	6237.4	5050						
		8-15-66	27.9	6234.9	5050						
























MAR 13 1958  
GOV'T. DOCS. LIBRARY




EXPLANATION

 Contour line  
 River  
 Road  
 Boundary  
 Well  
 Structure

OFFICE OF CALIFORNIA  
 THE RESOURCE AGENCY  
 DEPARTMENT OF LAND AND NATURAL RESOURCES  
 NORTH EASTERN CALIFORNIA  
**LINES OF EQUAL DEPTH  
 TO WATER IN WELLS**  
 SACRAMENTO-SAN JOAQUIN RIVER DELTA  
 AND SAN JOAQUIN COUNTY  
 FALL 1955









MAR 13 1953  
GOVT DOC. USE ONLY



ELEVATION  
 FEET, THIS SYMBOL  
 INDICATES THE ELEVATION  
 OF THE POINT  
 OF MEASUREMENT

THE BUREAU OF RECONSTRUCTION  
 DEPARTMENT OF WATER RESOURCES  
 NORTHWESTERN CALIFORNIA  
**LINES OF EQUAL ELEVATION  
 OF WATER IN WELLS**  
 IN LOW SALICORNIA COUNTY  
 SPRING 1956





Calif. Dept. of Water Resources

Bulletin #130-66

PLATE C-4

UNIVERSITY OF CALIFORNIA  
DAVIS

MAR 13 1968

GOVT. DOCS. - LIBRARY

40° 5

44° 27'

40° 00










Calif. Dept. of Water Resources  
Bulletin # 56-66

PLATE C-5

UNIVERSITY OF CALIFORNIA  
DAVIS  
MAR 13 1968  
GOVT. DOCS. - LIBRARY







UNIVERSITY OF CALIFORNIA  
 MAR 13 1958  
 GOV. F. DOCS. - 11022-7



EXPLANATION  
 DEPTH TO WATER CONTOUR  
 50  
 100  
 150  
 200  
 250  
 300  
 350  
 400  
 450  
 500  
 550  
 600  
 650  
 700  
 750  
 800  
 850  
 900  
 950  
 1000  
 1050  
 1100  
 1150  
 1200  
 1250  
 1300  
 1350  
 1400  
 1450  
 1500  
 1550  
 1600  
 1650  
 1700  
 1750  
 1800  
 1850  
 1900  
 1950  
 2000  
 2050  
 2100  
 2150  
 2200  
 2250  
 2300  
 2350  
 2400  
 2450  
 2500  
 2550  
 2600  
 2650  
 2700  
 2750  
 2800  
 2850  
 2900  
 2950  
 3000  
 3050  
 3100  
 3150  
 3200  
 3250  
 3300  
 3350  
 3400  
 3450  
 3500  
 3550  
 3600  
 3650  
 3700  
 3750  
 3800  
 3850  
 3900  
 3950  
 4000  
 4050  
 4100  
 4150  
 4200  
 4250  
 4300  
 4350  
 4400  
 4450  
 4500  
 4550  
 4600  
 4650  
 4700  
 4750  
 4800  
 4850  
 4900  
 4950  
 5000  
 5050  
 5100  
 5150  
 5200  
 5250  
 5300  
 5350  
 5400  
 5450  
 5500  
 5550  
 5600  
 5650  
 5700  
 5750  
 5800  
 5850  
 5900  
 5950  
 6000  
 6050  
 6100  
 6150  
 6200  
 6250  
 6300  
 6350  
 6400  
 6450  
 6500  
 6550  
 6600  
 6650  
 6700  
 6750  
 6800  
 6850  
 6900  
 6950  
 7000  
 7050  
 7100  
 7150  
 7200  
 7250  
 7300  
 7350  
 7400  
 7450  
 7500  
 7550  
 7600  
 7650  
 7700  
 7750  
 7800  
 7850  
 7900  
 7950  
 8000  
 8050  
 8100  
 8150  
 8200  
 8250  
 8300  
 8350  
 8400  
 8450  
 8500  
 8550  
 8600  
 8650  
 8700  
 8750  
 8800  
 8850  
 8900  
 8950  
 9000  
 9050  
 9100  
 9150  
 9200  
 9250  
 9300  
 9350  
 9400  
 9450  
 9500  
 9550  
 9600  
 9650  
 9700  
 9750  
 9800  
 9850  
 9900  
 9950  
 10000  
 10050  
 10100  
 10150  
 10200  
 10250  
 10300  
 10350  
 10400  
 10450  
 10500  
 10550  
 10600  
 10650  
 10700  
 10750  
 10800  
 10850  
 10900  
 10950  
 11000  
 11050  
 11100  
 11150  
 11200  
 11250  
 11300  
 11350  
 11400  
 11450  
 11500  
 11550  
 11600  
 11650  
 11700  
 11750  
 11800  
 11850  
 11900  
 11950  
 12000  
 12050  
 12100  
 12150  
 12200  
 12250  
 12300  
 12350  
 12400  
 12450  
 12500  
 12550  
 12600  
 12650  
 12700  
 12750  
 12800  
 12850  
 12900  
 12950  
 13000  
 13050  
 13100  
 13150  
 13200  
 13250  
 13300  
 13350  
 13400  
 13450  
 13500  
 13550  
 13600  
 13650  
 13700  
 13750  
 13800  
 13850  
 13900  
 13950  
 14000  
 14050  
 14100  
 14150  
 14200  
 14250  
 14300  
 14350  
 14400  
 14450  
 14500  
 14550  
 14600  
 14650  
 14700  
 14750  
 14800  
 14850  
 14900  
 14950  
 15000  
 15050  
 15100  
 15150  
 15200  
 15250  
 15300  
 15350  
 15400  
 15450  
 15500  
 15550  
 15600  
 15650  
 15700  
 15750  
 15800  
 15850  
 15900  
 15950  
 16000  
 16050  
 16100  
 16150  
 16200  
 16250  
 16300  
 16350  
 16400  
 16450  
 16500  
 16550  
 16600  
 16650  
 16700  
 16750  
 16800  
 16850  
 16900  
 16950  
 17000  
 17050  
 17100  
 17150  
 17200  
 17250  
 17300  
 17350  
 17400  
 17450  
 17500  
 17550  
 17600  
 17650  
 17700  
 17750  
 17800  
 17850  
 17900  
 17950  
 18000  
 18050  
 18100  
 18150  
 18200  
 18250  
 18300  
 18350  
 18400  
 18450  
 18500  
 18550  
 18600  
 18650  
 18700  
 18750  
 18800  
 18850  
 18900  
 18950  
 19000  
 19050  
 19100  
 19150  
 19200  
 19250  
 19300  
 19350  
 19400  
 19450  
 19500  
 19550  
 19600  
 19650  
 19700  
 19750  
 19800  
 19850  
 19900  
 19950  
 20000  
 20050  
 20100  
 20150  
 20200  
 20250  
 20300  
 20350  
 20400  
 20450  
 20500  
 20550  
 20600  
 20650  
 20700  
 20750  
 20800  
 20850  
 20900  
 20950  
 21000  
 21050  
 21100  
 21150  
 21200  
 21250  
 21300  
 21350  
 21400  
 21450  
 21500  
 21550  
 21600  
 21650  
 21700  
 21750  
 21800  
 21850  
 21900  
 21950  
 22000  
 22050  
 22100  
 22150  
 22200  
 22250  
 22300  
 22350  
 22400  
 22450  
 22500  
 22550  
 22600  
 22650  
 22700  
 22750  
 22800  
 22850  
 22900  
 22950  
 23000  
 23050  
 23100  
 23150  
 23200  
 23250  
 23300  
 23350  
 23400  
 23450  
 23500  
 23550  
 23600  
 23650  
 23700  
 23750  
 23800  
 23850  
 23900  
 23950  
 24000  
 24050  
 24100  
 24150  
 24200  
 24250  
 24300  
 24350  
 24400  
 24450  
 24500  
 24550  
 24600  
 24650  
 24700  
 24750  
 24800  
 24850  
 24900  
 24950  
 25000  
 25050  
 25100  
 25150  
 25200  
 25250  
 25300  
 25350  
 25400  
 25450  
 25500  
 25550  
 25600  
 25650  
 25700  
 25750  
 25800  
 25850  
 25900  
 25950  
 26000  
 26050  
 26100  
 26150  
 26200  
 26250  
 26300  
 26350  
 26400  
 26450  
 26500  
 26550  
 26600  
 26650  
 26700  
 26750  
 26800  
 26850  
 26900  
 26950  
 27000  
 27050  
 27100  
 27150  
 27200  
 27250  
 27300  
 27350  
 27400  
 27450  
 27500  
 27550  
 27600  
 27650  
 27700  
 27750  
 27800  
 27850  
 27900  
 27950  
 28000  
 28050  
 28100  
 28150  
 28200  
 28250  
 28300  
 28350  
 28400  
 28450  
 28500  
 28550  
 28600  
 28650  
 28700  
 28750  
 28800  
 28850  
 28900  
 28950  
 29000  
 29050  
 29100  
 29150  
 29200  
 29250  
 29300  
 29350  
 29400  
 29450  
 29500  
 29550  
 29600  
 29650  
 29700  
 29750  
 29800  
 29850  
 29900  
 29950  
 30000  
 30050  
 30100  
 30150  
 30200  
 30250  
 30300  
 30350  
 30400  
 30450  
 30500  
 30550  
 30600  
 30650  
 30700  
 30750  
 30800  
 30850  
 30900  
 30950  
 31000  
 31050  
 31100  
 31150  
 31200  
 31250  
 31300  
 31350  
 31400  
 31450  
 31500  
 31550  
 31600  
 31650  
 31700  
 31750  
 31800  
 31850  
 31900  
 31950  
 32000  
 32050  
 32100  
 32150  
 32200  
 32250  
 32300  
 32350  
 32400  
 32450  
 32500  
 32550  
 32600  
 32650  
 32700  
 32750  
 32800  
 32850  
 32900  
 32950  
 33000  
 33050  
 33100  
 33150  
 33200  
 33250  
 33300  
 33350  
 33400  
 33450  
 33500  
 33550  
 33600  
 33650  
 33700  
 33750  
 33800  
 33850  
 33900  
 33950  
 34000  
 34050  
 34100  
 34150  
 34200  
 34250  
 34300  
 34350  
 34400  
 34450  
 34500  
 34550  
 34600  
 34650  
 34700  
 34750  
 34800  
 34850  
 34900  
 34950  
 35000  
 35050  
 35100  
 35150  
 35200  
 35250  
 35300  
 35350  
 35400  
 35450  
 35500  
 35550  
 35600  
 35650  
 35700  
 35750  
 35800  
 35850  
 35900  
 35950  
 36000  
 36050  
 36100  
 36150  
 36200  
 36250  
 36300  
 36350  
 36400  
 36450  
 36500  
 36550  
 36600  
 36650  
 36700  
 36750  
 36800  
 36850  
 36900  
 36950  
 37000  
 37050  
 37100  
 37150  
 37200  
 37250  
 37300  
 37350  
 37400  
 37450  
 37500  
 37550  
 37600  
 37650  
 37700  
 37750  
 37800  
 37850  
 37900  
 37950  
 38000  
 38050  
 38100  
 38150  
 38200  
 38250  
 38300  
 38350  
 38400  
 38450  
 38500  
 38550  
 38600  
 38650  
 38700  
 38750  
 38800  
 38850  
 38900  
 38950  
 39000  
 39050  
 39100  
 39150  
 39200  
 39250  
 39300  
 39350  
 39400  
 39450  
 39500  
 39550  
 39600  
 39650  
 39700  
 39750  
 39800  
 39850  
 39900  
 39950  
 40000  
 40050  
 40100  
 40150  
 40200  
 40250  
 40300  
 40350  
 40400  
 40450  
 40500  
 40550  
 40600  
 40650  
 40700  
 40750  
 40800  
 40850  
 40900  
 40950  
 41000  
 41050  
 41100  
 41150  
 41200  
 41250  
 41300  
 41350  
 41400  
 41450  
 41500  
 41550  
 41600  
 41650  
 41700  
 41750  
 41800  
 41850  
 41900  
 41950  
 42000  
 42050  
 42100  
 42150  
 42200  
 42250  
 42300  
 42350  
 42400  
 42450  
 42500  
 42550  
 42600  
 42650  
 42700  
 42750  
 42800  
 42850  
 42900  
 42950  
 43000  
 43050  
 43100  
 43150  
 43200  
 43250  
 43300  
 43350  
 43400  
 43450  
 43500  
 43550  
 43600  
 43650  
 43700  
 43750  
 43800  
 43850  
 43900  
 43950  
 44000  
 44050  
 44100  
 44150  
 44200  
 44250  
 44300  
 44350  
 44400  
 44450  
 44500  
 44550  
 44600  
 44650  
 44700  
 44750  
 44800  
 44850  
 44900  
 44950  
 45000  
 45050  
 45100  
 45150  
 45200  
 45250  
 45300  
 45350  
 45400  
 45450  
 45500  
 45550  
 45600  
 45650  
 45700  
 45750  
 45800  
 45850  
 45900  
 45950  
 46000  
 46050  
 46100  
 46150  
 46200  
 46250  
 46300  
 46350  
 46400  
 46450  
 46500  
 46550  
 46600  
 46650  
 46700  
 46750  
 46800  
 46850  
 46900  
 46950  
 47000  
 47050  
 47100  
 47150  
 47200  
 47250  
 47300  
 47350  
 47400  
 47450  
 47500  
 47550  
 47600  
 47650  
 47700  
 47750  
 47800  
 47850  
 47900  
 47950  
 48000  
 48050  
 48100  
 48150  
 48200  
 48250  
 48300  
 48350  
 48400  
 48450  
 48500  
 48550  
 48600  
 48650  
 48700  
 48750  
 48800  
 48850  
 48900  
 48950  
 49000  
 49050  
 49100  
 49150  
 49200  
 49250  
 49300  
 49350  
 49400  
 49450  
 49500  
 49550  
 49600  
 49650  
 49700  
 49750  
 49800  
 49850  
 49900  
 49950  
 50000  
 50050  
 50100  
 50150  
 50200  
 50250  
 50300  
 50350  
 50400  
 50450  
 50500  
 50550  
 50600  
 50650  
 50700  
 50750  
 50800  
 50850  
 50900  
 50950  
 51000  
 51050  
 51100  
 51150  
 51200  
 51250  
 51300  
 51350  
 51400  
 51450  
 51500  
 51550  
 51600  
 51650  
 51700  
 51750  
 51800  
 51850  
 51900  
 51950  
 52000  
 52050  
 52100  
 52150  
 52200  
 52250  
 52300  
 52350  
 52400  
 52450  
 52500  
 52550  
 52600  
 52650  
 52700  
 52750  
 52800  
 52850  
 52900  
 52950  
 53000  
 53050  
 53100  
 53150  
 53200  
 53250  
 53300  
 53350  
 53400  
 53450  
 53500  
 53550  
 53600  
 53650  
 53700  
 53750  
 53800  
 53850  
 53900  
 53950  
 54000  
 54050  
 54100  
 54150  
 54200  
 54250  
 54300  
 54350  
 54400  
 54450  
 54500  
 54550  
 54600  
 54650  
 54700  
 54750  
 54800  
 54850  
 54900  
 54950  
 55000  
 55050  
 55100  
 55150  
 55200  
 55250  
 55300  
 55350  
 55400  
 55450  
 55500  
 55550  
 55600  
 55650  
 55700  
 55750  
 55800  
 55850  
 55900  
 55950  
 56000  
 56050  
 56100  
 56150  
 56200  
 56250  
 56300  
 56350  
 56400  
 56450  
 56500  
 56550  
 56600  
 56650  
 56700  
 56750  
 56800  
 56850  
 56900  
 56950  
 57000  
 57050  
 57100  
 57150  
 57200  
 57250  
 57300  
 57350  
 57400  
 57450  
 57500  
 57550  
 57600  
 57650  
 57700  
 57750  
 57800  
 57850  
 57900  
 57950  
 58000  
 58050  
 58100  
 58150  
 58200  
 58250  
 58300  
 58350  
 58400  
 58450  
 58500  
 58550  
 58600  
 58650  
 58700  
 58750  
 58800  
 58850  
 58900  
 58950  
 59000  
 59050  
 59100  
 59150  
 59200  
 59250  
 59300  
 59350  
 59400  
 59450  
 59500  
 59550  
 59600  
 59650  
 59700  
 59750  
 59800  
 59850  
 59900  
 59950  
 60000  
 60050  
 60100  
 60150  
 60200  
 60250  
 60300  
 60350  
 60400  
 60450  
 60500  
 60550  
 60600  
 60650  
 60700  
 60750  
 60800  
 60850  
 60900  
 60950  
 61000  
 61050  
 61100  
 61150  
 61200  
 61250  
 61300  
 61350  
 61400  
 61450

















THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE  
RECALL

JUN 5 1975	MAY 19 1987
JUN 4 REC'D	MAY 23 1987 REC'D RECEIVED
JUN 5 1977	MAY 24 1987
JUN 5 REC'D	APR 4 1988
FEB 5 1980	JUN 30 1988
JAN 29 REC'D	RECEIVED
SEP 24 1981	MAK 1448
JAN 6 1982	PHYS SCI LIBRARY
RECEIVED	
MAR 4 1982	

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS



3 1175 00652 9302


Nº 601070

California. Department  
of Water Resources.  
Bulletin.

PHYSICAL  
SCIENCES  
LIBRARY

TC824  
C2  
A2  
no.131:06  
v.2  
app.2

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS



601070  
California. Dept.  
of Water Resources.  
Bulletin.

Call Number:

TC824  
C2  
A2  
no.131:06  
v.2  
app.2

